

SUMMER 2026

b2b.cuagsports.com

Gravel
Road
Unlimited

**Full Range of Biker Gear –
from Head to Toe**

- **More than 20'000 articles**
- **Stylish and functional**
- **Safe and always fitting**

ONE
CLICK TO
B2B-SHOP




CU:AG
SPORTS AG


INHALT | CONTENU



TIME FRAMESETS



**SPORTFUL
CYCLING**



TUDOR




**CASTELLI
CYCLING MEN**



**CASTELLI
CYCLING WOMEN**



SOUDAL QUICKSTEP



CUSTOM TEAM



NIMBL



TUNAP



KASK



KOO



DEDA



SILCA

**INFORMATIONEN
INFORMATION**

**VERKAUFS- UND
LIEFERBEDINGUNGEN |
CONDITIONS
GÉNÉRALES D'AFFAIRES**



Sehr geehrter CUAG-Sports-Partner

Wir freuen uns, Ihnen unseren Sommerkatalog 2026 zu präsentieren. Alle älteren Preislisten und Angebote verlieren mit diesem Erscheinen ihre Gültigkeit. Die Preise sind kalkuliert zum aktuellen Eurokurs. Sollte der Kurs über 0,95 steigen, werden wir unseren bekannten und bewährten Währungsrechner einsetzen. Die empfohlenen Verkaufspreise sind Richtlinien und nicht zwingend verbindlich. Die im neuen Katalog aufgeführten Artikel stammen aus dem aktuellen Sortiment des jeweiligen Lieferanten. Druckfehler und Irrtümer vorbehalten.

Sämtliche Artikel in unserem Katalog sind sofort ab unserem Schweizer Lager lieferbar; ausgenommen sind ausverkaufte und Rückstandsartikel. Auswahlartikel versenden wir – sofern verfügbar – innert 7 - 10 Arbeitstagen (Textil), Hardware innert 4 - 6 Wochen, ab Fremdlager. Für das Retournieren der aus dem Fremdlager bestellten Artikel werden 10 % des Einkaufswertes als Bearbeitungsgebühren berechnet. Rücksendungen werden ausschliesslich in der Originalverpackung und mit sämtlichen Hersteller-Etiketten angenommen. Ansonsten werden 10 % des Einkaufspreises als Bearbeitungs- und Instandhaltungsgebühren verrechnet.

Versandkosten

Versandkosten: CHF 12,40; **ab CHF 300.– Bestellwert frei Haus.**

Expressversand: CHF 12,40 + CHF 25.– zusätzlich.

Lieferfrist: DPD 24 Std.-Service; bei Bestelleingang bis 14.00 Uhr Lieferung am nächsten Werktag.

Zahlungsbedingungen: 20 Tage netto. 2 % Skonto bei Voraus-, Barzahlung oder Lastschriftverfahren.

Ansprechpartner

Für Fragen zu unseren Artikeln stehen Ihnen unsere Spezialisten gerne persönlich zur Verfügung. Sie helfen uns eine schnelle Lieferabwicklung zu erreichen, indem Sie immer mit Artikelnummer und wenn möglich per Webshop, E-Mail oder Fax bestellen.

Öffnungszeiten

Wir sind **montags bis freitags von 8.30 bis 12.00 Uhr** und von **13.30 bis 18.00 Uhr** für Sie da.

Cher partenaire CUAG Sports

Nous nous réjouissons de vous présenter notre Catalogue d'été 2026. Avec cette nouvelle édition, toutes les anciennes offres et listes de prix perdent leur validité. Les prix sont calculés avec le cours actuel de l'euro. Si le taux de change augmente sur 0.95, nous utiliserons notre convertisseur de devises connu et éprouvé. Les prix de vente recommandés sont indicatifs, sans obligations d'application. Les articles présentés dans le nouveau catalogue proviennent de l'assortiment actuel des fournisseurs respectifs (sous réserve de fautes d'impression et d'erreurs).

Tous les articles dans notre catalogue sont immédiatement livrables à partir de notre stock en Suisse; à l'exception des articles épuisés et des articles en attente. Nous livrons également des articles de choix depuis le stock externe sous 7 à 10 jours ouvrables (textile), hardware dans un délai de 4 à 6 semaines, selon la disponibilité. Pour le retour des articles commandés du stock externe, 10 % de la valeur d'achat sera facturé comme frais de traitement. Les retours ne seront acceptés que dans l'emballage d'origine et avec toutes les étiquettes du fabricant. Sinon, 10 % du prix d'achat seront facturés comme frais de manutention et de maintenance.

Coûts de livraison

Frais de port: CHF 12.40, **franco domicile pour une commande à partir de CHF 300.–.**

Livraison express: CHF 12.40 + CHF 25.– supplémentaire.

Délai de livraison: service DPD 24 heures, pour les commandes effectuées jusqu'à 14h00 livraison le jour ouvrable suivant.

Conditions de paiement: 20 jours net, rabais de 2 % pour les paiements effectués en avance et en liquide, ainsi que par système de recouvrement direct.

À votre disposition

Nos spécialistes restent à votre disposition pour toutes questions concernant nos articles. Vous nous permettez d'offrir un service de livraison rapide en indiquant toujours le numéro d'article et en effectuant si possible vos commandes par shop en ligne, par e-mail ou par fax.

Horaires d'ouverture

*Nous sommes à votre disposition de **lundi à vendredi de 08h30 à 12h00** et de **13h30 à 18h00**.*

CUAG Sports AG

C/O Hohle Gasse | Artherstr. 60
6405 Immensee

Phone:

+41 41 259 51 00

cuagsports.com

b2b.cuagsports.com

info@cuagsports.com

MwSt. | T.V.A. CHE-112.337.949

Bank | Banque Schwyzer Kantonalbank, 6431 Schwyz
IBAN CH12 0077 7005 3581 7106 3



No One Stops Time

GESCHWINDIGKEIT – GEBOREN, UM SCHNELL ZU SEIN

Im Laufe unserer Geschichte haben wir mit den besten Radfahrern und Teams der Welt zusammengearbeitet, um Fahrräder und Produkte zu schaffen, die unerreichbar sind. Unsere Erfolge werden bewundert, und wir waren Teil unzähliger ikonischer Momente im Radsport über vier Jahrzehnte hinweg. Wir verfeinern jedes Detail unseres Designs und Herstellungsprozesses, um immer schnellere Fahrräder zu bauen. Wir verstehen, dass ein schnelles Fahrrad das Ergebnis vieler Faktoren ist – Gewicht, Stärke, Stabilität, Komfort – und wir behandeln jeden dieser Faktoren gleich, um das optimale Fahrerlebnis zu bieten.

STIL – MODE VERGEHT, STIL IST EWIG

Radfahren ist gleichbedeutend mit Stil. Vom angriffslustigen Panache eines Jacques Anquetil oder Julian Alaphilippe bis zu den Stunden, die man damit verbringt, das perfekte Setup zu verfeinern. Wir durchdringen unsere Fahrräder mit Technologie und Stil – Form und Funktion arbeiten in perfekter Harmonie. Unsere Fahrräder sind zeitlos im Stil, und wie der große Yves Saint Laurent sagte: „Mode vergeht, Stil ist ewig.“

EXCELLENZ – STÄNDIGE SUCHE NACH PERFEKTION

Die Suche nach Exzellenz ist der Grund, warum wir vor über 20 Jahren in geflochtenen Carbon und Resin Transfer Molding investiert haben. Deshalb geben wir uns nicht mit billigeren Alternativen zufrieden. Wir machen keine Abstriche und lagern keine Produktion aus; alles wird in unserem europäischen Werk nach unseren strengen Standards hergestellt. Wir sind rastlos, immer darauf bedacht, unsere Prozesse zu verbessern, unser Produkt zu verfeinern und Dinge besser zu machen. Unser Streben nach Exzellenz in allen Bereichen unseres Unternehmens ist die Grundlage für die Qualität, die wir liefern.

KREATIVITÄT – DENKEN AUF DER NÄCHSTEN EBENE

Wir sind eine kreative, leidenschaftliche und engagierte Gruppe von Designern und Ingenieuren. Radfahren und der Bau von Fahrrädern bestimmen unser Leben, und wir suchen ständig nach neuen, innovativen und kreativen Wegen, um den Sport, den wir lieben, zu verbessern. Der Einsatz einzigartiger Technologien und die Erfindung völlig neuer Technologien beweisen, dass unsere Kreativität uns auf das nächste Level bringt.

FOKUS – NICHTS AUSSER CARBON

Früh haben wir entschieden, uns ausschließlich auf Carbonfasern zu konzentrieren. Diese wichtige Entscheidung hat dazu geführt, dass unser Wissen, unsere Erfahrung und unsere Fähigkeiten im Umgang mit diesem erstaunlichen Material über Jahrzehnte hinweg unübertroffen sind.

UNABHÄNGIGKEIT – NIEMAND STOPPT DIE ZEIT

TIME wurde im Geiste von Roland Cattin, unserem Gründer, geschaffen. Wir sind unabhängig und stolz auf unser Erbe. Unser Engagement für Qualität, Innovation und Exzellenz prägt unsere Arbeitsweise. Das Wichtigste für uns ist die Qualität unserer Fahrräder, und nichts wird uns davon abhalten.

VITESSE – NÉ POUR ÊTRE RAPIDE

Tout au long de notre histoire, nous avons collaboré avec les meilleurs cyclistes et équipes du monde pour créer des vélos et des produits inégalables. Notre palmarès est respecté, et nous avons fait partie d'innombrables moments emblématiques du cyclisme pendant plus de quatre décennies. Nous affinons chaque détail de notre processus de conception et de fabrication afin de construire des vélos de plus en plus rapides. Nous comprenons qu'un vélo rapide résulte de multiples facteurs – poids, solidité, stabilité, confort – et nous traitons chaque facteur avec la même importance pour offrir une expérience de conduite optimale.

STYLE – LA MODE PASSE, LE STYLE EST ÉTERNEL

Le cyclisme est synonyme de style. De la panache offensive de Jacques Anquetil ou Julian Alaphilippe aux heures passées à perfectionner votre configuration idéale. Nous infusons nos vélos de technologie et de style – la forme et la fonction travaillant en parfaite harmonie. Nos vélos sont intemporels en termes de style, et comme l'a dit le grand Yves Saint Laurent : « Les modes passent, le style est éternel. »

EXCELLENCE – TOUJOURS À LA RECHERCHE DE LA PERFECTION

La quête de l'excellence est la raison pour laquelle nous avons investi dans le carbone tressé et le moulage par transfert de résine il y a plus de 20 ans. C'est aussi pourquoi nous ne nous contentons pas d'alternatives moins chères. Nous ne faisons pas de compromis et n'externalisons pas la production ; tout est fabriqué dans notre usine européenne selon nos normes strictes. Nous sommes inlassables, toujours à la recherche d'améliorations dans nos processus, de perfectionnements de nos produits et de nouvelles manières de faire mieux. Notre exigence d'excellence dans tous les domaines de notre activité est le fondement de la qualité que nous produisons.

CRÉATIVITÉ – PENSER AU NIVEAU SUPÉRIEUR

Nous sommes un groupe créatif, passionné et dévoué de designers et d'ingénieurs. Le cyclisme et la fabrication de vélos nous obsèdent, et nous cherchons constamment des moyens nouveaux, innovants et créatifs pour améliorer le sport que nous aimons. L'utilisation de technologies uniques et l'invention de nouvelles prouvent que notre ingéniosité nous pousse à atteindre le niveau supérieur.

FOCALISATION – RIEN QUE LE CARBONE

Nous avons pris très tôt la décision de nous concentrer uniquement sur la fibre de carbone. Cette décision clé signifie que, au fil des décennies, notre connaissance, notre expérience et notre maîtrise de ce matériau exceptionnel sont sans égal.

INDÉPENDANCE – PERSONNE N'ARRÊTE LE TEMPS

TIME a été créé dans l'esprit de Roland Cattin, notre fondateur. Nous sommes farouchement indépendants et fiers de notre héritage. Notre engagement envers la qualité, l'innovation et l'excellence guide notre façon de travailler. Ce qui compte le plus pour nous, c'est la qualité de nos vélos, et rien ne nous détournera de cet objectif.

TIME



FRAMES

SCYLON DISC



75332225 S01*

NUDE

XXS, XS, S, M, L, XL

75332225 S02*

PEARL

XXS, XS, S, M, L, XL

75332225 S03*

BRILLIANT RED

XXS, XS, S, M, L, XL

75332225 S04*

BRILLIANT PURPLE

XXS, XS, S, M, L, XL

75332225 RTP*

READY TO PAINT

XXS, XS, S, M, L, XL

* auf Bestellung 4 - 6 Wochen | sur commande 4 - 6 semaines

Scylon Generation2

Entwickelt für Aerodynamik, Geschwindigkeit und präzises Handling. Mit fortschrittlicher Kohlefaserertechnologie, vollständiger Kabelintegration und hocheffizienter Kraftübertragung.

Scylon bietet maximale Leistung bei jeder Fahrt. Dominieren Sie Anstiege, Sprints und Ausreißversuche.

Im Leistungsumfang enthalten

- FSA Steuersatz/SRS Topcap für halb- und vollintegrierte Cockpits
- Alu-Flaschenschrauben
- Scylon Aero-Sattelstütze
- Steckachsen vorne und hinten
- Semi-Integrierte Sattelstützenklemme
- Umwerfer und Schaltwerkhalter

Scylon génération 2

Conçu pour l'aérodynamisme, la vitesse et la précision de conduite. Doté d'une technologie avancée en fibre de carbone, d'une intégration complète des câbles et d'un transfert de puissance ultra-efficace.


Le Scylon offre des performances maximales à chaque sortie. Dominez les montées, les sprints et les échappées.

Inclus dans les spécifications

- FSA Headset/SRS Topcap pour cockpits semi-intégrés et intégrés
- Boulons de bouteille en alliage
- Tige de selle Scylon Aero
- Axes Thru avant et arrière
- Collier de tige de selle semi-intégré
- Crochets de dérailleur avant et arrière

SCYLON DISC FRAME SPECIFICATIONS	
FRAME MATERIAL Gen 2 BCS M46J / T800 Carbon Fiber Layup	THRU AXLES 12x120x1.5mm pitch F, 12x159x1.5mm pitch R
SIZES XXS, XS, SM, MD, LG, XL	SEATPOST DIAMETER Proprietary SCYLON Aero Carbon, -20/+10mm SB
FORK STEERER TUBE Kevlar Enhanced BCS Carbon Fiber - Tapered 1-1/8" to 1-1/2"	SEATPOST CLAMP Semi-Integrated TIME Alloy
HEADSET BEARINGS FSA Headset/SRS Topcap for Semi & Fully-Integrated Cockpits	SHIFTING Compatible with all Electronic Shifting Systems
WHEEL SIZE 700c	FRONT DERAILLEUR Standard Mount
MAXIMUM TIRE WIDTH 700x32 (not all tire/rim combinations fit with adequate clearance - check for appropriate fit)	REAR DERAILLEUR Standard Mount
BOTTOM BRACKET PF 386 EVO	BRAKE TYPE Front and Rear Flat Mount Disc
DISC HUB STANDARD 12x100mm F, 12x142mm R	ROTOR SIZE 140/160mm with Adapter

	XXS	XS	S	M	L	XL
1 - SEAT TUBE VIRTUAL	530	536	574	589	612	630
2 - SEAT TUBE ACTUAL	470	485	505	525	545	565
3 - TOP TUBE VIRTUAL	529	540	549	560	574	584
4 - SEAT TUBE ANGLE	73	73	73	73	73	73
5 - HEAD TUBE ANGLE	71.5	71.5	71.5	72	73	73
6 - HEAD TUBE	120	138	154	167	185	203
7 - FORK OFFSET	50	50	50	50	4.8	4.8
8 - AXLE TO CROWN	370	370	370	370	370	370
9 - TRIAL (28 TUBE)	62	62	62	59	60	60
10 - FRONT CENTER	579	580	595	604	600	609
11 - CHAINSTAY	470	470	470	470	470	470
12 - BB DROP	67	67	67	67	67	67
13 - WHEELBASE	980	991	995	1005	1009	1011
14 - STROKE	515	532	549	567	584	601
15 - REACH	370	377	380	389	390	397



ALPE D'HUEZ DISC



75292225 V31

GLOSS CARBON

XS, S, M, L, XL

75292225 V35

BRILLIANT RED

XS, S, M, L, XL

75292225 V36*

BRILLIANT BLUE

XS, S, M, L, XL

75292225 V38*

BRILLIANT PINK

XS, S, M, L, XL

75292225 V47*

BRILLIANT SILVER

XS, S, M, L, XL

75292225 RTP*

READY TO PAINT

XS, S, M, L, XL

* auf Bestellung 4 - 6 Wochen | sur commande 4 - 6 semaines

Die Entwicklung von Alpe d'Huez

Alpe d'Huez ist mehr als nur ein Anstieg bei der Tour de France. Hubschrauber, Polizeieskorten, blauer Rauch, kreischende Gesichtsbemalte und eine Menge von 300.000 Radsportfans garantieren, dass jeder Besuch dieses legendären Gipfels für immer mit Ruhm gekrönt wird. Es ist diese unverwechselbare Verbindung von Geschichte, Spektakel, enormer Anstrengung, Sportlichkeit und Schönheit, die in jeden Alpe d'Huez-Rahmen eingearbeitet ist, den wir herstellen. Das TIME Alpe d'Huez-Disc zu fahren bedeutet, etwas zu genießen, das sich jeder Beschreibung entzieht und von keinem anderen Fahrrad erreicht werden kann. Dies ist das ultimative Rennrad.

Bereit zum Malen

Time-Rahmensets können lackierfertig in vorbereitetem und geschliffenem Zustand und mit sämtlicher Hardware erworben werden. Wählen Sie Ihre eigene Lackiererei oder fragen Sie uns nach einem Vorschlag, um das TIME Ihrer Träume zu schaffen.

Im Leistungsumfang enthalten

- DEDA S DCR / FSA Headset für halb- und vollintegrierte Cockpits
- Steckachsen vorn und hinten
- Flaschenschrauben aus Aluminiumlegierung
- Integrierte Sattelstützenklemme
- Schalttauge
- Umbausatz für Einzelabdeckung und Antriebsstrang

Le développement de l'Alpe d'Huez

L'Alpe d'Huez est bien plus qu'une simple montée du Tour de France. Hélicoptères, escortes policières, fumées bleues, visages peints hurlants et une foule de 300.000 fans de cyclisme garantissent que chaque visite de ce sommet légendaire sera à jamais couronnée de gloire. C'est cette combinaison unique d'histoire, de spectacle, d'effort énorme, de sportivité et de beauté qui est incorporée dans chaque cadre de l'Alpe d'Huez que nous fabriquons. Rouler sur le nouveau vélo à disque TIME Alpe d'Huez, c'est profiter de quelque chose qui échappe à toute description et qu'aucun autre vélo ne peut égaler. C'est le vélo de course ultime.

Prêt à peindre

Les kits de cadre Time peuvent être achetés prêts à peindre, préparés et poncés, avec tout le matériel nécessaire. Choisissez votre propre atelier de peinture ou demandez-nous une proposition pour créer le TIME de vos rêves.

Inclus dans les spécifications

- Casque DEDA S DCR / FSA pour les cockpits semi-intégrés et entièrement intégrés
- Axes enfichables à l'avant et à l'arrière
- Vis de bidon en alliage d'aluminium
- Pince de tige de selle intégrée
- Patte de dérailleur
- Kit de conversion de capot simple et de transmission

ALPE D'HUEZ DISC FRAME SPECIFICATIONS	
FRAME MATERIAL BCS Carbon Fiber, Vectran™ and Dyneema® Enhanced	THRU AXLES 12x120x1.5mm Pitch F, 12x159x1.5mm Pitch R
SIZES XS, S, M, L, XL	SEATPOST DIAMETER ø27.2mm
FORK STEERER TUBE Tapered 1-1/8" to 1-1/2" Vectran™ Enhanced	SEATPOST CLAMP Proprietary ADH Alloy
HEADSET BEARINGS Top and Bottom: 1-1/2" (with internal routing compression ring)	SHIFTING Compatible with Electronic Shifting Systems Only
WHEEL SIZE 700c, ETRTO 38-622	FRONT DERAILLEUR 1X and 2X Compatible
MAXIMUM TIRE WIDTH 280	REAR DERAILLEUR Standard Mount
BOTTOM BRACKET PF BB386 EVO	BRAKE TYPE Front and Rear Flat Mount Disc
DISC HUB STANDARD 12x100mm F, 12x142mm R	ROTOR SIZE Max 160mm with DM Adapter

ADJUST	XS	S	M	L	XL
1 SEAT TUBE (ACTUAL)	452	470	510	540	565
2 TOP TUBE (CENTRAL)	576	581	595	610	580
3 SEAT TUBE ANGLE	74.3°	74°	73°	73°	73°
4 HEAD TUBE ANGLE	71°	72.5°	73°	73.5°	73.5°
5 HEAD TUBE	122	142	160	186	204
6 FORK OFFSET	43	43	43	43	43
7 AXLE TO CHAINS	100	100	100	100	100
8 TRAIL	70	66	58	58	55
9 FRONT CENTER	576	573	584	599	604
10 CHAINRINGS	470	470	470	470	470
11 DROP	125	125	125	125	125
12 WHEELBASE	575	575	580	590	600
13 STACK	576	580	584	592	597
14 REARH	572	573	583	592	597



ALPE D'HUEZ X



75242225 V11

GLOSS CARBON

XS, S, M, L, XL

75242225 V40

CARBON SHIFT CYAN

XS, S, M, L, XL

75242225 V41*

CARBON SHIFT MAGENTA

XS, S, M, L, XL

75242225 V42*

CARBON SHIFT GREEN

XS, S, M, L, XL

75242225 V43*

SILVER

XS, S, M, L, XL

75242225 RTP*

READY TO PAINT

XS, S, M, L, XL

* auf Bestellung 4 - 6 Wochen | sur commande 4 - 6 semaines

Das moderne Rennrad für verschiedene Untergründe

Lernen Sie Alpe d'Huez X kennen – den Höhepunkt an Agilität und erweiterten Möglichkeiten. Entwickelt für breitere Straßenreifen, bietet es eine ruhige Fahrt auf rauem Asphalt und schnelle Beschleunigung für anspruchsvolle Gruppenfahrten. Vielseitig und komfortabel, zeichnet sich Alpe d'Huez X auf jeder Strecke und jeder Straße aus und sorgt dafür, dass Sie auch morgen wieder bereit sind. Bereit zum malen: Time-Rahmensets können lackierfertig in vorbereitetem und geschliffenem Zustand und mit sämtlicher Hardware erworben werden. Wählen Sie Ihre eigene Lackiererei, um das TIME Ihrer Träume zu gestalten.

Im Leistungsumfang enthalten

- DEDA S DCR / FSA Headset für halb- und vollintegrierte Cockpits
- Steckachsen vorn und hinten
- Flaschenschrauben aus Aluminiumlegierung
- Integrierte Sattelstützenklemme
- Schalttauge
- Umbausatz für Einzelabdeckung und Antriebsstrang

L'évolution de l'Alpe d'Huez


L'Alpe d'Huez est bien plus qu'une simple ascension du Tour de France. Hélicoptères, escortes policières, fumée bleue, visages peints criant à tue-tête, et une foule de 300 000 fans de cyclisme garantissent que chaque visite à ce sommet légendaire sera à jamais couronnée de gloire. C'est cette combinaison unique d'histoire, de spectacle, d'effort immense, de sportivité et de beauté qui est intégrée dans chaque cadre Alpe d'Huez que nous fabriquons. Rouler avec la nouvelle roue à disque TIME Alpe d'Huez, c'est profiter de quelque chose d'indescriptible, qu'aucun autre vélo ne peut égaler. C'est le vélo de course ultime.

Inclus dans les spécifications

- Casque DEDA S DCR / FSA pour les cockpits semi-intégrés et entièrement intégrés
- Axes enfichables à l'avant et à l'arrière
- Vis de bidon en alliage d'aluminium
- Pince de tige de selle intégrée
- Patte de dérailleur
- Kit de conversion de capot simple et de transmission

ALPE D'HUEZ X FRAME SPECIFICATIONS	
FRAME MATERIAL BCS Carbon Fiber - Vectran® and Dyneema® Enhanced	THRU AXLES 12x120x1.5mm Pitch F, 12x159x1.5 Pitch R
SIZES XS, SM, MD, LG, XL	SEATPOST DIAMETER ø27.2mm
FORK STEERER TUBE Tapered 1-1/8" to 1-1/2"	SEATPOST CLAMP Proprietary TIME Alloy
HEADSET BEARINGS Top and Bottom 1-1/2" (with internal routing compression ring)	SHIFTING Compatible with Electronic and Mechanical Shifting Systems
WHEEL SIZE 700c	FRONT DERAILLEUR 1X and 2X Wide Compatible with Integrated Single Cover and Drivetrain Conversion Kit
MAXIMUM TIRE WIDTH 700x28-38c Road Tires, Optimized for 32-35c (not all tire/rim combinations fit with adequate clearance - check for appropriate fit)	REAR DERAILLEUR Standard Mount
BOTTOM BRACKET PF BB386	BRAKE TYPE Front and Rear Flat Mount Disc
DISC HUB STANDARD 12x100mm F, 12x142mm R	ROTOR SIZE 140/160mm with Adapter

ALPE D'HUEZ X	XS	S	M	L	XL
1 SEAT TUBE (VIRTUAL)	521	538	555	570	581
2 SEAT TUBE (ACTUAL)	455	480	500	530	550
3 TOP TUBE (VIRTUAL)	521	538	555	570	580
4 SEAT TUBE ANGLE	73.3°	73°	73°	73°	73°
5 HEAD TUBE ANGLE	70.5°	71.5°	72.5°	72.5°	73°
6 HEAD TUBE	123	131	146	168	188
7 FORK OFFSET	50	50	50	50	50
8 AXLE TO CROWN	377	377	377	377	377
9 TRAIL	71	64	58	50	54
10 FRONT CENTER	585	581	594	609	615
11 CHAINSTAY	418	418	418	418	418
12 DROP	74	74	74	74	74
13 WHEELBASE	952	964	981	1016	1022
14 STACK	530	543	562	581	601
15 REACH	366	373	383	392	397



ADHX 45 UDH



75312226 V31*

GLOSS CARBON UDH

XS, S, M, L, XL

75312226 V43*

SILVER UDH

XS, S, M, L, XL

75312226 V44*

CHESTNUT UDH

XS, S, M, L, XL

75312226 V45*

STEEL BLUE UDH

XS, S, M, L, XL

75312226 V46*

ROSE UDH

XS, S, M, L, XL

75312226 RTP*

READY TO PAINT UDH

XS, S, M, L, XL

* auf Bestellung 4 - 6 Wochen | sur commande 4 - 6 semaines

Das aggressive Geschwisterkind der Familie Alpe d'Huez

Das ADHX 45 ist das aggressivste Offroad-Bike der TIME-Reihe und wurde für Fahrer entwickelt, die ein geschmeidiges und reaktionsschnelles Hochleistungsrad suchen, das auch unwegsames Gelände bewältigt. Optimiert für 700x45c-Reifen (und kompatibel mit 650x50c) kombiniert das ADHX 45 die Präzision und Technik unserer 30-jährigen Carbonrahmenentwicklung mit einer Geometrie und einem Fahrgefühl, das auf groben, aggressiven Schotter abgestimmt ist.

Bereit zum Malen

Time-Rahmensets können lackierfertig in vorbereitetem und geschliffenem Zustand und mit sämtlicher Hardware erworben werden. Wählen Sie Ihre eigene Lackiererei oder fragen Sie uns nach einem Vorschlag, um das TIME Ihrer Träume zu schaffen.

Im Leistungsumfang enthalten

- FSA Steuersatz/SRS Topcap für halb- und vollintegrierte Cockpits
- Alu-Flaschenschrauben
- Scylon Aero-Sattelstütze
- Steckachsen vorne und hinten
- Semi-Integrierte Sattelstützenklemme
- Umwerfer und Schaltwerkhalter

Le frère agressif de la famille Alpe d'Huez

L'ADHX 45 est le vélo tout-terrain le plus agressif de la gamme TIME. Il est conçu pour les cyclistes à la recherche d'une machine performante, souple et réactive, capable d'affronter les terrains accidentés. Optimisé pour les pneus 700x45c (et compatible avec les 650x50c), l'ADHX 45 allie la précision et l'ingénierie acquises au cours de nos 30 années de développement de cadres en carbone à une géométrie et un comportement optimisés pour le gravel accidenté.

Prêt à peindre

Les kits de cadres Time peuvent être achetés prêts à peindre, préparés et poncés, avec tout le matériel nécessaire. Choisissez votre propre atelier de peinture ou demandez-nous une proposition pour créer le TIME de vos rêves.

Inclus dans la prestation

- Casque FSA pour cockpits semi-intégrés et entièrement intégrés
- Axes traversants avant et arrière
- Boulons de bouteille en alliage
- Collier de serrage de tige de selle intégré
- (1) Patte de dérailleur
- Kit de conversion de couvercle unique et de transmission

ADHX 45 FRAME SPECIFICATIONS	
FRAME MATERIAL BCS Carbon Fiber - Dyneema® Enhanced	THRU AXLES 12x120x1.5mm Pitch F, 12x159x1.5 Pitch R
SIZES XS, SM, MD, LG, XL	SEATPOST DIAMETER ø27.2mm
FORK STEERER TUBE Tapered 1-1/8" to 1-1/2"	SEATPOST CLAMP Proprietary ADHX Alloy
HEADSET BEARINGS Top and Bottom 1-1/2" (with internal routing compression ring)	SHIFTING Compatible with Electronic and Standard Shifting Systems
WHEEL SIZE 700c/650b	FRONT DERAILLEUR 1X and 2X Wide Compatible with Integrated Single Cover and Drivetrain Conversion Kit
MAXIMUM TIRE WIDTH 700x32-45c Gravel Tire 650x50c Gravel Tire (not all tire/rim combinations fit with adequate clearance - check for appropriate fit)	REAR DERAILLEUR Universal Derailleur Hanger, Standard Mount
BOTTOM BRACKET PF BB386	BRAKE TYPE Front and Rear Flat Mount Disc
DISC HUB STANDARD 12x100mm F, 12x142mm R	ROTOR SIZE 140/160mm with Adapter

ADHX 45	XS	S	M	L	XL
1. HEAD TUBE (VERTICAL)	52.1	52.9	53.5	54.2	55.0
2. HEAD TUBE (HORIZONTAL)	40.1	40.5	41.0	41.5	42.0
3. FORK (VERTICAL)	51.8	52.7	53.3	54.0	54.8
4. SEAT TUBE (ANGLE)	73.0°	73.0°	73.0°	73.0°	73.0°
5. HEAD-TO-SEAT ANGLE	75.0°	75.0°	75.0°	75.0°	75.0°
6. HEAD TUBE	12.1	12.1	14.5	14.5	15.5
7. FORK OFFSET	5.5	5.5	5.5	5.5	5.5
8. BARS (HORIZONTAL)	18.1	18.1	18.1	18.1	18.1
9. TUBES	17.1	17.1	17.1	17.1	17.1
10. FRONT CROWN	5.88	5.87	5.88	5.87	5.88
11. CROWN	4.80	4.80	4.80	4.80	4.80
12. BARS	17.1	17.1	17.1	17.1	17.1
13. HEADSTAYS	10.00	10.01	10.00	10.01	10.00
14. STAYS	63.1	63.1	63.1	63.1	63.1
15. WHEELS	10.4	10.1	10.1	10.0	10.0






SPRING SUMMER 26
Collection



sportful

A blurry, low-angle photograph of a street scene. In the foreground, a light-colored paved road curves from the bottom left towards the right. A white curb separates the road from a grassy area. In the background, a dark, multi-story building with many windows is visible, slightly out of focus. The overall image has a motion blur effect, suggesting it was taken while moving.



Spring Summer Collection 26

sportful



JERSEY



sportful

HYPEREPIC

The Hyperepic Jersey by Sportful is designed to transform every ride into an unlimited adventure. Created to meet the demands of athletes and enthusiasts who crave versatile performance, it excels equally on gravel paths and fast-paced road routes. From quick after-work spins to epic 30-hour challenges, the Hyperepic Jersey ensures superior comfort, breathability, and performance under all conditions.

The jersey's advanced construction involves three carefully selected dyed fabrics. The main body and back utilize a three-dimensional polyester fabric featuring a distinctive raised diamond pattern. This innovative design creates a breathable air layer between skin and fabric, significantly enhancing ventilation and keeping you cool and dry even during strenuous rides.

The sleeves, crafted from a high-performance polyester fabric with embossed stripe textures, recall the aerodynamic texture of the renowned Sportful G-Suit, offering improved airflow while ensuring optimal freedom of movement and aerodynamic efficiency.

Functionality meets innovation in the Hyperepic Jersey's rear pockets. Three spacious back pockets employ Sportful's revolutionary floating pocket system, allowing the pockets to expand independently from the jersey. This smart construction means you can carry your essentials without uncomfortable jersey pull or distortion, maintaining your comfort and performance even when pockets are fully loaded. Additionally, the jersey features a discreet zippered pocket on the side, perfect for securing smaller valuables during longer rides or intense adventures.

Underneath the pockets, the jersey fabric is specifically engineered for optimal breathability and moisture control, ensuring that even during epic, 30-hour nonstop rides, your comfort remains unmatched.

The Hyperepic Jersey's subtle, tone-on-tone dyed graphics provide a sophisticated and stylish look, suitable for any ride—from short training loops to endurance gravel challenges. Tested across demanding terrains and conditions, this jersey embodies Sportful's commitment to quality, functionality, and outstanding value. Gear up, break boundaries, and experience the freedom of riding without limits.



H Y P E R $\equiv$ P I C

New arrival


HYPEREPIC JERSEY

1126002

Ride Beyond Limits

Breathable cycling jersey for gravel & road rides, maximum comfort on every adventure.

Innovative 3D diamond-pattern fabric for maximum breathability
Independent expandable back pockets to carry essentials without distortion
3D-structured aerodynamic sleeves inspired by the G-Suit
Discreet side zip pocket for safe storage of valuables




456

GALAXY BLUE

TECHNICAL FEATURES

Breathable

Extra Pockets



3504

ELECTRIC ALOE



607

SIENNA GLOW



105

CREAM

TEMPERATURE RANGE

15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE

XS S M L XL XXL 3XL

FIT

Regular





SUPERNOVA JERSEY

Gear up for unmatched performance with our Supernova Jersey. Crafted from a blend of 4 advanced fabrics, it ensures superior breathability, keeping you cool and comfortable during intense summer rides. The three-dimensional sleeve construction and raw-

cut provide a perfect fit. Its anatomical design adapts seamlessly to your riding position, enhancing comfort and performance. Elevate your cycling experience with the Supernova Jersey, engineered for the demands of the road


SUPERNOVA JERSEY

1125000

Ride Beyond Limits

Experience top-tier performance with our Supernova Jersey. Designed for road cycling enthusiasts, it offers optimal breathability and a tailored fit for every ride.


Top quality fabrics for better wicking management
UV Protection
3 back pockets
Optimized fit for performance rides



527
GALACTIC PURPLE

TECHNICAL FEATURES

Breathable



002
BLACK



067
STONE GRAY

TEMPERATURE RANGE
15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE
XS S M L XL XXL 3XL

FIT
Aero

New arrival


LIGHT 2 JERSEY

1126001

Lightness in Motion

Ultralight breathable cycling jersey, race fit for ultimate road performance.


Ultralight micro-perforated fabric for superior breathability
Minimalist seamless bonded hem for enhanced aerodynamics
Race-specific fit tested by professional cyclists
Practical three-pocket design for easy access




067
STONE GRAY

TECHNICAL FEATURES


Breathable



315
OBLIVION GREEN



4507
FROZEN OCEAN



3504
ELECTRIC ALOE

TEMPERATURE RANGE
30+ °C (86+ °F)

SIZE AVAILABLE
XS S M L XL XXL 3XL

FIT
Aero



New arrival

SUPERGIARA 2 LOGO JERSEY

1126006

Ride Bold, Gravel Free

Breathable gravel cycling jersey
with secure pockets and bold
Sportful logo design.

Superior breathability and
moisture management
5 elastic mesh pockets (3 rear + 2
side)
Bold and distinctive Sportful logo
Regular fit for comfort and
performance




105

CREAM

TECHNICAL FEATURES


Breathable

Extra Pockets



315

OBLIVION GREEN



607

SIENNA GLOW

TEMPERATURE RANGE

15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE

XS S M L XL XXL 3XL

FIT

Regular





New arrival

SRK 2 JERSEY

1126004

Ride Free, Ride Fun

Versatile cycling jersey for road and gravel, breathable with optimal comfort.

Dual-fabric construction for optimal breathability and aerodynamics
Three rear pockets plus one zipped side pocket for secure storage
Regular fit with elastic waistband for comfort and stability
Minimalist style with distinctive SRK details



607
SIENNA GLOW

TECHNICAL FEATURES

Breathable

- 

002
BLACK
- 

101
WHITE
- 

527
GALACTIC
PURPLE
- 

3504
ELECTRIC
ALOE
- 

294
SAND

TEMPERATURE RANGE
15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE
S M L XL XXL 3XL

FIT
Regular

New arrival


SRK JERSEY LONG SLEEVES

1126005

Ride Your Way, Every Day.

Lightweight long sleeve cycling jersey for road and gravel, regular fit, style and function.

Dual-fabric construction for breathability and performance
Lightweight design, ideal for varied weather conditions
Three rear pockets plus secure side zip pocket
Minimalist style with exclusive SRK detailing



3504
ELECTRIC ALOE

TECHNICAL FEATURES

Breathable

				
002 BLACK	101 WHITE	607 SIENNA GLOW	527 GALACTIC PURPLE	294 SAND

TEMPERATURE RANGE
10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE
S M L XL XXL 3XL

FIT
Regular



SRK JERSEY LONG SLEEVE

The Sportful SRK Long Sleeve Jersey is designed for the versatile cyclist who thrives on variety. Whether you're navigating smooth asphalt roads or exploring gravel paths, the SRK jersey is the ideal companion. Part of our unique Sportful Rider Kit collection, this jersey embodies a spirit of adventure, adapting effortlessly to your cycling style. From gravel adventures that end with mud-covered

smiles to smooth road rides that push your endurance limits, the SRK Long Sleeve Jersey adapts seamlessly to your cycling routine. Wherever your journey takes you, ride confidently knowing your gear was designed with passion, expertise, and a deep understanding of what cyclists genuinely need.

New arrival

STARLIGHT 2
JERSEY

1126003

Light Up Your Ride

Breathable cycling jersey for road & gravel rides, comfort and style combined.

Advanced dual-fabric design for superior breathability
Raglan sleeves ensuring full freedom of movement
Anatomical regular fit suitable for road and gravel riding
Dynamic, stylish graphic symbolizing movement and evolution



067
STONE GRAY

TECHNICAL FEATURES

Breathable



5003
PHOENIX GLOW



315
OBLIVION GREEN

TEMPERATURE RANGE
15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE
S M L XL XXL 3XL

FIT
Regular

CLASSIC JERSEY

1125002

Ride Classic, Feel the Freedom

Experience comfort and performance with our Classic Jersey. Ideal for road and gravel, this jersey offers breathability and style for all riders.

Optimal Sweat Management
Fabrics
UV Protection
3 back pockets
Fitted for every rider



105
CREAM

TECHNICAL FEATURES


Breathable



002
BLACK



4507
FROZEN OCEAN



5003
PHOENIX GLOW

TEMPERATURE RANGE
15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE
S M L XL XXL 3XL

FIT
Regular



SUPERGIARA TEE

The Supergiara Tee, your go-to choice for comfortable adventure on gravel trails. Engineered with a single fabric construction, this tee ensures maximum breathability, keeping you cool and dry during summer rides. Featuring a convenient zippered rear pocket, it offers practical storage for essentials while on the go. The dyed fabric enhances softness against the skin, while its quick-drying properties ensure you

stay comfortable even during breaks at the café. Designed for all riders, from beginners to seasoned enthusiasts, who value both performance and comfort. The relaxed fit ensures freedom of movement, making it perfect for those casual stops and refueling moments during your rides. Embrace the freedom of gravel riding with the Supergiara Tee.

SUPERGIARA TEE

1125003

Ride Free, Stay Comfortable

Explore in comfort with our Supergiara Tee. Breathable, quick-drying fabric for gravel adventures.


Technical Fabric with a soft touch
1 back pocket with zip
UV Protection
Casual Fit



105
CREAM

TECHNICAL FEATURES

Breathable



002
BLACK



5002
MISTIC VIOLET

TEMPERATURE RANGE
15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE
S M L XL XXL 3XL

FIT
Regular

JERSEY OVERVIEW

HYPEREPIC
JERSEY



SUPERNOVA
JERSEY



LIGHT 2
JERSEY




SUPERGIARA LOGO 2
JERSEY



SRK 2
JERSEY




SRK
JERSEY LS



STARLIGHT 2
JERSEY




CLASSIC
JERSEY



SUPERGIARA
TEE



sportful





G-SUIT

New arrival

G-SUIT

1126000

Speed Unleashed

Aerodynamic cycling suit for gravel and road racing, maximum comfort and performance.

Invisible side and back pockets for maximum aerodynamics
Minimal seams and bonded edges for superior comfort
Exclusive DMS seat pad with targeted density
3D-structured sleeves for optimized airflow and mobility



067


BLACK / STONE GRAY



TECHNICAL FEATURES

Breathable

Extra Pockets



102

BLACK / WHITE

TEMPERATURE RANGE

15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE

XS S M L XL XXL 3XL

FIT

Aero




G-SUIT

The Sportful G-SUIT is designed to redefine your cycling experience, whether on gravel adventures or fast road races. Crafted for athletes seeking maximum speed without sacrificing comfort, this suit blends cutting-edge fabrics and precision engineering, making it a go-to choice for competitive and recreational cyclists alike.

Tested rigorously by top athletes in both gravel and road disciplines, the G-SUIT offers versatility, performance, and style, becoming your ideal partner whether racing short criteriums or tackling epic endurance events.

sportful



VEST




SUPERGIARA 2 VEST

1125505

Defy the Elements.

Windproof, water-splash resistant cycling vest with Polartec Alpha for top performance.

Windproof and splash-resistant with Polartec Alpha insulation for warmth.
Compact and packable design for easy storage.
Dual-zip system for customized ventilation control.
Zippered front pocket for secure storage of essentials.



002
BLACK



TECHNICAL FEATURES

Breathable

Windproof

Packable

Extra Pockets

TEMPERATURE RANGE

10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE

S M L XL XXL 3XL

FIT

Regular



SUPERGIARA 2 VEST

The Sportful SUPERGIARA 2 VEST is designed for cyclists seeking versatile protection in varying conditions. This high-performance vest offers windproof and splash-resistant qualities, ensuring you stay protected from sudden gusts and water spray on gravel or road rides. A key feature of the SUPERGIARA 2 VEST is the use of Polartec Alpha fabric strategically placed in sensitive areas.

With the combination of wind and splash protection, strategic Polartec Alpha insulation, and compact packability, the Sportful SUPERGIARA 2 VEST is the ultimate companion for cyclists looking to tackle unpredictable conditions with confidence and comfort.

PRO 2 VEST

1125020

Maximize Performance with PRO
2 VEST - Ultimate Cycling Gear

Windproof fabric in the front
Breathable fabric in the back
3 back pocket
Packable construction with
double puller

TECHNICAL FEATURES

Breathable


Windproof

TEMPERATURE RANGE
10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE
S M L XL XXL 3XL

FIT
Aero







315
OBLIVION GREEN



607
SIENNA GLOW



5002
MISTIC VIOLET



002
BLACK



067
STONE GRAY


LIGHT AIR VEST

1125029

Ride Light, Ride Free with LIGHT AIR VEST

Stay Agile with LIGHT AIR VEST - Essential Gear for Cyclists

Windproof fabric in the front
Breathable fabric in the back
No back pocket
Packable construction with double puller



002

BLACK

TECHNICAL FEATURES

Breathable

Windproof

TEMPERATURE RANGE

10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE


S M L XL XXL 3XL

FIT

Regular



sportful



BIB SHORT



sportful

HYPEREPIC

Sportful's Hyperepic BIBSHORT is designed for cyclists who seek limitless adventures without compromising comfort or performance. Engineered specifically for road and gravel cycling, these bibshorts are the ideal partner for both brief rides around home and endurance challenges lasting up to 30 hours.

Crafted with an innovative diamond-patterned, three-dimensional fabric, this bibshort efficiently creates an insulating layer of air, promoting rapid moisture evaporation to keep you dry and cool even on the most demanding rides.

The bibshort features two discreet side pockets that remain invisible when not in use, emphasizing unparalleled versatility and functionality.

The upper portion is built from a highly breathable, stretchy mesh fabric, ensuring optimal fit and maximum freedom of movement. The bib straps integrate directly with the main fabric, providing exceptional stability and comfort throughout every pedal stroke. Centrally perforated straps further enhance breathability, contributing to effective temperature management.

At the heart of the Hyperepic BIBSHORT is the DMS Evo pad, a significant evolution of Sportful's proven DMS technology. Utilizing cutting-edge manufacturing techniques, the pad delivers unmatched comfort for extended periods in the saddle. Its graphene-infused surface provides remarkable antibacterial and odor-resistant properties, ensuring hygiene and exceptional thermal regulation.

The Hyperepic BIBSHORT exemplifies Sportful's commitment to quality, innovation, and performance. It allows cyclists to embrace adventures of any duration, confident that comfort, versatility, and performance will never be compromised.



H Y P E R $\equiv$ P I C

New arrival

HYPEREPIC
BIBSHORT

1126008

Limitless comfort, Hyperopic adventures.

High-performance cycling bibshort for road and gravel adventures for limitless rides

Innovative diamond-patterned fabric for optimal cooling
Discreet, functional side pockets
Breathable mesh upper with perforated straps
DMS Evo graphene pad for superior comfort and performance



002

BLACK



TECHNICAL FEATURES

Breathable

Extra Pockets



456

GALAXY BLUE



607

SIENNA GLOW

TEMPERATURE RANGE

15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE

XS S M L XL XXL 3XL

FIT

Slim



sportful

FACTOR

sportful



The Sportful LTD 2 Bibshort represents the evolution of our acclaimed LTD model, widely tested and trusted by champions like Peter Sagan, Daniel Oss, and Paolo Bettini. Built specifically for road cycling enthusiasts demanding maximum performance and premium comfort, the LTD 2 ensures you perform at your absolute best during long rides, intense training sessions, and competitive races.

At its core, the LTD 2 Bibshort uses an advanced three-dimensional fabric structure featuring thin stripes, engineered to provide outstanding muscle compression. This compact fabric promotes better muscle support and reduces fatigue, allowing you to push harder, pedal longer, and recover faster. The leg hem features a raw-cut finish equipped with silicone grippers that hold the shorts perfectly in place, ensuring optimal aerodynamics and zero unwanted movement during intense efforts.

The bib straps have been completely redesigned with stability in mind. Their unique structure locks the shorts securely in position, eliminating distractions and providing consistent support throughout your ride. Additionally, the ribbed structure of the straps facilitates moisture management by effectively separating the jersey from your body, enhancing breathability and comfort during hot and demanding conditions.

The mesh waist panel is breathable and lightweight, offering superior temperature regulation. Integrated seamlessly into this panel is a discreet mesh pocket specifically designed for radios—an essential feature requested by pro riders—or small items like gels or keys.

At the heart of the LTD 2 is Sportful's highly praised TC Pro chamois. This minimalist yet ultra-effective pad offers exceptional comfort and cushioning exactly where it's needed, even over extended hours in the saddle. Widely tested and requested by elite cyclists, TC Pro delivers professional-level support, significantly enhancing comfort without compromising performance or feel on the bike.

Choose the Sportful LTD 2 Bibshort for professional-grade quality, precise fit, and unmatched comfort, empowering you to ride faster and feel better on every ride.



New arrival

LTD 2 BIBSHORT

1126007

Ride Faster

High-performance cycling bibshort with TC Pro pad for maximum road comfort and support.

Advanced 3D fabric for targeted muscle support
Raw-cut leg endings with grip for maximum stability and comfort
Breathable mesh panel with integrated radio pocket, pro-rider approved
TC Pro chamois pad: minimalist, high-comfort cushioning for long rides




002
BLACK




TECHNICAL FEATURES

Breathable



315
OBLIVION GREEN



125
GUN METAL



456
GALAXY BLUE

TEMPERATURE RANGE
15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE
XS S M L XL XXL 3XL

FIT
Slim



LTD 2



SUPERGIARA 2 BIBSHORT

1125010

Unleash Your Gravel Potential

Optimized bibshorts for gravel adventures. Enhanced performance, durability, and comfort

Abrasion-resistant and supportive fabric
Cargo Pocket on leg sides and on the back
DMS seatpad designed for Gravel



125
GUN METAL / BLACK



TECHNICAL FEATURES

- Breathable**
- Extra Pockets**



309
MIDNIGHT FOREST / BLACK



002
BLACK

TEMPERATURE RANGE
15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE
S M L XL XXL 3XL

FIT
Slim





SRK

SRK
DOT
SWISS
10

DOT SWISS 10

SRK BIBSHORT

1124028

THE CROSSOVER OF CYCLING
APPAREL.

The SRK bib, with a DMS seatpad
and four-way stretch fabric,
offers unmatched versatility and
comfort for all cyclists.

Four-way stretch fabric is
supportive and smooth
Embossed graphic details
Leg-ending with silicon dot is firm
without constraining movement
Two pockets on the back
DMS seatpad



125
GUN METAL




TECHNICAL FEATURES

Breathable

Extra Pockets



002
BLACK



527
GALACTIC PURPLE

TEMPERATURE RANGE
10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE
S M L XL XXL 3XL

FIT
Regular

New arrival

SRK SHORT

1125011

The Crossroads of Cycling
Apparel

Introducing the SRK Short, our most versatile short designed to excel on any surface. With our multi-density DMS seatpad and perfectly compressive four-way stretch fabric, this short delivers an exceptional riding experience for cyclists of all kinds.

Four-way stretch fabric is supportive
Silicon dot leg grippers stay put without being restrictive
DMS seatpad is quick drying and supportive



527

GALACTIC PURPLE



TECHNICAL FEATURES

Breathable



125

GUN METAL



002

BLACK

TEMPERATURE RANGE

15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE

S M L XL XXL 3XL

FIT

Slim

SRK SHIFT BIBTIGHT

1125510

Adapt to Every Season.

Versatile cycling bibtight ideal for mild winters and mid-season rides.

Compact fabric for enhanced wind resistance
Raw-cut leg cuffs for maximum comfort and seamless fit
Bodyfit Pro MD chamois for all-level rider support
Supportive bib straps for stability during intense rides



002
BLACK



TECHNICAL FEATURES

Breathable



125
GUN METAL

TEMPERATURE RANGE
10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE
S M L XL XXL 3XL

FIT
Slim



PULSE BIBSHORT

Introducing the Pulse BIBSHORT, designed to elevate your cycling journey to new heights. Engineered with the advanced Bodyfit pro MD chamois, it ensures unparalleled comfort and support, allowing you to tackle any road with confidence. The form-fitting fabric provides a snug yet flexible fit, while the optimized braces keep the chamois stable against your body.

With a clean, simple look enriched by Sportful branding, this bibshort offers exceptional quality at an unbeatable price. It's the must-have addition to every cyclist's wardrobe, striking the perfect balance between comfort and performance for riders of all levels.

PULSE BIBSHORT

1125013

Ride in Style with Pulse BIBSHORT

Enhance Your Cycling Experience
with Pulse BIBSHORT - Comfort
and Performance Combined

4way stretch fabric
Optimized shape of the legs
Bodyfit PRO seatpad designed
for every rider
Technical Straps Costruction for
better sweat management




607
SIENNA GLOW




SEATPAD
BODYFIT PRO

TECHNICAL FEATURES

Breathable



053
STEEL SHADOW



002
BLACK

TEMPERATURE RANGE
15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE
S M L XL XXL 3XL

FIT
Slim

GIARA 2 BIBSHORT

1125012

Experience Endless Fun with
GIARA 2 BIBSHORT

Enhance Your Gravel Ride with
Giara 2 BIBSHORT - Comfort,
Performance, and Functionality
for Every Cyclist

4way stretch fabric
Cargo Pocket on leg sides
Bodyfit PRO seatpad designed
for every rider



002
NERO



TECHNICAL FEATURES

Breathable

Extra Pockets



607
SIENNA GLOW



268
MIDNIGHT MOCHA

TEMPERATURE RANGE
15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE
S M L XL XXL 3XL

FIT
Slim

New arrival

SUPERGIARA 2 OVERSHORT

1126011

Ride Gravel, Stay Casual

Durable cycling overshoot for gravel rides, quick-drying fabric and casual style

Durable, stretchy fabric designed for gravel adventures
Quick-drying material for comfort in all conditions
Two practical front pockets for easy storage
Secure zipped rear pockets to protect essentials



002
BLACK

TECHNICAL FEATURES

Breathable

Extra Pockets

Packable

TEMPERATURE RANGE

10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE

XXS XS S M L XL XXL

FIT

Regular

BIBOVERVIEW

HYPERPIC
BIBSHORT



SEATPAD: DMS EVO

LTD 2
BIBSHORT



SEATPAD: TC PRO

SUPERGIARA 2
BIBSHORT



SEATPAD: DMS

SRK
BIBSHORT



SEATPAD: DMS

SRK
SHORT

SHIFT
BIBTIGHT

PULSE
BIBSHORT

GIARA 2
BIBSHORT

SUPERGIARA 2
OVERSHORT



SEATPAD: DMS

SEATPAD: DMS

SEATPAD: BODYFIT PRO MD

SEATPAD: BODYFIT PRO MD

SEATPAD: /

sportful



PROTEC



TION



AirCore™

Beyond Breathable,
Protection.



Water
repellent.



Air
permeabl



Highly
breathable.



Windproof.



Comfortable
stretch.



Non-PFAS
materials.



Recycled
materials.

Polartec® AirCore™ is an innovative air permeable fabric technology that allows maximum breathability while protecting against the harshest winds. Designed to stretch for a full range of movement, the nano-fiber membrane keeps you dry from the inside by helping moisture and vapor escape faster, thanks to its 0.4 - 1 CFM*, while repelling it from the outside**.

- A high performance breathable weather resistant experience.
- Repels rain and moisture.
- Windproof fabric for protection against harsh weather.
- Resilient stretch for a high range of motion during demanding activities.
- Made with a recycled face, back and non-PFAS layers. Reduce your impact, increase your commitments.

FIANDRE SHIFT JACKET

1125502

Adapt to Every Shift.

Mid-season cycling jacket with exclusive Polartec AirCore for breathability and protection

Exclusive Polartec AirCore membrane for breathability and protection. Wind becomes an ally with effective windproofing design. PFAS-free for sustainable, eco-friendly performance. Object retention technology for secure pocket storage.



002
BLACK




TECHNICAL FEATURES

Breathable

Water Repellent

Windproof



294
SAND



480
BRIGHT ORANGE



415
TEAL BLUE

TEMPERATURE RANGE
5 °C / 15 °C [41 °F / 59 °F]

SIZE AVAILABLE
S M L XL XXL 3XL

FIT
Regular

SRK SHIFT WIND JACKET

1125551

Ride the Wind, Stay Unstoppable.

Hybrid cycling jacket with wind protection, perfect for mid-season rides.

Hybrid construction combining warmth and wind protection. Dual-zip system for customizable ventilation. Half-sleeves for targeted wind resistance. Stylish SRK graphic details for enhanced visibility.



067
STONE GRAY

TECHNICAL FEATURES

Breathable

Windproof



703
GOLD LEAF



002
BLACK

TEMPERATURE RANGE
10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE
S M L XL XXL 3XL

FIT
Regular



FIANDRE AQUA JACKET

1125045

Conquer the Rain, Ride On

Polartec Waterproof Jacket for
All-Weather Cycling

Polartec 2L elastic Waterproof
Fabric with high breathability
index
Taped Seams for best waterproof
protection
Very Packable construction with
double puller
Can fit over your warm jacket



002
BLACK



TECHNICAL FEATURES

Breathable

Waterproof

Windproof

TEMPERATURE RANGE

10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE

XS S M L XL XXL 3XL

FIT

Regular

AQUA LIGHT JACKET

1125019

Ride Dry, Ride Free with Aqua Light Jacket

Stay Dry and Comfortable with Aqua Light Jacket - Perfect for Road and Gravel Cycling

Waterproof fabrics, zip and taped Seams
Elastic Fabric to better adapt on the body shape
Optimal Breathability
Very Packable construction with double puller



002
BLACK

TECHNICAL FEATURES

Breathable

Waterproof

Windproof

TEMPERATURE RANGE

10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE

S M L XL XXL 3XL

FIT

Regular

sportful



BASELA



YER

New arrival

LIGHT MESH SLEEVELESS

1126013

Ride Cool, Stay Dry

Ultra-breathable cycling
baselayer in mesh fabric for road
and gravel rides.

Ultra-light polypropylene mesh
fabric ensures quick drying
Deep neck and armhole cuts for
complete invisibility under jersey
Exceptional moisture
management enhances jersey
breathability
Tight fit provides unrestricted
comfort and optimal
performance



101
WHITE

TECHNICAL FEATURES

Breathable

TEMPERATURE RANGE
30+ °C (86+ °F)

SIZE AVAILABLE
S/M LXL XXL

FIT
Regular


PRO BASELAYER SLEEVELESS

1125039

Stay Cool, Ride Strong

Performance Sleeveless
Baselayer for Breathable Cycling
Comfort

Top quality fabrics for better
wicking management
Elastic fabric and lightweight
construction



101
WHITE

TECHNICAL FEATURES

Breathable

TEMPERATURE RANGE
10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE
XXS XS S M L XL XXL 3XL

FIT
Regular


PRO BASELAYER TEE

1125040

Stay Cool, Ride Strong

Performance Baselayer TEE for
Breathable Cycling Comfort

Top quality fabrics for better
wicking management
Elastic fabric and lightweight
construction



101
WHITE

TECHNICAL FEATURES

Breathable

TEMPERATURE RANGE
10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE
XXS XS S M L XL XXL 3XL

FIT
Regular


WINTER LAYER TEE

1125511

Stay Warm, Ride Strong.

Winter cycling base layer for thermal insulation and sweat management.

Ribbed structure for superior thermal insulation
High-performance polyester for effective sweat management
Regular fit for comfort under jerseys or jackets
Lightweight and breathable for optimal layering



002
BLACK

TECHNICAL FEATURES

Breathable

TEMPERATURE RANGE
-0 °C / 10 °C (32 °F / 50 °F)

SIZE AVAILABLE
XS S M L XL XXL 3XL

FIT
Regular

WINTER LAYER TEE LONG SLEEVE

1125515

Warmth That Drives Performance

Long-sleeve winter cycling base layer for thermal insulation and sweat control

Ribbed structure for enhanced thermal insulation
High-quality polyester for superior moisture control
Regular fit for comfort and effective layering
Breathable and lightweight for optimal performance



002

BLACK

TECHNICAL FEATURES

Breathable

TEMPERATURE RANGE

-5 °C / 5 °C (23 °F / 41 °F)

SIZE AVAILABLE

XS S M L XL XXL 3XL

FIT

Regular

MERINO LAYER TEE

1125513

Ride in Ultimate Comfort

Lightweight, warm cycling base layer with Techwool for any condition.

Exclusive Techwool blend for warmth and lightness. Superior moisture management, even when wet. Ideal for variable weather conditions and all-season cycling. Lightweight and breathable design for optimal comfort.



002
BLACK

TECHNICAL FEATURES

Breathable

TEMPERATURE RANGE
-0 °C / 10 °C (32 °F / 50 °F)

SIZE AVAILABLE
XS S M L XL XXL 3XL

FIT
Regular

MERINO LAYER TEE LONG SLEEVES

1125514

Warmth That Rides With You.

Long-sleeve cycling base layer
with Techwool for warmth and
all-weather performance.

Exclusive Techwool blend for
warmth and lightweight
performance.
Effective temperature regulation
and moisture control.
Quick-drying fabric for
all-weather reliability.
Comfortable, form-fitting design
that allows free movement.



002
BLACK

TECHNICAL FEATURES

Breathable

TEMPERATURE RANGE
-0 °C / 10 °C (32 °F / 50 °F)

SIZE AVAILABLE
XS S M L XL XXL 3XL

FIT
Regular



sportful



ACCESSORIES



CYCLING UNDERSHORT

1122047

COMFORTABLE AND ALWAYS
WITH YOU.

An undershort equipped with a comfortable seat pad: highly practical, to combine with any overshirt, with high breathability while you're riding.

Single seam for greater comfort and practicality
Elastic waist with grip points in silicone thread to ensure stability
New multi density, two layered Bodyfit Pro MD Seatpad



002
BLACK



TECHNICAL FEATURES

Breathable

TEMPERATURE RANGE

SIZE AVAILABLE
XS S M L XL XXL 3XL

FIT
Slim



AQUA LIGHT GLOVES

1125534

Lightweight, water-repellent cycling gloves for mid-season and alpine rides.



002
BLACK

Water-repellent membrane for light rain and wind protection. Lightweight and breathable for enhanced comfort. Excellent flexibility and full-finger grip. Compact and easy to carry for all-season versatility.

TEMPERATURE RANGE 10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE XS S M L XL XXL

FIT Regular

TECHNICAL FEATURES

- Breathable
- Water Repellent
- Windproof
- Packable

New arrival

FULL GRIP 2 GLOVES

1126014

Long finger cycling gloves with breathable palm and race-fit grip performance



607
SIENNA GLOW



002
BLACK

Long finger gloves with second-skin feel. Breathable and durable palm with no padding for maximum bar control. Stretch, ventilated back for comfort in warm conditions. Slip-on design with no velcro for a clean, aerodynamic profile.

TEMPERATURE RANGE 10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE XS S M L XL XXL

FIT Regular

TECHNICAL FEATURES

- Breathable

PADDED GLOVES

1125024

Top-notch cycling gloves for road and gravel riders. Enjoy seamless comfort and breathability for extended rides



002
BLACK

3D padded palm construction
Super breathable upper fabric
Seamless fit
UV Protection

TEMPERATURE RANGE 15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE XS S M L XL XXL

FIT Regular

TECHNICAL FEATURES

Breathable

PRO GLOVES

1125023

Top-notch cycling gloves for road and gravel enthusiasts. Enhance your ride with superior grip and breathability.



002
BLACK

Grippy pad injection
Super breathable upper fabric
Seamless fit
UV Protection

TEMPERATURE RANGE 15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE XS S M L XL XXL

FIT Regular



101
WHITE



5003
PHOENIX GLOW

TECHNICAL FEATURES

Breathable

CLASSIC GLOVES

1125025

Timeless Comfort, Effortless Style, Ride in Classic Elegance

Classic cycling gloves for road and gravel riders. Experience timeless comfort and style on every ride

Padded Palm with brethable fabric
Breathable upper fabric
Velcro closure system
UV Protection



101
WHITE

TECHNICAL FEATURES

Breathable



002
BLACK



3504
ELECTRIC ALOE

TEMPERATURE RANGE
15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE
XXS XS S M L XL XXL

FIT
Regular



ESSENTIAL TOE COVER

1125530

Lightweight cycling toe covers for wind protection and warmth in mid-seasons



002
BLACK

TEMPERATURE RANGE 5 °C / 15 °C (41 °F / 59 °F)

SIZE AVAILABLE UNI

FIT Regular

TECHNICAL FEATURES

- Breathable
- Windproof
- Packable

AQUA SHOE COVER

1125539

Waterproof cycling shoe covers with taped seams and wind protection, ideal year-round



002
BLACK

TEMPERATURE RANGE 10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE S M L XL XXL

FIT Regular

TECHNICAL FEATURES

- Breathable
- Water Repellent
- Windproof
- Packable

New arrival

LTD AERO SOCKS

1126015

Aerodynamic cycling socks for optimal speed, comfort, breathability, and stability.

Advanced 3D-textured aero fabric optimize turbulence
Highly breathable foot fabric for ultimate comfort
Discreet silicone grip ensures secure, stable fit
Precision laser-cut leg fabric reduces friction



101
WHITE

002
BLACK

TEMPERATURE RANGE 10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE S M/L XL

FIT Regular

TECHNICAL FEATURES

Breathable

PRO SOCKS

1125030

Enhance Your Ride with High-Performance Cycling Socks for Road Enthusiasts

Moisture-wicking fabric
Arch-support



002
BLACK



101
WHITE

TEMPERATURE RANGE 15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE S M L

FIT Regular

TECHNICAL FEATURES

Breathable



SUPERGIARA SOCKS

1125032

Dominate Gravel Trails with High-Performance SuperGiara Cycling Socks

Moisture-wicking fabric
Shock-absorber footbed
Optimized height for gravel riding



101
WHITE



002
BLACK



315
OBLIVION GREEN

TEMPERATURE RANGE 15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE S M L

FIT Regular

TECHNICAL FEATURES

Breathable



New arrival

AQUA LIGHT CYCLING
CAP

1126017

Waterproof cycling cap for road
and gravel rides in all-weather
conditions



002
BLACK

TEMPERATURE RANGE 5 °C / 15 °C (41 °F / 59 °F)

SIZE AVAILABLE UNI

FIT Regular

TECHNICAL FEATURES

- Breathable
- Waterproof
- Water Repellent

CLASSIC CYCLING CAP

1125033

Breathable Classic Cycling Cap
for Every Adventure



002
BLACK GUN METAL

TEMPERATURE RANGE 10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE UNI

FIT Regular



577
COSMIC BERRY PURPLE
GREEN VIOL



315
OBLIVION GREEN
BLUE RED GREEN

TECHNICAL FEATURES

- Breathable

CLASSIC UNDERHELMET

1125035

Sweat-Wicking Classic Underhelmet for Performance Cycling

Technical fabric for better sweat management
Lightweight costruction



002
BLACK



105
CREAM

TEMPERATURE RANGE 10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE UNI

FIT Regular

TECHNICAL FEATURES

Breathable

CLASSIC HEADBAND

1125034

Sweat-Wicking Classic Headband for Performance Cycling

Technical fabric for better sweat management
Lightweight costruction



105
CREAM



002
BLACK



577
COSMIC BERRY

TEMPERATURE RANGE 10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE UNI

FIT Regular

TECHNICAL FEATURES

Breathable

New arrival

CLASSIC NECKWARMER

1126033

Ride Longer, Breathe Easier

Lightweight breathable cycling
neckwarmer for road and gravel
rides.

Lightweight, breathable fabric
Compact and easy to carry
Snug, performance fit
Soft, skin-friendly material



002
BLACK

TECHNICAL FEATURES

Breathable



105
CREAM

TEMPERATURE RANGE
5 °C / 15 °C (41 °F / 59 °F)

SIZE AVAILABLE
UNI

FIT
Regular

GAZZETTA SHIFT

1125546

Lightweight Warmth, Always Ready.

Compact windproof cycling accessory with Polartec Alpha for warmth and breathability.

Dual-layer construction with windproof exterior and Polartec Alpha interior. Lightweight and packable for easy storage in a jersey pocket. Provides added warmth and wind resistance for cold descents. Quick-drying and breathable for consistent comfort.



002
BLACK



TECHNICAL FEATURES

Breathable

Windproof

Packable

TEMPERATURE RANGE
10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE
UNI

FIT
Regular

New arrival

WINTER ARMWARMES

1126515

Winter arm warmers with double-knit fabric for comfort, warmth, and sweat control.



002
BLACK

Technical double-knit fabric with polyamide outside and brushed polyester inside
Optimized thermal regulation and moisture management
Snug, ergonomic fit stays in place during movement
Minimal seams for reduced friction and enhanced comfort

TEMPERATURE RANGE -0 °C / 10 °C (32 °F / 50 °F)

SIZE AVAILABLE S M L XL

FIT Slim

TECHNICAL FEATURES

Breathable

New arrival

WINTER LEGWARMERS

1126516

Winter legwarmers with thermal double-knit fabric for road and gravel riding.



002
BLACK

Double-knit fabric for warmth, breathability, and mobility
Polyamide face for durability, brushed polyester lining for comfort
Full-length ergonomic fit with secure hold
Easy to layer and stash on the go

TEMPERATURE RANGE -0 °C / 10 °C (32 °F / 50 °F)

SIZE AVAILABLE S M L XL

FIT Slim

TECHNICAL FEATURES

Breathable

New arrival

WINTER
KNEEWARMERS

1126517

Thermal kneewarmers with double-knit fabric for winter road and gravel cycling.

Double-knit construction for warmth and moisture control
Polyamide exterior + brushed polyester interior
Ergonomic cut for knee mobility and secure fit
Compact and packable for on-the-go layering



002
BLACK

TEMPERATURE RANGE -0 °C / 10 °C (32 °F / 50 °F)

SIZE AVAILABLE S M L XL

FIT Slim

TECHNICAL FEATURES

Breathable

ESSENTIAL ARM
WARMERS

1125548

Seamless cycling arm warmers with versatile warmth for mid-season rides.

Seamless, tubular construction for maximum comfort and no chafing.
Elastic fabric for a snug, adaptive fit.
Versatile warmth ideal for mid-season and cooler rides.
Lightweight and breathable for effective moisture management and easy packing.



002
BLACK

TEMPERATURE RANGE 10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE S/M L/X

FIT Regular

TECHNICAL FEATURES

Breathable

ESSENTIAL LEG
WARMERS

1125549

Seamless, elastic leg warmers for cycling with versatile warmth for mid-season rides.

Seamless, tubular construction for maximum comfort and no chafing.
Elastic fabric for a snug, adaptable fit that supports full movement.
Versatile warmth ideal for mid-season and cooler summer rides.
Lightweight and breathable for moisture management and easy storage.



002
BLACK

TEMPERATURE RANGE 10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE S/M L/X

FIT Regular

TECHNICAL FEATURES

Breathable

ESSENTIAL KNEE
WARMERS

1125550

Seamless, elastic knee warmers for cycling with versatile warmth for mid-season rides.

Seamless, tubular construction for maximum comfort and no chafing.
High elasticity for a secure, adaptable fit.
Versatile warmth ideal for mid-season and cooler rides.
Lightweight and breathable for effective moisture management and easy storage.



002

BLACK

TEMPERATURE RANGE 10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE S/M L/X

FIT Regular

TECHNICAL FEATURES

Breathable

sportful



JERSEY



sportful

HYPEREPIC

The Hyperepic Jersey by Sportful is designed to transform every ride into an unlimited adventure. Created to meet the demands of athletes and enthusiasts who crave versatile performance, it excels equally on gravel paths and fast-paced road routes. From quick after-work spins to epic 30-hour challenges, the Hyperepic Jersey ensures superior comfort, breathability, and performance under all conditions.

The jersey's advanced construction involves three carefully selected dyed fabrics. The main body and back utilize a three-dimensional polyester fabric featuring a distinctive raised diamond pattern. This innovative design creates a breathable air layer between skin and fabric, significantly enhancing ventilation and keeping you cool and dry even during strenuous rides.

The sleeves, crafted from a high-performance polyester fabric with embossed stripe textures, recall the aerodynamic texture of the renowned Sportful G-Suit, offering improved airflow while ensuring optimal freedom of movement and aerodynamic efficiency.

Functionality meets innovation in the Hyperepic Jersey's rear pockets. Three spacious back pockets employ Sportful's revolutionary floating pocket system, allowing the pockets to expand independently from the jersey. This smart construction means you can carry your essentials without uncomfortable jersey pull or distortion, maintaining your comfort and performance even when pockets are fully loaded. Additionally, the jersey features a discreet zippered pocket on the side, perfect for securing smaller valuables during longer rides or intense adventures.

Underneath the pockets, the jersey fabric is specifically engineered for optimal breathability and moisture control, ensuring that even during epic, 30-hour nonstop rides, your comfort remains unmatched.

The Hyperepic Jersey's subtle, tone-on-tone dyed graphics provide a sophisticated and stylish look, suitable for any ride—from short training loops to endurance gravel challenges. Tested across demanding terrains and conditions, this jersey embodies Sportful's commitment to quality, functionality, and outstanding value. Gear up, break boundaries, and experience the freedom of riding without limits.



H Y P E R $\equiv$ P I C

New arrival


HYPEREPIC W JERSEY

1126020

Ride Beyond Limits

Breathable cycling jersey for gravel & road rides, maximum comfort on every adventure.

Innovative 3D diamond-pattern fabric for maximum breathability
Independent expandable back pockets to carry essentials without distortion
3D-structured aerodynamic sleeves inspired by the G-Suit
Discreet side zip pocket for safe storage of valuables




3504

ELECTRIC ALOE


TECHNICAL FEATURES

Breathable

Extra Pockets



105
CREAM



456
GALAXY BLUE

TEMPERATURE RANGE

15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE

XXS XS S M L XL XXL

FIT

Regular

sportful

New arrival

LIGHT 2 W JERSEY

1126019

Lightness in Motion

Ultralight breathable cycling jersey, race fit for ultimate road performance.

Ultralight micro-perforated fabric for superior breathability
Minimalist seamless bonded hem for enhanced aerodynamics
Race-specific fit tested by professional cyclists
Practical three-pocket design for easy access



4508
BOREAL BREEZE

TECHNICAL FEATURES

Breathable



315
OBLIVION GREEN



5002
MISTIC VIOLET

TEMPERATURE RANGE
30+ °C (86+ °F)

SIZE AVAILABLE
XXS XS S M L XL XXL

FIT
Aero





New arrival

SUPERGIARA
LOGO 2 W JERSEY

1126025

Ride Bold, Gravel Free

Breathable gravel cycling jersey
with secure pockets and bold
Sportful logo design.

Superior breathability and
moisture management
5 elastic mesh pockets (3 rear + 2
side)
Bold and distinctive Sportful logo
Regular fit for comfort and
performance



456
GALAXY BLUE

TECHNICAL FEATURES

Breathable

Extra Pockets



105
CREAM



262
DESERT SAND

TEMPERATURE RANGE
15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE
XXS XS S M L XL XXL

FIT
Regular



SUPERNOVA JERSEY

Gear up for unmatched performance with our Supernova Jersey. Crafted from a blend of 4 advanced fabrics, it ensures superior breathability, keeping you cool and comfortable during intense summer rides. The three-dimensional sleeve construction and raw-

cut provide a perfect fit. Its anatomical design adapts seamlessly to your riding position, enhancing comfort and performance. Elevate your cycling experience with the Supernova Jersey, engineered for the demands of the road

SUPERNOVA W JERSEY

1125004

Ride Beyond Limits

Experience top-tier performance with our Supernova Jersey. Designed for road cycling enthusiasts, it offers optimal breathability and a tailored fit for every ride.


Top quality fabrics for better wicking management
UV Protection
3 back pockets
Optimized fit for performance rides




507
PINK LAVANDER

TECHNICAL FEATURES

Breathable



4507
FROZEN OCEAN



002
BLACK

TEMPERATURE RANGE
15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE
XXS XS S M L XL XXL

FIT
Aero



SRK

New arrival

SRK 2 W JERSEY

1126022

Ride Free, Ride Fun

Versatile cycling jersey for road and gravel, breathable with optimal comfort.

Dual-fabric construction for optimal breathability and aerodynamics
Three rear pockets plus one zipped side pocket for secure storage
Regular fit with elastic waistband for comfort and stability
Minimalist style with distinctive SRK details



577
COSMIC BERRY

TECHNICAL FEATURES

Breathable

- 

002
BLACK
- 

101
WHITE
- 

607
SIENNA GLOW
- 

527
GALACTIC
PURPLE
- 

294
SAND

TEMPERATURE RANGE
15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE
XS S M L XL XXL

FIT
Regular

New arrival

SRK W TOP

1126023

Ride light. Ride free.

Lightweight cycling top for women, ideal for road and gravel adventures

Lightweight and breathable fabric construction for warm-weather rides
Built-in light bust support for enhanced comfort
Comfortable tape straps and sleeveless design for maximum freedom
Side zip pocket for secure storage of essentials



527

GALACTIC PURPLE

TECHNICAL FEATURES

Breathable



002
BLACK



101
WHITE



577
COSMIC BERRY



607
SIENNA GLOW



294
SAND

TEMPERATURE RANGE
30+ °C (86+ °F)

SIZE AVAILABLE
XS S M L XL XXL

FIT
Regular





SRK JERSEY LONG SLEEVE

The Sportful SRK Long Sleeve Jersey is designed for the versatile cyclist who thrives on variety. Whether you're navigating smooth asphalt roads or exploring gravel paths, the SRK jersey is the ideal companion. Part of our unique Sportful Rider Kit collection, this jersey embodies a spirit of adventure, adapting effortlessly to your cycling style.

From gravel adventures that end with mud-covered smiles to smooth road rides that push your endurance limits, the SRK Long Sleeve Jersey adapts seamlessly to your cycling routine. Wherever your journey takes you, ride confidently knowing your gear was designed with passion, expertise, and a deep understanding of what cyclists genuinely need.

New arrival

SRK W JERSEY LS

1126024

Ride Your Way, Every Day.

Lightweight long sleeve cycling jersey for road and gravel, regular fit, style and function.

Dual-fabric construction for breathability and performance
Lightweight design, ideal for varied weather conditions
Three rear pockets plus secure side zip pocket
Minimalist style with exclusive SRK detailing



607
SIENNA GLOW

TECHNICAL FEATURES

Breathable

- 

002
BLACK
- 

101
WHITE
- 

577
COSMIC BERRY
- 

527
GALACTIC
PURPLE
- 

294
SAND

TEMPERATURE RANGE
10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE
XS S M L XL XXL

FIT
Regular

New arrival

STARLIGHT 2 W
JERSEY

1126021

Light Up Your Ride

Breathable cycling jersey for road & gravel rides, comfort and style combined.

Advanced dual-fabric design for superior breathability
Raglan sleeves ensuring full freedom of movement
Anatomical regular fit suitable for road and gravel riding
Dynamic, stylish graphic symbolizing movement and evolution



067
STONE GRAY

TECHNICAL FEATURES

Breathable



4507
FROZEN OCEAN



527
GALACTIC PURPLE

TEMPERATURE RANGE
15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE
XS S M L XL XXL

FIT
Regular

CLASSIC W JERSEY

1125007

Ride Classic, Feel the Freedom

Experience comfort and performance with our Classic Jersey. Ideal for road and gravel, this jersey offers breathability and style for all riders.

Optimal Sweat Management
Fabrics
UV Protection
3 back pockets
Fitted for every rider



5002
MISTIC VIOLET

TECHNICAL FEATURES

Breathable



105
CREAM



002
BLACK



5003
PHOENIX GLOW

TEMPERATURE RANGE
15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE
XS S M L XL XXL

FIT
Regular

SUPERGIARA W TEE

1125008

Ride Free, Stay Comfortable

Explore in comfort with our Supergiara Tee. Breathable, quick-drying fabric for gravel adventures.

Technical Fabric with a soft touch
1 back pocket with zip
UV Protection
Casual Fit



105
CREAM

TECHNICAL FEATURES

Breathable



002
BLACK



5002
MISTIC VIOLET

TEMPERATURE RANGE
15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE
XS S M L XL XXL

FIT
Regular



SUPERGIARA TEE

The Supergiara Tee, your go-to choice for comfortable adventure on gravel trails. Engineered with a single fabric construction, this tee ensures maximum breathability, keeping you cool and dry during summer rides. Featuring a convenient zippered rear pocket, it offers practical storage for essentials while on the go. The dyed fabric enhances softness against the skin, while its quick-drying properties ensure you stay comfortable even during breaks at the café.

Designed for all riders, from beginners to seasoned enthusiasts, who value both performance and comfort. The relaxed fit ensures freedom of movement, making it perfect for those casual stops and refueling moments during your rides. Embrace the freedom of gravel riding with the Supergiara Tee.

JERSEY OVERVIEW

HYPEREPIC
W JERSEY



ROAD
ALL TERRAIN
GRAVEL



SUPERNOVA
W JERSEY



ROAD
ALL TERRAIN
GRAVEL



LIGHT 2
W JERSEY



ROAD
ALL TERRAIN
GRAVEL



SUPERGIARA LOGO 2
W JERSEY



ROAD
ALL TERRAIN
GRAVEL



SRK 2
W JERSEY

SRK
W JERSEY LS

SRK
W TOP

STARLIGHT 2
W JERSEY

CLASSIC
W JERSEY



sportful





G-SUIT

New arrival

G-SUIT W

1126018

Speed Unleashed

Aerodynamic cycling suit for gravel and road racing, maximum comfort and performance.

Invisible side and back pockets for maximum aerodynamics
Minimal seams and bonded edges for superior comfort
Exclusive DMS W seat pad with targeted density
3D-structured sleeves for optimized airflow and mobility



102
BLACK / WHITE



TECHNICAL FEATURES

Breathable

Extra Pockets



5002
BLACK / MISTIC VIOLET

TEMPERATURE RANGE
15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE
XXS XS S M L XL XXL

FIT
Aero



G-SUIT

The Sportful G-SUIT is designed to redefine your cycling experience, whether on gravel adventures or fast road races. Crafted for athletes seeking maximum speed without sacrificing comfort, this suit blends cutting-edge fabrics and precision engineering, making it a go-to choice for competitive and recreational cyclists alike.

Tested rigorously by top athletes in both gravel and road disciplines, the G-SUIT offers versatility, performance, and style, becoming your ideal partner whether racing short criteriums or tackling epic endurance events.



VEST

SUPERGIARA 2 W VEST

1125521

Defy the Elements.

Windproof, water-splash resistant cycling vest with Polartec Alpha for top performance.

Windproof and splash-resistant with Polartec Alpha insulation for warmth.
Compact and packable design for easy storage.
Dual-zip system for customized ventilation control.
Zippered front pocket for secure storage of essentials.



002
BLACK



TECHNICAL FEATURES

Breathable

Windproof

Packable

Extra Pockets

TEMPERATURE RANGE
10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE
XS S M L XL XXL

FIT
Regular



SUPERGIARA 2 VEST

The Sportful SUPERGIARA 2 VEST is designed for cyclists seeking versatile protection in varying conditions. This high-performance vest offers windproof and splash-resistant qualities, ensuring you stay protected from sudden gusts and water spray on gravel or road rides. A key feature of the SUPERGIARA 2 VEST is the use of Polartec Alpha fabric strategically placed in sensitive areas.

With the combination of wind and splash protection, strategic Polartec Alpha insulation, and compact packability, the Sportful SUPERGIARA 2 VEST is the ultimate companion for cyclists looking to tackle unpredictable conditions with confidence and comfort.

LIGHT AIR W VEST

1125031

Ride Light, Ride Free with LIGHT AIR VEST

Stay Agile with LIGHT AIR VEST - Essential Gear for Cyclists

Windproof fabric in the front
Breathable fabric in the back
No back pocket
Packable construction with double puller



002
BLACK

TECHNICAL FEATURES

Breathable

Windproof

TEMPERATURE RANGE
10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE
XS S M L XL XXL

FIT
Regular



PRO 2 W VEST.

1125022

Maximize Performance with PRO
2 VEST - Ultimate Cycling Gear

Windproof fabric in the front
Breathable fabric in the back
3 back pocket
Packable construction with
double puller

TECHNICAL FEATURES

Breathable

Windproof

TEMPERATURE RANGE

10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE

XS S M L XL XXL


FIT

Aero






5002
MISTIC VIOLET




607
SIENNA GLOW



315
OBLIVION GREEN



067
STONE GRAY



002
BLACK

sportful



BIB SHORT



sportful

HYPEREPIC

Sportful's Hyperepic BIBSHORT is designed for cyclists who seek limitless adventures without compromising comfort or performance. Engineered specifically for road and gravel cycling, these bibshorts are the ideal partner for both brief rides around home and endurance challenges lasting up to 30 hours.

Crafted with an innovative diamond-patterned, three-dimensional fabric, this bibshort efficiently creates an insulating layer of air, promoting rapid moisture evaporation to keep you dry and cool even on the most demanding rides.

The bibshort features two discreet side pockets that remain invisible when not in use, emphasizing unparalleled versatility and functionality.

The upper portion is built from a highly breathable, stretchy mesh fabric, ensuring optimal fit and maximum freedom of movement. The bib straps integrate directly with the main fabric, providing exceptional stability and comfort throughout every pedal stroke. Centrally perforated straps further enhance breathability, contributing to effective temperature management.

At the heart of the Hyperepic BIBSHORT is the DMS Evo pad, a significant evolution of Sportful's proven DMS technology. Utilizing cutting-edge manufacturing techniques, the pad delivers unmatched comfort for extended periods in the saddle. Its graphene-infused surface provides remarkable antibacterial and odor-resistant properties, ensuring hygiene and exceptional thermal regulation.

The Hyperepic BIBSHORT exemplifies Sportful's commitment to quality, innovation, and performance. It allows cyclists to embrace adventures of any duration, confident that comfort, versatility, and performance will never be compromised.



H Y P E R Ξ P I C

New arrival

HYPEREPIC W
BIBSHORT

1126027

Limitless comfort, Hyperepic adventures.

High-performance cycling bibshort for road and gravel adventures for limitless rides

Innovative diamond-patterned fabric for optimal cooling
Discreet, functional side pockets
Breathable mesh upper with perforated straps
DMS Evo W graphene pad for superior comfort and performance



456
GALAXY BLUE



TECHNICAL FEATURES

- Breathable
- Extra Pockets



002
BLACK



607
SIENNA GLOW

TEMPERATURE RANGE
15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE
XS S M L XL XXL

FIT
Slim



sportful



The Sportful LTD 2 Bibshort represents the evolution of our acclaimed LTD model, widely tested and trusted by champions like Peter Sagan, Daniel Oss, and Paolo Bettini. Built specifically for road cycling enthusiasts demanding maximum performance and premium comfort, the LTD 2 ensures you perform at your absolute best during long rides, intense training sessions, and competitive races.

At its core, the LTD 2 Bibshort uses an advanced three-dimensional fabric structure featuring thin stripes, engineered to provide outstanding muscle compression. This compact fabric promotes better muscle support and reduces fatigue, allowing you to push harder, pedal longer, and recover faster. The leg hem features a raw-cut finish equipped with silicone grippers that hold the shorts perfectly in place, ensuring optimal aerodynamics and zero unwanted movement during intense efforts.

The bib straps have been completely redesigned with stability in mind. Their unique structure locks the shorts securely in position, eliminating distractions and providing consistent support throughout your ride. Additionally, the ribbed structure of the straps facilitates moisture management by effectively separating the jersey from your body, enhancing breathability and comfort during hot and demanding conditions.

The mesh waist panel is breathable and lightweight, offering superior temperature regulation. Integrated seamlessly into this panel is a discreet mesh pocket specifically designed for radios—an essential feature requested by pro riders—or small items like gels or keys.

At the heart of the LTD 2 is Sportful's highly praised TC Pro chamois. This minimalist yet ultra-effective pad offers exceptional comfort and cushioning exactly where it's needed, even over extended hours in the saddle. Widely tested and requested by elite cyclists, TC Pro delivers professional-level support, significantly enhancing comfort without compromising performance or feel on the bike.

Choose the Sportful LTD 2 Bibshort for professional-grade quality, precise fit, and unmatched comfort, empowering you to ride faster and feel better on every ride.



A black and white photograph of a cyclist's leg, wearing a black jersey. The text 'LTD 2' is printed in a large, bold, sans-serif font across the middle of the leg. Below it, a stylized 'S' logo is visible. The background is blurred, showing parts of a bicycle and a person's arm.

LTD 2



New arrival

LTD 2 W BIBSHORT

1126026

Ride Faster

High-performance cycling bibshort with TC Pro W pad for maximum road comfort and support.

Advanced 3D fabric for targeted muscle support
Raw-cut leg endings with grip for maximum stability and comfort
Breathable mesh panel with integrated radio pocket, pro-rider approved
TC Pro W chamois pad: minimalist, high-comfort cushioning for long rides




002
BLACK




TECHNICAL FEATURES


Breathable



315
OBLIVION GREEN



456
GALAXY BLUE



125
GUN METAL

TEMPERATURE RANGE
15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE
XS S M L XL XXL

FIT
Slim

SUPERGIARA 2 W BIBSHORT

1125015

Unleash Your Gravel Potential

Optimized bibshorts for gravel adventures. Enhanced performance, durability, and comfort

Abrasion-resistant and supportive fabric
Cargo Pocket on leg sides and on the back
DMS seatpad designed for Gravel



125

GUN METAL / BLACK




SEATPAD
DMS W

TECHNICAL FEATURES


Breathable

Extra Pockets



002

BLACK



309

MIDNIGHT FOREST / BLACK

TEMPERATURE RANGE

15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE

XS S M L XL XXL

FIT

Slim





SRK

SRK W BIBSHORT

1124014

THE CROSSOVER OF CYCLING
APPAREL.

The SRK bib, with a DMS seatpad
and four-way stretch fabric,
offers unmatched versatility and
comfort for all cyclists.

Four-way stretch fabric is
supportive and smooth
Embossed graphic details
Leg-ending with silicon dot is firm
without constraining movement
Two pockets on the back
DMS W seatpad




527
GALACTIC PURPLE




TECHNICAL FEATURES

Breathable

Extra Pockets



002
BLACK



125
GUN METAL

TEMPERATURE RANGE
10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE
XS S M L XL XXL

FIT
Regular

SRK W SHORT

1125016

The Crossroads of Cycling
Apparel

Introducing the SRK Short, our most versatile short designed to excel on any surface. With our multi-density DMS seatpad and perfectly compressive four-way stretch fabric, this short delivers an exceptional riding experience for cyclists of all kinds.

Four-way stretch fabric is
supportive
Silicon dot leg grippers stay put
without being restrictive
DMS seatpad is quick drying and
supportive



125
GUN METAL



SEATPAD
DMS W

TECHNICAL FEATURES

Breathable



527
GALACTIC PURPLE



002
BLACK

TEMPERATURE RANGE
15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE
XS S M L XL XXL

FIT
Slim

SRK SHIFT W BIBTIGHT

1125526

Adapt to Every Season.

Versatile cycling bibtight ideal for mild winters and mid-season rides.

Compact fabric for enhanced wind resistance
Raw-cut leg cuffs for maximum comfort and seamless fit
Bodyfit Pro MD chamois for all-level rider support
Supportive bib straps for stability during intense rides



002
BLACK



TECHNICAL FEATURES

Breathable



125
GUN METAL

TEMPERATURE RANGE
10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE
XS S M L XL XXL

FIT
Slim



PULSE BIBSHORT

Introducing the Pulse BIBSHORT, designed to elevate your cycling journey to new heights. Engineered with the advanced Bodyfit pro MD chamois, it ensures unparalleled comfort and support, allowing you to tackle any road with confidence. The form-fitting fabric provides a snug yet flexible fit, while the optimized braces keep the chamois stable against your body.

With a clean, simple look enriched by Sportful branding, this bibshort offers exceptional quality at an unbeatable price. It's the must-have addition to every cyclist's wardrobe, striking the perfect balance between comfort and performance for riders of all levels.

PULSE W BIBSHORT

1125018

Ride in Style with Pulse BIBSHORT

Enhance Your Cycling Experience
with Pulse BIBSHORT - Comfort
and Performance Combined

4way stretch fabric
Optimized shape of the legs Bodyfit
PRO seatpad designed for every
rider
Technical Straps Costruction for
better sweat management




053
STEEL SHADOW




TECHNICAL FEATURES

Breathable



002
BLACK



607
SIENNA GLOW

TEMPERATURE RANGE
15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE
XS S M L XL XXL

FIT
Slim


GIARA 2 W BIBSHORT

1125017

Experience Endless Fun with
GIARA 2 BIBSHORT

Enhance Your Gravel Ride with
Giara 2 BIBSHORT - Comfort,
Performance, and Functionality
for Every Cyclist

4way stretch fabric
Cargo Pocket on leg sides
Bodyfit PRO seatpad designed
for every rider



002


BLACK



TECHNICAL FEATURES


Breathable

Extra Pockets



268

MIDNIGHT MOCHA



607

SIENNA GLOW

TEMPERATURE RANGE

15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE

XS S M L XL XXL

FIT

Slim

New arrival

SUPERGIARA 2 W
OVERSHORT

1126030

Ride Gravel, Stay Casual

Durable cycling overshoot for gravel rides, quick-drying fabric and casual style

Durable, stretchy fabric designed for gravel adventures
Quick-drying material for comfort in all conditions
Two practical front pockets for easy storage
Secure zipped rear pockets to protect essentials



002
BLACK

TECHNICAL FEATURES

- Breathable
- Extra Pockets
- Packable

TEMPERATURE RANGE

10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE

XXS XS S M L XL XXL

FIT

Regular

BIBOVERVIEW

HYPERPIC
W BIBSHORT



SEATPAD: DMS EVO

LTD 2
W BIBSHORT



SEATPAD: TC PRO

SUPERGIARA 2
W BIBSHORT



SEATPAD: DMS

SRK
W BIBSHORT



SEATPAD: DMS

SRK
W SHORT



ROAD
ALL TERRAIN
GRAVEL

SEATPAD: DMS

SHIFT
W BIBTIGHT



ROAD
ALL TERRAIN
GRAVEL

SEATPAD: DMS

PULSE
W BIBSHORT



ROAD
ALL TERRAIN
GRAVEL

SEATPAD: BODYFIT PRO MD

GIARA 2
W BIBSHORT



ROAD
ALL TERRAIN
GRAVEL

SEATPAD: BODYFIT PRO MD

SUPERGIARA 2
OVERSHORT



ROAD
ALL TERRAIN
GRAVEL

SEATPAD: /

sportful



PROTEC



TION



AirCore™

Beyond Breathable,
Protection.



Water
repellent.



Air
permeable.



Highly
breathable.



Windproof.



Comfortable
stretch.



Non-PFAS
materials.



Recycled
materials.

Polartec® AirCore™ is an innovative air permeable fabric technology that allows maximum breathability while protecting against the harshest winds. Designed to stretch for a full range of movement, the nano-fiber membrane keeps you dry from the inside by helping moisture and vapor escape faster, thanks to its 0.4 - 1 CFM*, while repelling it from the outside**.

- A high performance breathable weather resistant experience.
- Repels rain and moisture.
- Windproof fabric for protection against harsh weather.
- Resilient stretch for a high range of motion during demanding activities.
- Made with a recycled face, back and non-PFAS layers. Reduce your impact, increase your commitments.

FIANDRE SHIFT W JACKET

1125518

Adapt to Every Shift.

Mid-season cycling jacket with exclusive Polartec AirCore for breathability and protection

Exclusive Polartec AirCore membrane for breathability and protection. Wind becomes an ally with effective windproofing design. PFAS-free for sustainable, eco-friendly performance. Object retention technology for secure pocket storage.



415
TEAL BLUE




TECHNICAL FEATURES


Breathable

Water Repellent


Windproof



294
SAND



117
POMPELMO



002
BLACK

TEMPERATURE RANGE
5 °C / 15 °C [41 °F / 59 °F]

SIZE AVAILABLE
XS S M L XL XXL

FIT
Regular



SRK SHIFT WIND W JACKET

1125552

Ride the Wind, Stay Unstoppable.

Hybrid cycling jacket with wind protection, perfect for mid-season rides.

Hybrid construction combining warmth and wind protection. Dual-zip system for customizable ventilation. Half-sleeves for targeted wind resistance. Stylish SRK graphic details for enhanced visibility.



067
STONE GREY


TECHNICAL FEATURES

Breathable

Windproof



363
LIGHT GREEN



002
BLACK

TEMPERATURE RANGE
10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE
XS S M L XL XXL

FIT
Regular


FIANDRE W AQUA JACKET

1125046

Conquer the Rain, Ride On

Polartec Waterproof Jacket for
All-Weather Cycling

Polartec 2L elastic Waterproof
Fabric with high breathability
index
Taped Seams for best waterproof
protection
Very Packable construction with
double puller
Can fit over your warm jacket



002
BLACK



TECHNICAL FEATURES

Breathable

Waterproof

Windproof

TEMPERATURE RANGE

10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE

XS S M L XL XXL

FIT

Regular

AQUA LIGHT W JACKET

1125021

Ride Dry, Ride Free with Aqua
Light Jacket

Stay Dry and Comfortable with
Aqua Light Jacket - Perfect for
Road and Gravel Cycling

Waterproof fabrics, zip and taped
Seams
Elastic Fabric to better adapt on
the body shape
Optimal Breathability
Very Packable



002
BLACK

TECHNICAL FEATURES

Breathable

Waterproof

Windproof

TEMPERATURE RANGE

10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE

XS S M L XL XXL


FIT

Regular

sportful



BASELA



YER


PRO BASELAYER W SLEEVELESS

1125041

Stay Cool, Ride Strong

Performance Sleeveless
Baselayer for Breathable Cycling
Comfort

Top quality fabrics for better
wicking management
Elastic fabric and lightweight
construction



101
WHITE

TECHNICAL FEATURES

Breathable

TEMPERATURE RANGE
10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE
XXS XS S M L XL XXL

FIT
Regular


PRO BASELAYER W TEE

1125042

Stay Cool, Ride Strong

Performance Baselayer TEE for
Breathable Cycling Comfort

Top quality fabrics for better
wicking management
Elastic fabric and lightweight
construction



101
WHITE

TECHNICAL FEATURES

Breathable

TEMPERATURE RANGE
10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE
XXS XS S M L XL XXL

FIT
Regular


WINTER W LAYER TEE

1125527

Stay Warm, Ride Strong.

Winter cycling base layer for thermal insulation and sweat management.

Ribbed structure for superior thermal insulation
High-performance polyester for effective sweat management
Regular fit for comfort under jerseys or jackets
Lightweight and breathable for optimal layering



002

BLACK

TECHNICAL FEATURES

Breathable

TEMPERATURE RANGE

-0 °C / 10 °C (32 °F / 50 °F)

SIZE AVAILABLE

XXS XS S M L XL XXL

FIT

Regular


WINTER W LAYER TEE LONG SLEEVES

1125528

Warmth That Drives Performance

Long-sleeve winter cycling base layer for thermal insulation and sweat control

Ribbed structure for enhanced thermal insulation
High-quality polyester for superior moisture control
Regular fit for comfort and effective layering
Breathable and lightweight for optimal performance



002
BLACK

TECHNICAL FEATURES

Breathable

TEMPERATURE RANGE
-5 °C / 5 °C (23 °F / 41 °F)

SIZE AVAILABLE
XXS XS S M L XL XXL

FIT
Regular


MERINO W LAYER TEE LONG SLEEVES

1125529

Warmth That Rides With You.

Long-sleeve cycling base layer
with Techwool for warmth and
all-weather performance.

Exclusive Techwool blend for
warmth and lightweight
performance.
Effective temperature regulation
and moisture control.
Quick-drying fabric for
all-weather reliability.
Comfortable, form-fitting design
that allows free movement.



002

BLACK

TECHNICAL FEATURES

Breathable

TEMPERATURE RANGE
-0 °C / 10 °C (32 °F / 50 °F)

SIZE AVAILABLE
XXS XS S M L XL XXL

FIT
Regular



CYCLING W UNDERSHORT

1122048

COMFORTABLE AND ALWAYS
WITH YOU.

An undershort equipped with a comfortable seat pad: highly practical, to combine with any overshirt, with high breathability while you're riding.

Single seam for greater comfort and practicality
Elastic waist with grip points in silicone thread to ensure stability
New multi density, two layered Bodyfit Pro W MD Seatpad



002

BLACK



TECHNICAL FEATURES

Breathable

TEMPERATURE RANGE

SIZE AVAILABLE
XS S M L XL XXL

FIT
Slim

New arrival

ESSENTIAL W
BRA

1126032

Confidence on the bike. Freedom beyond.

Supportive cycling bra, breathable and ideal for multisport activities

Medium support ideal for cycling and other active sports
Lightweight, breathable fabric with excellent moisture management
Adjustable straps for comfort and personalized fit
No padding, compatible with your own removable inserts



101
WHITE

TECHNICAL FEATURES

Breathable



002
BLACK

TEMPERATURE RANGE
15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE
S M L

FIT
Regular









TUDOR × **sportful**
PRO CYCLING TEAM





TUDOR × **sportful**
PRO CYCLING TEAM



New arrival

TUD SUPERNOVA
JERSEY

5826400

TUDOR PRO CYCLING

Ultra-breathable race jersey for
peak road performance and
pro-level comfort

Four-fabric construction for
superior ventilation and moisture
control
3D-structured sleeves with
raw-cut finish for a true race fit
Anatomical design optimized for
aggressive road riding position
Official Tudor Pro Cycling 2026
team graphic for pro-level
identity



F111

FORMER WORLD CHAMPION

TECHNICAL FEATURES

Breathable



002

BLACK

TEMPERATURE RANGE
15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE
XS S M L XL XXL 3XL

FIT
Aero

TUD LIGHT 2 JERSEY

5826401

TUDOR PRO CYCLING

Ultra-light race jersey for fast
road rides, pro comfort and
maximum breathability

Ultra-light polyester fabric with
micro-perforations for superior
airflow

Seamless bonded hem for a
clean aerodynamic race fit

Ergonomic construction

optimized for aggressive road
riding posture

Official Tudor Pro Cycling 2026
replica graphic



002
BLACK

TECHNICAL FEATURES

Breathable

TEMPERATURE RANGE

30+ °C (86+ °F)

SIZE AVAILABLE

XS S M L XL XXL 3XL

FIT

Aero

TUD STARLIGHT R JERSEY

5826460

TUDOR PRO CYCLING

Light, breathable road jersey with dual fabrics, raw-cut sleeves and pro performance

Dual-fabric construction for superior breathability and moisture control
Raglan sleeves for greater mobility and performance comfort
Raw-cut anatomical sleeves for reduced friction and modern aesthetics
Full-length zipper and rear pockets for functional ride support



002
BLACK

TECHNICAL FEATURES

Breathable

TEMPERATURE RANGE
15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE
XS S M L XL XXL 3XL

FIT
Regular



New arrival

TUD LTD BIBSHORT

5826407

TUDOR PRO CYCLING

Tight racing bibshort with
pro-level support, TC Pro seat
pad and seamless comfort

TC Pro seat pad for long-distance
support and pro-level mobility
Minimal flatlock seams
positioned to eliminate friction
and chafing
Compression leg construction
with raw-cut hem for a stable
tight fit
Official Tudor Pro Cycling 2026
replica graphic



002
BLACK



TECHNICAL FEATURES

Breathable

TEMPERATURE RANGE
15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE
XS S M L XL XXL 3XL

FIT
Slim

TUDOR PULSE BIBSHORT

5826461

TUDOR PRO CYCLING

Road bibshort with Bodyfit Pro MD pad, stable fit and clean pro-inspired design

Bodyfit Pro MD pad for advanced comfort and long-ride support
Close, flexible fabric for stable fit and mild compression
Optimized breathable straps to keep the chamois securely in place
Clean design with Tudor Pro Cycling 2026 branding



002
BLACK



TECHNICAL FEATURES

Breathable

TEMPERATURE RANGE
15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE
XS S M L XL XXL 3XL

FIT
Slim

TUD PRO 2 VEST

5826410

TUDOR PRO CYCLING

Windproof racing vest with pro breathability, dual-zip design and full road performance

Windproof stretch front panel for aerodynamic protection and mobility
Highly ventilated back fabric for maximum breathability under effort
Dual-cursor zipper for fast ventilation control and easy pocket access
Official Tudor Pro Cycling 2026 replica graphic



002
BLACK

TECHNICAL FEATURES

Breathable

Windproof

TEMPERATURE RANGE
10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE
XS S M L XL XXL 3XL

FIT
Aero





TUD SUPERNOVA THERMAL JERSEY LS

5826403

TUDOR PRO CYCLING

Thermal racing jersey for winter road performance, fast drying and pro comfort

High-stretch polyester fabric for thermal performance and fast drying
Racing fit for aerodynamic efficiency and perfect winter layering
Advanced moisture management to stay warm and dry under effort
Official Tudor Pro Cycling 2026 replica graphic



002
BLACK

TECHNICAL FEATURES

Breathable

TEMPERATURE RANGE
5 °C / 15 °C [41 °F / 59 °F]

SIZE AVAILABLE
XS S M L XL XXL 3XL

FIT
Aero

TUD FIANDRE SHIFT JACKET

5826413

TUDOR PRO CYCLING

AirCore weather-adaptive jacket
with breathability, protection and
pro road performance

Polartec AirCore membrane for
adaptive breathability and wind
protection
PFAS-free construction with light
rain resistance and weather
versatility
Regular fit for effective layering
across mild winter and
mid-season conditions
Official Tudor Pro Cycling 2026
graphic



002

BLACK



TECHNICAL FEATURES

Breathable

Waterproof

Water Repellent

Windproof

TEMPERATURE RANGE

5 °C / 15 °C [41 °F / 59 °F]

SIZE AVAILABLE

XS S M L XL XXL 3XL

FIT

Regular

TUD FIANDRE 2 JACKET

5826412
TUDOR PRO CYCLING

AirCore winter jacket with wind protection, breathability and pro road performance

Polartec AirCore membrane for warmth, breathability and controlled air permeability
PFAS-free construction with wind protection and light-rain resistance
Regular fit engineered for versatile winter layering
Official Tudor Pro Cycling 2026 graphics



002
BLACK



TECHNICAL FEATURES

- Breathable
- Waterproof
- Water Repellent
- Windproof

TEMPERATURE RANGE
-5 °C / 5 °C (23 °F / 41 °F)

SIZE AVAILABLE
XS S M L XL XXL 3XL

FIT
Regular



MSC



TUDOR



TUD SUPERNOVA BIBTIGHT

5826409

TUDOR PRO CYCLING

Thermal tight with TC Pro pad,
wind protection and fast-drying
performance

Double-knit fabric: durable
polyamide exterior and
fast-drying polyester interior
Light wind and water protection
for winter road training
Raw-cut leg ends for long-lasting
comfort and clean layering with
overshoes
TC Pro seat pad for pro-level
support on long rides



002
BLACK



TECHNICAL FEATURES

Breathable

Water Repellent

TEMPERATURE RANGE

-0 °C / 10 °C (32 °F / 50 °F)

SIZE AVAILABLE

XS S M L XL XXL 3XL

FIT

Slim

TUD WINTER
ARMWARMERS

5826420

Winter arm warmers with double-knit fabric for comfort, warmth, and sweat control.



002

BLACK

Technical double-knit fabric with polyamide outside and brushed polyester inside
Optimized thermal regulation and moisture management
Snug, ergonomic fit stays in place during movement
Minimal seams for reduced friction and enhanced comfort

TEMPERATURE RANGE 5 °C / 15 °C (41 °F / 59 °F)

SIZE AVAILABLE XXS XS S M L XL XXL 3XL

FIT Slim

TECHNICAL FEATURES

Breathable

TUD WINTER
KNEEWARMERS

5826421

Thermal kneewarmers with double-knit fabric for winter road cycling.



002

BLACK

Double-knit construction for warmth and moisture control
Polyamide exterior + brushed polyester interior
Ergonomic cut for knee mobility and secure fit
Compact and packable for on-the-go layering

TEMPERATURE RANGE 5 °C / 15 °C (41 °F / 59 °F)

SIZE AVAILABLE S M L XL

FIT Slim

TECHNICAL FEATURES

Breathable

TUD WINTER
LEGWARMERS

5826422

Winter legwarmers with thermal double-knit fabric for road riding.



002
BLACK

Double-knit fabric for warmth, breathability, and mobility
Polyamide face for durability, brushed polyester lining for comfort
Full-length ergonomic fit with secure hold
Easy to layer and stash on the go

TEMPERATURE RANGE 5 °C / 15 °C (41 °F / 59 °F)

SIZE AVAILABLE S M L XL

FIT Slim

TECHNICAL FEATURES

Breathable

TUD PRO 2 GLOVES

5826429

Light pro glove with 3D grip palm, breathable mesh and streamlined fit



002
BLACK

3D-grip palm for superior control and reduced hand fatigue
Lightweight breathable mesh back for ventilation and fast drying
Streamlined slip-on design with no Velcro for clean, irritation-free fit
Official Tudor Pro Cycling 2026 graphic for pro identity

TEMPERATURE RANGE 15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE XS S M L XL XXL

FIT Regular

TECHNICAL FEATURES

Breathable

TUD PRO SOCKS

5826439

Light pro cycling socks with breathable mesh and secure fit for peak road comfort



101
WHITE

Lightweight technical yarn for superior moisture management
Differentiated mesh zones for optimal airflow and breathability
Stable, secure fit that stays in place during high-intensity riding
Official Tudor Pro Cycling 2026 graphic for pro-inspired style

TEMPERATURE RANGE 15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE S M L

FIT Regular

TECHNICAL FEATURES

Breathable

TUD FLUID SOCKS

5826440

Aero cycling socks with 3D ribbed fabric, light foot mesh and pro-level stability



101
WHITE

3D-ribbed aero fabric for reduced drag and smoother airflow
Ultralight breathable mesh foot for cooling and moisture control
Silicone upper grip and laser-cut edge for stable, seamless fit
Official Tudor Pro Cycling 2026 graphic for pro-level identity

TEMPERATURE RANGE 15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE S M L

FIT Slim

TECHNICAL FEATURES

Breathable

TUD CYCLING CAP

5826441

Light breathable cycling cap with airflow and pro road style



002
BLACK

Breathable polyester for airflow and moisture control
Lightweight construction designed to fit comfortably under any helmet
Flexible peak for sun, wind protection
Official Tudor Pro Cycling 2026 graphic for pro-inspired style

TEMPERATURE RANGE 10 °C / 30 °C (50 °F / 86 °F)

SIZE AVAILABLE UNI

FIT Regular

TECHNICAL FEATURES

Breathable

TUDOR UNDERHELMET

5826443

Thermal underhelmet with breathable zones for winter road comfort and protection



002
BLACK

Thermal fabric over key areas for warmth and cold-weather protection
Breathable panels to manage sweat and prevent overheating
Regular fit designed to sit comfortably under any helmet
Official Tudor Pro Cycling 2026 graphic for pro-inspired style

TEMPERATURE RANGE -0 °C / 10 °C (32 °F / 50 °F)

SIZE AVAILABLE UNI

FIT Regular

TECHNICAL FEATURES

Breathable

TUDOR HEADBAND

5826444

Light thermal cycling headband with high breathability for winter road comfort



002
BLACK

Light thermal fabric for focused warmth on ears and forehead
Highly breathable construction for moisture and heat management
Comfortable regular fit designed to sit smoothly under any helmet
Official Tudor Pro Cycling 2026 graphic for pro-level identity

TEMPERATURE RANGE 5 °C / 15 °C (41 °F / 59 °F)

SIZE AVAILABLE UNI

FIT Regular

TECHNICAL FEATURES

Breathable

TUD PODIUM CAP

5826445

Lifestyle podium cap with Tudor–Sportful design for premium off-bike style



002
BLACK

Premium lifestyle cap with Tudor + Sportful official branding
Comfortable regular fit suitable for daily off-bike wear
Structured visor and breathable panels for comfort and durability
Official Tudor Pro Cycling 2026 replica design

TEMPERATURE RANGE

SIZE AVAILABLE UNI

FIT Regular

TECHNICAL FEATURES

Breathable



sportful

UDOR

MSC

UDOR



TUD KID JERSEY

5826462

TUDOR PRO CYCLING

Kid's cycling jersey with pro-inspired design, breathable fabric and easy comfort

Lightweight, breathable fabric for all-day kid comfort
Sleeveless construction for full freedom of movement
Durable, soft fit designed for active young riders
Official Tudor Pro Cycling 2026 graphics for pro-inspired style



002

BLACK

TECHNICAL FEATURES

Breathable

TEMPERATURE RANGE

15 °C / 35 °C (60 °F / 95 °F)

SIZE AVAILABLE

6Y 8Y 10Y 12Y 14Y

FIT

Regular

TUD KID SHORT

5826463

TUDOR PRO CYCLING

Kid's cycling short with child-specific pad and comfort for first road adventures

Kid-specific chamois for soft, flexible comfort
Elastic, durable fabric for unrestricted movement
Comfortable waistband and stable leg grippers
Official Tudor Pro Cycling 2026 graphics



002

BLACK



TECHNICAL FEATURES

Breathable

TEMPERATURE RANGE
15 °C / 35 °C (60 °F / 95 °F)


SIZE AVAILABLE
6Y 8Y 10Y 12Y 14Y

FIT
Regular



CASTELLI

SPRING SUMMER MEN'S 2026



[GO TO WOMEN'S CATALOG](#)

MEN'S COLLECTION

➞ SHORTS

➞ SPEED SUITS

➞ JERSEYS

➞ HOT WEATHER PRODUCTS


➞ UNLIMITED

➞ BASE LAYERS

➞ ACCESSORIES

➞ ALL-WEATHER PROTECTION

➞ 360 PRODUCTS



SPRING SUMMER 2026



PHOTOS

Ashley Gruber,
Jered Gruber,
Federico Ravassard,
Laura Fletcher,
Chiara Redaschi



CASTELLI

A NEW MARK IN CASTELLI HISTORY

For 50 years, the scorpion has been more than a symbol—it's who we are. It represents our relentless pursuit of perfection in everything we touch. This same unwavering spirit drives cyclists, those who push beyond limits in their pursuit of victory, fueled by dedication and an unstoppable will to win.

The new brand identity speaks to a modern, no-nonsense design philosophy, while staying true to the legacy that built this company. It is the cornerstone of every Castelli visual, with no exceptions. Bold, timeless, and unmistakable.



The new Castelli logo and wordmark
applied to the new SS26 products






CASTELLI



CASTELLI

Wordmark and logo plays a distinct role:
the Wordmark speaks—it's meant to be read.
The Scorpion, on the other hand, is instantly recognized.

This balance is essential, allowing the brand to not only,
be heard' but also, be seen' with equal impact.



CASTELLI



MEN'S SHORTS



PREMIO EVO BIBSHORT
4525000



SIZES	T° RANGE
XS S M L XL XXL 3XL	16-35 °C / 60-95 °F
WEIGHT	FIT
304 g	Tailored
WATERPROOFNESS	WINDPROOFNESS



Innovatively engineered for ultimate long-distance comfort, support, speed, and durability.

- Gradient-stretch woven fabric for the right support in the right place
- Woven fabric weighs 30% less than comparable knit fabric
- Soft, stretchy bib straps articulated over shoulder for maximum comfort
- Perforated back panel for breathability
- Integrated gripper elastic at leg ending holds short in place without need for additional silicone grippers
- Progetto X2 Air Seamless seat pad



010
BLACK



424
BELGIAN BLUE



625
DEEP BORDEAUX/WINTER SKY



INNOVATIVELY ENGINEERED
FOR ULTIMATE LONG-DISTANCE
COMFORT, SUPPORT, SPEED,
AND DURABILITY.

FREE AERO RACE S BIBSHORT

4525001



SIZES	T° RANGE
XS S M L XL XXL 3XL	15-35 °C / 59-95 °F
WEIGHT	FIT
203 g	Race
WATERPROOFNESS	WINDPROOFNESS

progetto X2 INOMI CORRIS

Comfort and aerodynamics meet in the fastest, most comfortable Free Aero Race Bibshort to date.

Aero-optimized Forza2 Stretch fabric for maximum comfort and aerodynamic advantage
Aero-optimized fabric delivers 3% decrease in CdA
Lie-flat bib straps and a breathable mesh back keep you cooler
Silicone leg grippers to keep leg endings in place
Progetto X2 Air Seamless seat pad for comfort even on your longest rides
Back pocket for extra storage or race radio
Short fabric rated to 50+ UPF protection



001
WHITE



010
BLACK



424
BELGIAN BLUE



021
SMOKY GRAY

FREE AERO RACE S KIT BIBSHORT
4526000



SIZES	T° RANGE
XS S M L XL XXL 3XL	- °C / - °F
WEIGHT	FIT
199 g	Race
WATERPROOFNESS	WINDPROOFNESS

progetto X2 TECHNOLOGY CORSA

Comfort and aerodynamics meet in the fastest, most comfortable Free Aero Race Bibshort to date.

Aero-optimized Forza2 Stretch fabric for maximum comfort and aerodynamic advantage
Aero-optimized fabric delivers 3% decrease in CdA
Lightweight minimalist stripe mesh bib straps to minimize weight and keep you cool
Silicone leg grippers to keep leg endings in place
Progetto X2 Air Seamless seat pad for comfort even on your longest rides
Back pocket for extra storage or race radio
Short fabric rated to 50+ UPF protection



458
AZZURRO ITALIA/SILVER GRAY



010
BLACK/WHITE



655
PAPRIKA/ELMWOOD

espresso
CASTELLI





YOUR FAVOURITE BIBSHORT. REVISED & REFINED. 2.0

This started with our favourite bibshort—the one we reach for every ride. But staying still isn't in our nature. Driven by our obsession with performance, design, and innovation, we looked for every opportunity to refine. Subtle adjustments in fit, improved construction details, and fabric updates to our bibstraps that push comfort and efficiency just that little bit further. Not a revolution, but a series of gains that add up on the road.

This update also marks something bigger: the introduction of our new logo. A cleaner, more confident identity that reflects where we're heading—without forgetting where we've come from.

The result? The best bibshort we've ever made.



ESPRESSO 2 BIBSHORT

4526001



SIZES	T° RANGE
XS S M L XL XXL 3XL	15-35 °C / 59-95 °F
WEIGHT	FIT
197 g	Tailored
WATERPROOFNESS	WINDPROOFNESS



Your Favourite Bibshort. Revised & Refined. 2.0

Castelli-engineered Espresso Doppio fabric for comfort and perfect fit
Progetto X2 Air Seamless seat pad for all-day comfort
Raw-cut leg endings with silicone grippers
Stretch-mesh bib straps for ventilation and comfort
Pocket on rear for added storage



030
DARK GRAY



053
SILVER MOON



021
SMOKY GRAY



010
BLACK



204
ELMWOOD



625
DEEP BORDEAUX



655
PAPRIKA



424
BELGIAN BLUE

ESPRESSO 2 SHORT
4526002



SIZES	T ° RANGE
XS S M L XL XXL 3XL	15-35 °C / 59-95 °F
WEIGHT	FIT
0 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

progetto X2

Your Favourite Bibshort. Revised & Refined. 2.0

Castelli-engineered Espresso Doppio fabric for comfort and perfect fit
Raw-cut leg ending with silicone gripper
Progetto X2 Air Seamless Donna seat pad for all-day comfort
Extended front and rear panels with folded lightweight mesh for smoother interface with jersey
Designed for improved comfort and coverage where short and jersey meet



010
BLACK

ENDURANCE 4 BIBSHORT

4526003



SIZES	T° RANGE
XS S M L XL XXL 3XL	15-35 °C / 59-95 °F
WEIGHT	FIT
203 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

progetto X2

Endurance-level comfort for every ride with Castelli's most comfortable seat pad.

Endurance Evolution fabric provides optimum muscle support and feels drier in nearly all conditions
Anatomic cut for perfect on-bike fit
Mesh bib straps and back to keep you cooler
Progetto X2 Air Seamless seat pad for even greater comfort and improved airflow
GIRO3 leg grippers lie flat



010
BLACK

ENDURANCE-LEVEL COMFORT

The heart of this short is our renowned top-of-the-line Progetto X2 Air Seamless seat pad, expertly combined with a classic short design. But comfort doesn't stop there — every detail has been meticulously refined to support you on your longest endurance rides.

A great pad is only effective when paired with a perfect fit. That's why we've carefully placed seams around the hips to ensure an ergonomic, bike-ready shape. The Endurance Evolution fabric feels soft against the skin while offering excellent compression and superior moisture management.

Everything stays securely in place thanks to the incredibly comfortable G1R03 leg gripper. Delivering exceptional value, this short is built to provide lasting comfort mile after mile.



ENDURANCE 4 SHORT
4526004



SIZES	T° RANGE
XS S M L XL XXL 3XL	15-35 °C / 59-95 °F
WEIGHT	FIT
0 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

progetto X²

Endurance-level comfort for every ride with Castelli's most comfortable seat pad.

Endurance Evolution fabric provides optimum muscle support and feels drier in nearly all conditions
Anatomic cut for perfect on-bike fit
Progetto X2 Air Seamless seat pad for even greater comfort and improved airflow
GIRO3 leg grippers lie flat



010
BLACK



The heart of this short is our renowned top-of-the-line Progetto X2 Air Seamless seat pad, expertly combined with a classic short design. But comfort doesn't stop there — every detail has been meticulously refined to support you on your longest endurance rides.

A great pad is only effective when paired with a perfect fit. That's why we've carefully placed seams around the hips to ensure an ergonomic, bike-ready shape. The Endurance Evolution fabric feels soft against the skin while offering excellent compression and superior moisture management.

Everything stays securely in place thanks to the incredibly comfortable GIRO3 leg gripper. Delivering exceptional value, this short is built to provide lasting comfort mile after mile.

COMPETIZIONE 2 BIBSHORT
4525004




SIZES	T ° RANGE
XS S M L XL XXL 3XL	15-35 °C / 59-95 °F
WEIGHT	FIT
186 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

KISS^{AIR2}

Made to do everything right without overdoing anything.

KISS Air2 seat pad for all-day comfort
Affinity Pro Lycra® fabric on inside of leg for outstanding stretch and rebound
Vortex V2 textured fabric on legs for better aerodynamics
Raw-edge leg gripper with integrated silicone
Flat-lock stitching
UPF 50+



021
SMOKY GRAY



030
DARK GRAY



424
BELGIAN BLUE



010
BLACK

COMPETIZIONE 2 KIT BIBSHORT

4526005



SIZES	T° RANGE
XS S M L XL XXL 3XL	15-35 °C / 59-95 °F
WEIGHT	FIT
159 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

KISSair²

Made to do everything right without overdoing anything.

KISS Air2 seat pad for all-day comfort
Affinity Pro Lycra® fabric on inside of leg for outstanding stretch and rebound
Vortex V2 textured fabric on legs for better aerodynamics
Raw-edge leg endings with integrated silicone grippers
Flatlock stitching
UPF 50+



010
BLACK



294
CLAY



456
TWILIGHT BLUE



513
DARK NIGHT SHADE

COMPETIZIONE 2 SHORT
4525005



SIZES	T ° RANGE
XS S M L XL XXL 3XL	15-35 °C / 59-95 °F
WEIGHT	FIT
174 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

KISS^{AIR}2

Made to do everything right without overdoing anything.

KISS Air2 seat pad for all-day comfort
Affinity Pro Lycra® fabric on inside of leg for outstanding stretch and rebound
Vortex V2 textured fabric on legs for better aerodynamics
Raw-edge leg gripper with integrated silicone
Flat-lock stitching
Reflective detailing on back
UPF 50+



010
BLACK

ENTRATA 2 BIBSHORT

4523003



SIZES	T ° RANGE
XS S M L XL XXL 3XL	15-35 °C / 59-95 °F
WEIGHT	FIT
177 g	Regular
WATERPROOFNESS	WINDPROOFNESS

KISS^{AIR}2

To carry the scorpion logo, a bibshort needs to be amazing even if it's "entry level." This short brings together quality fabrics, our KISS Air2 seat pad, and eight-panel construction with an overall focus on comfort and durability.

- KISS Air2 seat pad for all-day comfort
- Pro Dry matte Lycra® for good compression and moisture management
- 8-panel construction for perfect fit
- Rear reflective panels on lower leg
- GIRO3 engineered flat leg band
- Mesh straps for comfort and breathability



010
BLACK



424
BELGIAN BLUE

ENTRATA 2 SHORT

4523004




SIZES	T ° RANGE
XS S M L XL XXL 3XL	15-35 °C / 59-95 °F
WEIGHT	FIT
203 g	Regular
WATERPROOFNESS	WINDPROOFNESS

KISS^{AIR²}

To carry the scorpion logo, a short needs to be amazing even if it's "entry level." This short brings together quality fabrics, our KISS Air2 seat pad, and eight-panel construction with an overall focus on comfort and durability.

- KISS Air2 seat pad for all-day comfort
- Pro Dry matte Lycra® for good compression and moisture management
- 8-panel construction for perfect fit
- Rear reflective panels on lower leg
- GIRO3 engineered flat leg band



010
BLACK

ENTRATA 2 BIBKNICKER

4523005



SIZES	T ° RANGE
XS S M L XL XXL 3XL	10-20 °C / 50-68 °F
WEIGHT	FIT
219 g	Regular
WATERPROOFNESS	WINDPROOFNESS

KISS^{AIR²}

To carry the scorpion logo, a bibknicker needs to be amazing even if it's "entry level." This knicker brings together quality fabrics, our KISS Air2 seat pad and eight-panel construction with an overall focus on comfort and durability.

- KISS Air2 seat pad for all-day comfort
- Pro Dry matte Lycra® for good compression and moisture management
- 8-panel construction for perfect fit
- Rear reflective panels on lower leg
- GIRO3 engineered flat leg band



010
BLACK



MEN'S SPEED SUITS

SANREMO S SPEED SUIT

4525077



SIZES	T° RANGE
XS S M L XL XXL 3XL	15-35 °C / 59-95 °F
WEIGHT	FIT
283 g	Race
WATERPROOFNESS	WINDPROOFNESS

progetto X²

RODOLFO CORSA



The next evolution of the suit that started a revolution.

CFD-based fabric placement and seam construction
Engineered shoulder fabric used specifically to reduce drag at race speeds, with as much as 6% savings in CdA

Bonded sleeve endings for comfort



Lightweight body fabric for optimal cooling, breathability, and comfort

Aero-optimized Forza2 Stretch fabric for maximum comfort and aerodynamic advantage


Aero-optimized fabric delivers 3% decrease in CdA

Silicone leg grippers to keep leg endings in place

Progetto X2 Air Seamless seat pad for comfort even on your longest rides



010
BLACK



294
CLAY/WHITE

SATURDAY MORNING SKINSUIT

4526006



SIZES	T ° RANGE
XS S M L XL XXL 3XL	15-35 °C / 59-95 °F
WEIGHT	FIT
262 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

PROGETTO X2

Skinsuit Saturday. It Is A Stylish Look.

All-in-one design blending Corretto Jersey performance with Espresso 2 Bibshort comfort
Progetto X2 Air Seamless seat pad for pro-level support
Bold Castelli graphics
Contoured collar construction enhances fit around neck
3 back pockets with fourth zippered security pocket for valuables
Full-length YKK® Vislon® zipper with easy-use zipper pull
Created for riders who race the group ride — no number pinning required



424
BELGIAN BLUE/WHITE



034
BRILLIANT ORANGE/VIVID ORANGE/S



010
BLACK/ROSA GIRO/SMOKY GRAY

SATURDAY MORNING SKINSUIT

You will not see this skinsuit being raced in the World Tour. That's because we wanted this skinsuit to function for the saturday morning social rider where you know the pace will be anything but social. We all know the type of ride, you turn up at the meeting point and high 5 your friends before spending the rest of the ride trying to drop one another. We approve this type of social ride. The design of the skinsuit is bold and bright, because if you are sitting on the front of the group setting the saturday morning tempo then you should be instantly recognised for this selfless act of making others hold on to the wheel in front in silence.



BODY PAINT V TT SPEEDSUIT

4526007



SIZES	T ° RANGE
XS S M L XL XXL 3XL	15-35 °C / 59-95 °F
WEIGHT	FIT
258 g	Race
WATERPROOFNESS	WINDPROOFNESS



The fastest suit for racing against the clock.

Pure speed equipment, created for WorldTour racing
Developed using years of experience of CFD analysis, wind tunnel testing, and WorldTour racing
Fabrics developed and tested extensively for maximum aerodynamics at speeds of 45 km/h and above
Reduced seaming for maximum aerodynamics
No-sew mesh race number holder to prevent number flapping in wind
Extra-long legs with flat leg endings with PU grip elastic on the inside



010
BLACK



053
SILVER MOON/CLAY/SMOKY GRAY



THE FASTEST SUIT FOR RACING AGAINST THE CLOCK

Having access to the fastest riders in the world definitely has its benefits. And thanks to the UCI rules meaning we need to make this product commercially available, those benefits can also be offered to you. After spending countless hours in the wind tunnel at the Politecnico University of Milano we have tested and optimised this new Body Paint V TT suit to be the fast for the widest range of conditions. The real benefits of the suit are felt at speeds above 45 km/h and the suit is optimised for extreme time trial positions. The fabrics and materials are intricately sourced and placed together, to ensure we see the best results in the wind tunnel and on the road.

A photograph of a wall with vertical stripes of light and dark colors. There are two rectangular openings on the left side and one on the right. The foreground shows a cobblestone path. The text "MEN'S JERSEYS" is overlaid on the wall.

MEN'S JERSEYS



PREMIO EVO JERSEY
4525008



SIZES	T ° RANGE
XS S M L XL XXL 3XL	18-35 °C / 64-95 °F
WEIGHT	FIT
269 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

Premio comfort. Premio style. Premio performance.

Stretch woven lightweight body fabric in recycled microfiber polyester for excellent moisture management and 33% elastane for stretch
Shoulder panel in recycled ribbed stretch woven mesh to keep you cool and comfortable while adding world-class aerodynamics
Collarless construction makes it feel lighter and cooler
Reverse-coil self-locking YKK® zipper with U-shaped zipper pull for easy adjustment
Silicone gripper elastic on back with no-sew bonded front elastic panel
3 rear pockets with additional hidden zippered security pocket
Reflective points on back pocket for visibility
UPF 50



625
DEEP BORDEAUX



085
LIGHT BLACK/BLACK



486
WINTER SKY



PREMIO COMFORT.
PREMIO STYLE.
PREMIO PERFORMANCE.

AERO RACE 8S JERSEY

4526008




SIZES	T° RANGE
XS S M L XL XXL 3XL	18-35 °C / 64-95 °F
WEIGHT	FIT
155 g	Race
WATERPROOFNESS	WINDPROOFNESS



More than a decade of speed innovation and knowledge. Our fastest jersey is now faster.

- CFD-based fabric placement and seam construction
- Engineered shoulder fabric used specifically to reduce drag at race speeds, with as much as 6% savings in CdA
- Bonded sleeve endings for comfort
- Lightweight body fabric for optimal cooling, breathability, and comfort
- Elastic waistband to keep jersey in place and support loaded pockets
- 3 rear cargo pockets
- Reflective tab for added safety



502
NIGHT SHADE/ROSA GIRO



870
SILVER GRAY/SMOKY GRAY



458
AZZURRO ITALIA



021
SMOKY GRAY


MORE THAN A
DECADE OF SPEED,
INNOVATION AND
KNOWLEDGE.
**OUR FASTEST JERSEY
IS NOW EVEN
FASTER.**

In the world of performance cycling, we seek out more watts and more speed from our equipment. Dressing for speed is one of the best ways to get faster, since 80% of the drag on a cyclist comes from the body.

Drawing on more than a decade of innovation and knowledge in making professional riders faster, the aero race 8s jersey is the result of using the most modern methods and fabrics to create the fastest jersey we've ever made. The s stands for „Speed.“ the sleeve construction uses cfd engineering for optimal seam placement. The engineered ribbed shoulder fabric has been designed specifically for the greatest aerodynamic advantage at race speeds, with a cda savings of up to 6% over previous aero jerseys.

The rest of the jersey is designed for maximum comfort. The body fabric is smooth and stretchy, allowing for a perfect fit, and it feels great against the skin. The elastic at the waist keeps the jersey in place while supporting the three back pockets when they are loaded. The aero race 8s jersey is the ultimate piece of equipment to help you turn your watts into speed.





WHEN ESPRESSO IS NOT ENOUGH CORRETTO

In the bars of our local Veneto region there's a ritual we love:
a shot of espresso "corrected" with a splash of grappa - caffè corretto.

A small gesture with big character. That same spirit inspired the Corretto Jersey. Corretto in Italian means "corrected" or "refined."
This jersey reflects that idea—an evolution of our design language with sharper graphics, bolder lines, and a confident new energy.

It's rooted in tradition, but distinctly modern. Like the drink, the Corretto Jersey blends two elements into one: performance and personality.
Clean, expressive, and unmistakably Castelli.

CAFFEINE
CONTENT 



CORRETTO JERSEY
4526009



SIZES	T ° RANGE
XS S M L XL XXL 3XL	18-35 °C / 64-95 °F
WEIGHT	FIT
168 g	Race
WATERPROOFNESS	WINDPROOFNESS

Fast and bold to always stay ahead of the pack.

Race fit — ideal for high-intensity road riding and racing
Engineered with contrasting fabrics on body and sleeves to optimize comfort in key zones
Sleeve and body fabric optimized for breathability and aerodynamics
Sleeves finished with bonded tape edge
Contoured collar construction enhances fit around neck
3 back pockets with fourth zippered security pocket for valuables
Full-length YKK® Vislon® zipper with easy-use zipper pull
Elastic at waist with silicone to keep jersey in place



501
ULTRAVIOLET/PURPLE
MIST-WHITE



065
IVORY/CLAY-BLACK



204
ELMWOOD/ROSA GIRO-WHITE



424
BELGIAN BLUE/NEON COBALT-WHITE



ESPRESSO + GRAPPA = CORRETTO

In the bars of our local Veneto region there's a ritual we love: a shot of espresso "corrected" with a splash of grappa - caffè corretto. A small gesture with big character.

That same spirit inspired the Corretto Jersey. Corretto in Italian means "corrected" or "refined." This jersey reflects that idea—an evolution of our design language with sharper graphics, bolder lines, and a confident new energy. It's rooted in tradition, but distinctly modern.

Like the drink, the Corretto Jersey blends two elements into one: performance and personality. Clean, expressive, and unmistakably Castelli.

CORRETTO LS JERSEY
4526010



SIZES	T ° RANGE
XS S M L XL XXL 3XL	15-30 °C / 59-86 °F
WEIGHT	FIT
152 g	Race
WATERPROOFNESS	WINDPROOFNESS

Long sleeve with summer weight fabrics in a fast and bold design.

Race fit — ideal for high-intensity road riding and racing
Summer-weight fabrics with long sleeves make jersey ideal for cool days
Engineered with contrasting fabrics on body and sleeves to optimize comfort in key zones
Sleeve and body fabric optimized for breathability and aerodynamics
Contoured collar construction enhances fit around neck
3 back pockets with fourth zippered security pocket for valuables
Full-length YKK® Vislon® zipper with easy-use zipper pull
Elastic at waist with silicone to keep jersey in place



288
BRILLIANT PINK/ BELGIAN BLUE-W



204
ELMWOOD/NEON COBALT-WHITE



065
IVORY/CLAY-BLACK



010
BLACK/ROSA GIRO-SILVER MOON



ESPRESSO

+

GRAPPA

=

CORRETTO

In the bars of our local Veneto region there's a ritual we love: a shot of espresso "corrected" with a splash of grappa - caffè corretto. A small gesture with big character.

That same spirit inspired the Corretto Jersey. Corretto in Italian means "corrected" or "refined." This jersey reflects that idea—an evolution of our design language with sharper graphics, bolder lines, and a confident new energy. It's rooted in tradition, but distinctly modern. Like the drink, the Corretto Jersey blends two elements into one: performance and personality.

Clean, expressive, and unmistakably Castelli. This long sleeve jersey features the same light and aero fabrics and cut as our Corretto short sleeve jersey making it ideal for those cool spring and fall days when you need some extra coverage but want to stay light and fast.

espresso
CASTELLI



**YOUR FAVOURITE
JERSEY.
REVISED & REFINED.
2.0**

When we set out to make the original Espresso Jersey, we wanted the jersey that we'd always reach for no matter if you normally wear an aero race-fit jersey or a more regular cut jersey. We developed a fabric that would allow for a close-to-body fit without being constrictive or feeling tight. Our proprietary Air_0 fabric also offers great breathability and moisture management, and amazingly tests well in the wind tunnel.

With innovation in our DNA and a healthy obsession for details, we set about perfecting our favourite jersey. The updates for Espresso 2.0 Jersey include even better fit: close to body but never restricting. We focused a lot of attention on improving the pocket structure, giving even better support and compression while reducing pocket sag and we added a nice finish to the edge.

Of course the 4th zip pocket remains as an essential for valuables. You can find the updated subtle logos in tone on tone color, and our signature red scorpion on the zipper puller.



ESPRESSO 2 JERSEY

4526011



SIZES	T ° RANGE
XS S M L XL XXL 3XL	18-35 °C / 64-95 °F
WEIGHT	FIT
123 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

Designed to be your favorite jersey for every ride except race day. Espresso comfort and style, revised and refined. 2.0.

Castelli-engineered Air_O Stretch fabric for breathability, comfort, and perfect fit
Fabric optimized for breathability and aerodynamics
Raw-cut sleeve endings for comfort
3 back pockets with fourth zippered security pocket for valuables
Full-length YKK® Vislon® zipper with easy-use zipper pull
Elastic at waist with silicone to keep jersey in place
UPF 30



294
CLAY



021
SMOKY GRAY



010
BLACK



424
BELGIAN BLUE



863
VIVID ORANGE



655
PAPRIKA




065
IVORY



272
NEON COBALT



227
DEEP MOCHA



712
MANGO MOJITO



ESPRESSO 2 LS JERSEY

4526012



SIZES	T ° RANGE
XS S M L XL XXL 3XL	15-30 °C / 59-86 °F
WEIGHT	FIT
131 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

Designed to be your favorite jersey for every ride except race day. Espresso comfort and style, revised and refined. 2.0. Summer-weight fabric for cool days.


Castelli-engineered Air_O Stretch fabric for breathability, comfort, and perfect fit
Summer-weight fabric optimized for breathability and aerodynamics, perfect for cool days
Raw-cut sleeve endings for comfort
3 back pockets with fourth zippered security pocket for valuables
Full-length YKK® Vislon® zipper with easy-use zipper pull
Elastic at waist with silicone to keep jersey in place
UPF 30



010
BLACK



021
SMOKY GRAY



712
MANGO MOJITO



655
PAPRIKA

ESPRESSO 2 VEST


4526013



SIZES	T° RANGE
XS S M L XL XXL 3XL	12-20 °C / 53-68 °F
WEIGHT	FIT
110 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

The perfect vest to match your favorite Espresso kit. Wind protection front, breathable back, highly packable, 3 pockets, double-opening zipper.

Stretch woven front to allow just enough air through to keep you dry and comfortable
Air_0 Stretch fabric on back and sides for breathability, comfort, and perfect fit
3 back pockets
Top- and bottom-opening YKK® zipper
Elastic at waist to keep vest in place



010
BLACK



021
SMOKY GRAY



294
CLAY



424
BELGIAN BLUE



655
PAPRIKA



712
MANGO MOJITO

PROLOGO LITE 2 JERSEY

4526015



SIZES	T ° RANGE
XS S M L XL XXL 3XL	18-35 °C / 64-95 °F
WEIGHT	FIT
127 g	Regular
WATERPROOFNESS	WINDPROOFNESS

The all-around jersey for all your riding, offering comfort and style.

Ultra-breathable 100% polyester fabric made from 66% recycled yarns
Raw-cut welded sleeve endings to keep sleeves from riding up
Full-length YKK® Vislon® zipper with easy-use Castelli scorpion zipper pull
3 back pockets with fourth zippered security pocket for valuables
Silicone gripper elastic at waist



010
BLACK



047
KELLY GREEN



458
AZZURRO ITALIA



501
ULTRAVIOLET



645
RICH RED/BORDEAUX



486
WINTER SKY

ENTRATA APEX JERSEY

4526016



SIZES	T ° RANGE
XS S M L XL XXL 3XL	18-35 °C / 64-95 °F
WEIGHT	FIT
127 g	Regular
WATERPROOFNESS	WINDPROOFNESS

The ideal all-around jersey for all your riding, offering comfort and style.

- Strada micromesh ventilated stretch fabric for great fit and moisture management
- Raw-cut sleeve endings lie flat and never constrict
- Full-length easy-sliding YKK® Vislon® zipper
- 3 rear pockets
- Silicone gripper elastic at waist



010
BLACK/WHITE



065
IVORY/SMOKY GRAY



456
TWILIGHT BLUE/NEON COBALT



863
VIVID ORANGE/TWILIGHT BLUE



655
PAPRIKA/SILVER MOON

DRITTOONE LOGO JERSEY

4526017



SIZES	T ° RANGE
XS S M L XL XXL 3XL	18-35 °C / 64-95 °F
WEIGHT	FIT
118 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

Designed for style, all-day comfort, stretch fit and excellent breathability.

- Strada micromesh ventilated stretch fabric for great fit and moisture management
- Raw-cut sleeve endings
- Full-length YKK® Vislon® zipper
- 3 back pockets with fourth zippered security pocket for valuables
- Silicone gripper elastic at waist




001
WHITE/BLACK



294
CLAY/BELGIAN BLUE



655
PAPRIKA/MANGO MOJITO



501
ULTRAVIOLET/ROSA GIRO

STRATUS LOGO JERSEY

4526018



SIZES	T° RANGE
XS S M L XL XXL 3XL	18-35 °C / 64-95 °F
WEIGHT	FIT
120 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

Designed for style, all-day comfort, stretch fit and excellent breathability.

- Strada micromesh ventilated stretch fabric for great fit and moisture management
- Raw-cut sleeve endings
- Full-length YKK® Vislon® zipper
- 3 back pockets with fourth zippered security pocket for valuables
- Silicone gripper elastic at waist



625
DEEP BORDEAUX/WINTER SKY



001
WHITE/SMOKY GRAY



456
TWILIGHT BLUE/WINTER SKY

A male cyclist in a white and grey long-sleeved jersey, black shorts, white socks, and white shoes is riding a blue road bike. He is wearing a white helmet and blue-tinted sunglasses. The bike has 'GIANT' written on the frame. In the background, there are large, colorful Japanese carp streamers (koinobori) hanging vertically. The streamers are white with blue and red patterns, depicting carp. Behind the streamers is a lush green hillside and a white building with a yellow roof. The text 'MEN'S HOT WEATHER PRODUCTS' is overlaid in the center of the image.

MEN'S HOT WEATHER PRODUCTS

CLIMBER'S A/C JERSEY

4526014



SIZES	T° RANGE
XS S M L XL XXL 3XL	22-40 °C / 71-104 °F
WEIGHT	FIT
130 g	Race
WATERPROOFNESS	WINDPROOFNESS



Light. Dry. Fast.

CFD-based fabric placement and seam construction
Engineered rapid cooling, light weight, and aero efficiency
Airflow shoulder construction
Flusso 3D fabric on front
StradaPro 3D back for breathability
Elbow-length stretch sleeves with raw-cut edges
Elastic around waist to keep jersey in place and support pockets
YKK® Vislon® zipper
UPF 13



424
BELGIAN BLUE/WINTER SKY



863
VIVID ORANGE/SMOKY GRAY




870
SILVER GRAY/SMOKY GRAY



625
DEEP BORDEAUX/WHITE

UPF JERSEY
4525012



SIZES	T ° RANGE
XS S M L XL XXL 3XL	20-38 °C / 68-100 °F
WEIGHT	FIT
159 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

For sunny days when you want extra protection.

- UPF 50+ rated fabrics
- Front fabric slightly perforated for better breathability
- Raw-cut sleeve endings for comfort
- Higher collar on back and longer sleeves for added sun protection
- 3 rear cargo pockets and additional zippered security pocket
- Elastic at waist to keep jersey in place and support loaded pockets
- YKK® Vislon® zipper for easy use



870
SILVER GRAY



863
VIVID ORANGE

UPF LONG SLEEVE JERSEY

4525075



SIZES	T° RANGE
XS S M L XL XXL 3XL	20-36 °C / 68-96 °F
WEIGHT	FIT
166 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

For sunny days when you want extra protection.

- UPF 50+ rated fabrics
- Front fabric slightly perforated for better breathability
- Raw-cut sleeve endings for comfort
- Higher collar on back and long sleeves for added sun protection
- 3 rear cargo pockets and additional zippered security pocket
- Elastic at waist to keep jersey in place and support loaded pockets
- YKK® Vislon® zipper for easy use



863
VIVID ORANGE



870
SILVER GRAY

SUPERLEGGERA BIBSHORT

4520004



SIZES	T ° RANGE
XS S M L XL XXL 3XL	20-40 °C / 68-104 °F
WEIGHT	FIT
156 g	Race
WATERPROOFNESS	WINDPROOFNESS



For our lightest-ever road short, we use the first seamless graduated-ventilation stretch woven fabric to make a short that's both impossibly light and cool yet supportive for the longest rides.

The premium lightweight hot weather short
Gradient stretch woven fabric for minimal weight with optimum support
Ultralight fabric to reduce weight by up to 50% while improving durability
Minimalist stripe mesh bib to minimize weight and keep you cool
Integrated gripper elastic with exposed Lycra® to hold leg in place
Embossed logos and stretch silicone scorpion heat transfers
Progetto X2 Air Seamless seat pad



010
BLACK



424
BELGIAN BLUE

A/C BIBSHORT

4525003




SIZES	T° RANGE
XS S M L XL XXL 3XL	22-40 °C / 71-104 °F
WEIGHT	FIT
200 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

progetto X²

Lightweight bibshort for hot days, with extra breathability.

- Closed-knit mesh side panels for maximum breathability and sun protection
- Mesh leg grippers with integrated silicone
- Minimalist mesh bib straps
- Progetto X2 Air Seamless seat pad
- UPF 50+



010
BLACK



424
BELGIAN BLUE


A dark, dense forest scene with sunlight filtering through the trees, creating a moody and atmospheric background. The text "MEN'S UNLIMITED" is centered in the middle of the image.

MEN'S UNLIMITED





Feed Zones in Gravel racing have become increasingly risky and stressful, with this speedsuit you should be able to fly right through them risk free. The jersey fabric gives UPF 30 protection to block 97% of UV rays for your longest races.



With the popularity of Gravel Racing continuing to grow and the racing getting increasingly faster, we felt the time was right to unleash all of the Rosso Corsa experience and knowledge we had gained from the road and apply it to the Gravel surface.

We also applied the hydration pouch from our Unlimited Pro Jersey to keep the hydration bladder stored safely and securely.



GRAVEL RACING,
WE PRESENT
TO YOU -
ROSSO CORSA

We optimised our Sanremo S Speedsuit by adding nutrition pockets on the central quad position of the leg to allow quick simple access to gels and bars. By placing the pockets on the front even full pockets will not increase aero drag like side pockets, while also preventing contents from bouncing as much



UNLIMITED SPEEDSUIT

4526024



SIZES	T ° RANGE
XS S M L XL XXL 3XL	15-35 °C / 59-95 °F
WEIGHT	FIT
283 g	Race
WATERPROOFNESS	WINDPROOFNESS

progetto X2 rosso corsa

Rosso Corsa comes to gravel. The fully aero, fully functional, gravel racing suit.


All-in-one design blending Unlimited Pro 2 Jersey comfort with Free Aero Race S Bibshort performance
CFD-based fabric placement and seam construction
Engineered shoulder fabric used specifically to reduce drag at race speeds
Bonded sleeve endings for comfort
Castelli-engineered Air_O Stretch fabric on body for breathability, comfort, and performance
Silicone leg grippers to keep leg endings in place
Progetto X2 Air Seamless seat pad for comfort even on your longest rides
3 rear pockets plus zippered security pocket
Hydration pocket for 1.5l bladder and hose loops (Hydration Pack not included)



863
VIVID ORANGE/HOT SAUCE-BLACK



712
MANGO MOJITO/BLACK/IVORY



FIRST RACE.

FIRST WIN.

ROB BRITTON WINS UNBOUND 350

UNLIMITED PRO 2 JERSEY

4526025



SIZES	T ° RANGE
XS S M L XL XXL 3XL	18-35 °C / 64-95 °F
WEIGHT	FIT
135 g	Race
WATERPROOFNESS	WINDPROOFNESS

The Unlimited Pro 2 Jersey is Castelli’s answer to the evolving demands of gravel athletes who want every marginal gain, without sacrificing the soul of the sport.

- Close-to-body, aerodynamic fit — ideal for high-intensity gravel riding and racing
- CFD-based fabric placement and seam construction
- Engineered shoulder fabric used specifically to reduce drag at race speeds
- Bonded sleeve endings for comfort
- Castelli-engineered Air_O Stretch fabric on body for breathability, comfort, and performance
- 3 rear pockets plus zippered security pocket
- Hydration pocket for 1.5l bladder and hose loops (Hydration Pack not included)



204
ELMWOOD



010
BLACK



655
PAPRIKA

UNLIMITED ENDURANCE 3 JERSEY

4526026




SIZES	T ° RANGE
XS S M L XL XXL 3XL	18-35 °C / 64-95 °F
WEIGHT	FIT
122 g	Regular
WATERPROOFNESS	WINDPROOFNESS

All-day comfort on any terrain.

- Strada micromesh ventilated stretch fabric for great fit and moisture management
- Raw-cut sleeve endings
- 5 large back pockets for storage
- Zippered security pocket for valuables
- Full-length YKK® Vislon® zipper
- Elastic at waist to keep jersey in place and support pockets



712
MANGO MOJITO/SMOKY
GRAY-ELMWOOD



065
IVORY/RICH RED-VIVID ORANGE



053
SILVER
MOON/ELMWOOD/MANGO
MOJI

FLY DIRECT VEST

4525073



SIZES	T ° RANGE
XS S M L XL XXL 3XL	10-19 °C / 50-66 °F
WEIGHT	FIT
164 g	Regular
WATERPROOFNESS	WINDPROOFNESS
Wet Roads	Front



Packable lightweight thermal vest with Polartec® Alpha® Direct insulation.

Super-lightweight construction with amazing warmth, protection, and packability
Ultralightweight windproof microfiber woven outer shell with DWR treatment
Polartec® Alpha® Direct insulation for maximum loft and insulation with minimal bulk
Top- and bottom-opening YKK® Vislon® zipper
3 back pockets
Reflectivity at waist for added visibility



085
LIGHT BLACK/DARK GRAY



456
TWILIGHT BLUE/SILVER GRAY

UNLIMITED ENDURANCE BIBSHORT

4525020



SIZES	T ° RANGE
XS S M L XL XXL 3XL	15-35 °C / 59-95 °F
WEIGHT	FIT
211 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

progetto X²

Everything you need to meet the demands of the longest gravel rides. Unparalleled comfort and extra storage.

- Espresso Doppio fabric provides comfort and perfect fit
- Soft, stretchy elastic bib straps provide comfortable support
- Mesh side pockets with elastic closure
- Back pocket for added storage
- Silicone grippers at leg endings
- Progetto X2 Air Seamless seat pad
- Reflective tabs for added safety





227
DEEP MOCHA



010
BLACK

UNLIMITED 2 CARGO BIBSHORT

4526027




SIZES	T° RANGE
XS S M L XL XXL 3XL	15-35 °C / 59-95 °F
WEIGHT	FIT
210 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

KISS^{AIR²}

Equally at home on tarmac or gravel, the Unlimited Cargo Bibshort knows no limits. This four-pocket short is ready for your next adventure.

Affinity Pro fabric for outstanding stretch and rebound
 Lightweight minimalist bib straps to minimize weight and keep you cool
 Silicone leg grippers to keep leg endings in place
 KISS Air2 seat pad for long-distance comfort
 Mesh side pockets with elastic closure
 Back pocket for extra storage



021
SMOKY GRAY



010
BLACK

UNLIMITED ADVENTURE BAGGY SHORT

4525021



SIZES	T ° RANGE
XS S M L XL XXL 3XL	15-32 °C / 59-89 °F
WEIGHT	FIT
193 g	Regular
WATERPROOFNESS	WINDPROOFNESS

Lightweight, durable baggy short with extra storage for all of your adventure rides.

Stretch woven nylon for comfort, stretch, and abrasion resistance
PFAS-free DWR finish
Elastic waist with belt cinch for perfect fit
Button-and-clasp fly closure with zipper fly
2 front pockets
Zippered cargo pocket
UPF 50+



227
DEEP MOCHA



010
BLACK



A full-page photograph of a mountain landscape. In the foreground, a light-colored gravel or dirt path winds through rolling hills covered in dry, golden-brown grass. Patches of snow are visible on the grass. In the background, a large, dark, rocky mountain peak rises against a sky filled with heavy, grey clouds. The overall mood is rugged and atmospheric.

MEN'S BASE LAYERS

PRO MESH 2.0 SHORT SLEEVE

4523022



SIZES	T° RANGE
XS S M L XL XXL	15-28 °C / 59-82 °F
WEIGHT	FIT
103 g	Regular
WATERPROOFNESS	WINDPROOFNESS

WorldTour winning base layer with a graphic print that shows your style on the inside.

3D mesh fabric for excellent moisture management
Sublimated print graphic
Waist hem stays flat under shorts



010
BLACK



424
BELGIAN BLUE



001
WHITE



625
DEEP BORDEAUX

PRO MESH 2.0 SLEEVELESS

4523023



SIZES	T° RANGE
XS S M L XL XXL	15-28 °C / 59-82 °F
WEIGHT	FIT
107 g	Regular
WATERPROOFNESS	WINDPROOFNESS

WorldTour winning base layer with a graphic print that shows your style on the inside.

3D mesh fabric for excellent moisture management
Sublimated print graphic
Waist hem stays flat under shorts



010
BLACK



424
BELGIAN BLUE



001
WHITE



625
DEEP BORDEAUX

CORE SEAMLESS BASE LAYER SS

4520575



SIZES	T ° RANGE
S/M L/X XXL	8-20 °C / 46-68 °F
WEIGHT	FIT
132 g	Regular
WATERPROOFNESS	WINDPROOFNESS

Seamless for comfort and surprisingly warm for its weight, this base layer is ideal in cool conditions, providing excellent moisture management.

84% polyester / 16% polypropylene yarns provide soft, warm wicking and exceptional stretch fit
Seamless construction means extra comfort
Lighter weight on side and back
Wide neck opening to fit under short-collared jerseys



010
BLACK



001
WHITE

CORE SEAMLESS BASE LAYER


4520031



SIZES	T ° RANGE
S/M L/X XXL	8-20 °C / 46-68 °F
WEIGHT	FIT
107 g	Race
WATERPROOFNESS	WINDPROOFNESS

Seamless for comfort and surprisingly warm for its weight, this base layer is ideal in cool conditions, providing excellent moisture management.

84% polyester / 16% polypropylene yarns provide soft, warm wicking and exceptional stretch fit
Seamless construction means extra comfort
Lighter weight on side and back
Wide neck opening to fit under short-collared jerseys



001
WHITE


CORE MESH 3 SS
4517027




SIZES	T° RANGE
S/M L/X XXL	20-30 °C / 68-86 °F
WEIGHT	FIT
118 g	Regular
WATERPROOFNESS	WINDPROOFNESS

Our lightest and airiest base layer wicks moisture away from your skin, while the open mesh helps hold the jersey up and away from the skin. It's good for warm conditions, and some riders even like it on a hot day, as it allows airflow between the jersey and skin.

Magic Mesh 90% polyester, 10% Elastane wicking fabric
Minimalist lightweight construction
Reduced seams for maximum comfort



010
BLACK



001
WHITE

CORE MESH 3 SLEEVELESS


4517028




SIZES	T ° RANGE
S/M L/X XXL	20-40 °C / 68-104 °F
WEIGHT	FIT
117 g	Regular
WATERPROOFNESS	WINDPROOFNESS

Our lightest and airiest base layer wicks moisture away from your skin, while the open mesh helps hold the jersey up and away from the skin. It's good for warm conditions, and some riders even like it on a hot day, as it allows airflow between the jersey and skin.

Magic Mesh 90% polyester, 10% Elastane wicking fabric
Minimalist lightweight construction
Reduced seams for maximum comfort




001
WHITE



010
BLACK

ACTIVE COOLING SLEEVELESS

4520030



SIZES	T° RANGE
XS S M L XL XXL	25-35 °C / 68-95 °F
WEIGHT	FIT
118 g	Tailored
WATERPROOFNESS	WINDPROOFNESS



Made to hold a bit of moisture close to your skin to actively cool you on hot days through evaporative cooling.

Base layer to cool you on hot days
Polartec® Delta fabric features regulated drying so that the evaporative effect cools your core
Sleeveless design with minimalist construction
Sublimated overprint



870
SILVER GRAY



MEN'S ACCESSORIES

PREMIO EVO GLOVE

4525022



SIZES

XS S M L XL XXL

Same stretch woven fabric on back of hand as the jersey for a perfect color match
Stretch woven back of hand for comfort and support
Seamless synthetic palm with silicone grip
Easy on-off wrist closure
Castelli Damping System (CDS) protects median nerve



010
BLACK



625
DEEP BORDEAUX



486
WINTER SKY

ROSSO CORSA PRO GLOVE

4526028



SIZES

XS S M L XL XXL



Back of hand constructed from our Aero Race 8S Jersey fabric for maximum aerodynamic efficiency
Dyneema®-reinforced palm (15x stronger than steel) for added protection in high-speed crashes
Extended cuff design for sleek fit and improved integration with racewear
Targeted padding at base of palm for comfort when riding on hoods
Castelli Damping System (CDS) reduces pressure on median nerve for long-lasting comfort



870
SILVER GRAY



424
BELGIAN BLUE



010
BLACK

ESPRESSO GLOVE

4525023



SIZES

XS S M L XL XXL

Same Air-O stretch fabric as your favorite Espresso Jersey for a perfect color match
Air-O stretch back of hand for breathability and comfort
Reflective Castelli logo
Easy on-off wrist closure
Padded palm with silicone grip
Castelli Damping System (CDS) protects median nerve
UPF 30



227
DEEP MOCHA



085
LIGHT BLACK



424
BELGIAN BLUE



021
SMOKY GRAY



065
IVORY



272
NEON COBALT



655
PAPRIKA



712
MANGO MOJITO



294
CLAY



863
VIVID ORANGE

ARENBERG GEL 2 GLOVE

4519028



SIZES

XS S M L XL XXL

Castelli Damping System (CDS)
Gel padding and silicone grip add comfort and control
Adjustable wrist closure
Micromesh back
Microsuede nose wipe on thumb



165

165
BLACK/IVORY



645
RICH RED



030
DARK GRAY



010
BLACK

CASTELLI CYCLING

ARENBERG GEL LF GLOVE

4520033

CDS
CASTELLIDAMPINGSYSTEM

SIZES

XS S M L XL XXL

Gel padding and silicone grip add comfort and control
Castelli Damping System (CDS) protects median nerve
Adjustable wrist closure
MicroMesh back
Microsuede nose wipe on thumb



010
BLACK

COMPETIZIONE 3 GLOVE

4526029



SIZES

XS S M L XL XXL

Synthetic palm with medium-density foam padding
Silicone grip pattern on palm
Velcro wrist closure for easy on/off
Stretch back of hand with excellent breathability
Castelli Damping System (CDS) to protect median nerve



010
BLACK



424
BELGIAN BLUE



021
SMOKY GRAY

CASTELLI CYCLING

PERFETTO RoS GLOVE

4519519



010
BLACK



SIZES

XS S M L XL XXL

Engineered with GORE-TEX INFINIUM™
WINDSTOPPER® Stretch Warm fabric and
reduced-seam technology
Fleece lined for warmth
Castelli Damping System (CDS) protects median
nerve
Neoprene stretch wrist insert for easy on and off
Reflective details
Silicone zones on palm for extra grip
Touchscreen technology at fingertip

CASTELLI CYCLING

PERFETTO LIGHT GLOVE

4519522



010
BLACK



SIZES

XS S M L XL XXL

Engineered with GORE-TEX INFINIUM™
WINDSTOPPER® Stretch Light fabric and
reduced-seam technology
Light weight for maximum dexterity in mild conditions
Castelli Damping System (CDS) protects median nerve
Reflective details
Silicone zones on palm for extra grip
Touchscreen technology at fingertip

CASTELLI CYCLING

LIGHTNESS 2 GLOVE

4519523



010
BLACK

SIZES

XS S M L XL XXL

Versatile cool-weather glove for changing seasonal conditions
Thermoflex back of hand for warmth with excellent breathability
Contoured palm for excellent fit and silicone print for optimal grip
Castelli Damping System (CDS) for comfort and control in all conditions
High-stretch cuff for easy on and off

CASTELLI CYCLING

DILUVIO ONE GLOVE

4523528



010
BLACK

SIZES

XS S M L XL XXL

1.5-2mm neoprene insulation to keep your hands warm in wet conditions
Grip print on palm
Touchscreen technology at fingertip
Extended neoprene cuff to keep wind and rain out

PREMIO EVO 18 SOCK

4525024



SIZES

S/M L/X XXL

Premio nylon for softness and comfort
Highly breathable and durable
Hidden Castelli logo
Premio stripe on top to complete your Premio kit
96% nylon, 4% elastane
18 cm cuff
UPF 50



010
BLACK



625
DEEP BORDEAUX



001
WHITE

FAST FEET 4 SOCK

4526030

ROSSO CORSA



SIZES

S/M L/X XXL

Castelli's Fast Feet project — for maximum aerodynamics
Foot portion based on Castelli Rosso Corsa Sock for in-shoe comfort
Polyurethane grip strip at top to keep sock in place
Leg portion constructed with engineered grooved Lycra® to help detach airflow



001
WHITE



010
BLACK



458
AZZURRO ITALIA



025
ROSA GIRO

AERO RACE PRO 20 SOCK

4526031

ROSSO CORSA

SIZES

S/M L/X XXL

Traditional sock comfort with raised aero ribs
Developed to provide everyday aerodynamic gains
Durable and breathable construction
90% polyamide / 10% elastane mix for optimal
comfort and fit
20 cm cuff



424
BELGIAN BLUE



010
BLACK



001
WHITE

A close-up photograph of a cyclist's lower leg and foot. The cyclist is wearing a white sock with a vertical ribbed pattern and a white cycling shoe with two large white dials on the side. The shoe has the word "QUOC" printed on the side. The cyclist is pedaling a black bike, with the chain and pedal visible. The background is a solid dark grey.

**FAST, FIRST.
SOCK, ALWAYS.**

We set out to make an aero sock that doesn't compromise on the things that make a great sock. Working with expert Italian knitters and state-of-the-art machinery, we created a structure that combines smooth and textured zones to control airflow and reduce drag — without sacrificing comfort or fit. The result is a sock that stays up, feels great, and delivers aero performance equal to ribbed Lycra® cuffs — with the bonus of true everyday wearability.

A/C 18 SOCK

4525025



SIZES

S/M L/X XXL

Ultralightweight construction for the hottest days
Highly breathable and durable nylon threads
Ribbed texture for the perfect mix of lightness and durability
Castelli wordmark on cuff
95% poliammide, 5% elastan
18 cm cuff



010
BLACK



001
WHITE

ESPRESSO 18 SOCK

4525026



SIZES

S/M L/X XXL

Developed to match your Espresso kit
Ideal sock for any ride
Durable and breathable construction
Nylon/elastane mix for optimal comfort and fit
85% nylon, 15% elastane
18 cm cuff



424
BELGIAN BLUE



021
BLACK



021
SMOKY GRAY



272
NEON COBALT



001
WHITE



294
CLAY



025
ROSA GIRO



863
VIVID ORANGE

ORIGINALE 18 SOCK

4525028



SIZES

S/M L/X XXL

Classic two-stripe design
Highly breathable and durable nylon threads
Technical construction for great fit
85% nylon, 15% elastane
18 cm cuff



001
WHITE/BLACK



010
BLACK/WHITE



625
DEEP BORDEAUX/VIVID ORANGE



501
ULTRAVIOLET/ROSA GIRO

LINEA LOGO 15 SOCK

4526032



SIZES

S/M L/X XXL

Highly breathable and durable nylon yarns
Mixed-texture construction for great fit
90% polyamide / 10% elastane
15 cm cuff height



001
WHITE/BLACK



294
CLAY/BELGIAN BLIUE



501
ULTRAVIOLET/ROSA GIRO



655
PAPRIKA/MANGO MOJITO

CASTELLI CYCLING

ENTRATA 18 SOCK

4526033



001
WHITE



010
BLACK

SIZES

S/M L/X XXL

Polypropylene yarns that don't absorb moisture
60% polypropylene / 20% polyamide / 20%
elastane
Midfoot support band
18 cm height

CASTELLI CYCLING

ENTRATA 12 SOCK

4526034



010
BLACK



001
WHITE

SIZES

S/M L/X XXL

Polypropylene yarns that don't absorb moisture
60% polypropylene / 20% polyamide / 20% elastane
Midfoot support band
12 cm height

CASTELLI CYCLING

LOWBOY 2 SOCK

4523091



001
WHITE BLACK



010
BLACK WHITE

SIZES

S/M L/X XXL

Multiple-structure knit to provide the right performance in every part of the sock
200-needle construction for extra stretch
Compressive midfoot support band
Asymmetrical construction to mirror shape of foot
Cushioning pad under ball of foot
Meryl Skinlife® yarns with antimicrobial silver ions to reduce odor
85% polyamide, 15% elastan

FAST FEET 4 TT SHOECOVER

4526035

ROSSI CORSA



SIZES

S M L XL XXL

Castelli's Fast Feet project — for time trials or road racing
Extensively tested to be the fastest foot covering for TT or road
Silicone-coated fabric over shoe smooths out airflow
Engineered grooved Lycra® on ankle portion helps detach airflow
Flat polyurethane tape at top keeps shoecover in place



001
WHITE

AERO RACE SHOECOVER

4523532

ROSSO CORSA



SIZES

S M L XL XXL

Waterproof non-insulated aero bootie for cool and wet conditions
Waterproof PU-coated stretch fabric
Silicone bead at inside top of cuff to seal water out
Waterproof zipper
High-durability material under foot



010
BLACK



001
WHITE

CASTELLI CYCLING

PIOGGIA 4 SHOECOVER

4523531



010
BLACK

SIZES

S M L XL XXL

Waterproof insulated bootie for all cold and wet conditions
Waterproof PU-coated stretch fabric with fleece inside
Silicone grip at inside top of cuff to seal water out
Wrap cuff construction to optimize fit
Waterproof zipper
High-durability material under foot

CASTELLI CYCLING

DILUVIO UL 2 SHOECOVER

4525560



010
BLACK

SIZES

S/M L/X XXL

2 mm neoprene for dry or wet conditions
Fits over road or gravel shoes
Minimal seams reduce water ingress
Velcro strap under foot to adjust for perfect fit
YKK® waterproof zipper at back
Reflective logo at back

CASTELLI CYCLING

TOE THINGY 2

4518093



010
BLACK

SIZES

UNI

Windproof Neoprene protection for your toes
Rugged, rubberized sole with openings for cleats
Red fabric on inside
Can be worn on its own or as a layer between your shoe and shoecover
WARNING: The color of this product may transfer when wet. Avoid long term contact with light colored surfaces.

ESPRESSO ARMWARMER

4525080



SIZES

S M L XL

Warm and soft Espresso thermal fabric
Single-piece construction to reduce seams
Silicone gripper at top prevents sliding



085
LIGHT BLACK



424
BELGIAN BLUE



863
VIVID ORANGE

CASTELLI CYCLING

ESPRESSO LEGWARMER

4525081



SIZES

S M L XL

Warm and soft Espresso thermal fabric
Single-piece construction to reduce seams
Silicone gripper at top prevents sliding



424
BELGIAN BLUE



085
LIGHT BLACK

PRO SEAMLESS 2 ARM WARMER

4521541



010
BLACK



424
BELGIAN BLUE

SIZES

S/M L/X

Mid-weight seamless arm warmer
Surprisingly warm without causing overheating
Unique polyester/nylon/Lycra® 78%/15%/7% blend
Fully seamless construction
Folds up extra small

PRO SEAMLESS LEG WARMER

4520583



010
BLACK



424
BELGIAN BLUE

SIZES

S/M L/X

Mid-weight seamless arm warmer
Surprisingly warm without causing overheating
Unique polyester/nylon/Lycra® 78%/15%/7% blend
Fully seamless construction
Folds up extra small

CASTELLI CYCLING

PRO SEAMLESS KNEE WARMER

4520584



010
BLACK



424
BELGIAN BLUE

SIZES

S/M L/X

Mid-weight seamless arm warmer
Surprisingly warm without causing overheating
Unique polyester/nylon/Lycra® 78%/15%/7% blend
Fully seamless construction
Folds up extra small

CASTELLI CYCLING

UPF 50 + LIGHT ARM 3 SLEEVES

4526037



001
WHITE



010
BLACK

SIZES

S M L XL

Solare fabric is highly breathable for sun protection without overheating
UPF 50+ protection
Polyester-based for excellent moisture management
Silicone elastic at top for excellent grip

CASTELLI CYCLING

UPF 50 + LIGHT LEG 3 SLEEVES

4526038



001
WHITE



010
BLACK

SIZES

S M L XL

Solare fabric is highly breathable for sun protection without overheating
UPF 50+ protection
Polyester-based for excellent moisture management
Silicone elastic at top for excellent grip

CASTELLI CYCLING

UPF 50 + LIGHT KNEE 3 SLEEVES

4526039



010
BLACK

SIZES

S M L XL

Solare fabric is highly breathable for sun protection without overheating
UPF 50+ protection
Polyester-based for excellent moisture management
Silicone elastic at top for excellent grip

CASTELLI CYCLING

NANO FLEX 3G ARMWARMER

4519529



010
BLACK

SIZES

S M L XL

Water-repellent thermal and breathable Nano Flex fabric
Flat-lock stitching with single seam
Double-sided silicone grippers to keep warmers in place

CASTELLI CYCLING

NANO FLEX 3G LEGWARMER

4519577



010
BLACK

SIZES

S M L XL

Water-repellent thermal and breathable Nano Flex fabric
Flat-lock stitching with single seam
Double-sided silicone grippers to keep warmers in place

CASTELLI CYCLING

NANO FLEX 3G KNEEWARMER

4519578



010
BLACK

SIZES

S M L XL

Water-repellent thermal and breathable Nano Flex fabric

Flat-lock stitching with single seam

Double-sided silicone grippers to keep warmers in place

PREMIO EVO CAP

4525034



SIZES

UNI

Stretch woven lightweight body fabric in recycled microfiber polyester for excellent moisture management and 26% elastane for stretch
Traditional cycling-cap cut
Reinforced visor
UPF 50



625
DEEP BORDEAUX



010
BLACK



486
WINTER SKY

ESPRESSO 2 CAP

4524091



SIZES

UNI

Complete your Espresso kit with a matching cap
Performance mesh for optimal cooling
Fabric designed for maximal wicking
UPF 50



712
MANGO MOJITO



294
CLAY



065
IVORY



025
ROSA GIRO



625
DEEP BORDEAUX



272
BELGIAN BLUE



272
NEON COBALT



085
LIGHT BLACK



863
VIVID ORANGE



021
SMOKY GRAY

A/C 3 CYCLING CAP

4526040



SIZES

UNI

Highly ventilated mesh
One size fits all
Light weight



010
BLACK



001
WHITE

CASTELLI CYCLING

CASTELLI LOGO CAP

4526041

SIZES

UNI

Traditional cycling-cap cut
Woven twill fabric keeps wind off



001
WHITE



010
BLACK

CASTELLI CYCLING

SUMMER SKULLCAP

4526042



001
WHITE



010
BLACK

SIZES

UNI

Wicking layer to keep sweat out of your eyes
Mesh top panel for ventilation
Made to fit under helmet

CASTELLI CYCLING

SUMMER HEADBAND

4526043



001
WHITE



010
BLACK

SIZES

UNI

Polyester stretch fabric on front for great wicking
Stretch-mesh back

CASTELLI CYCLING

CASTELLI BANDANA

4526044



001
WHITE/BLACK



010
BLACK/WHITE

SIZES

UNI

ProSecco Strada fabric for excellent wicking and sun protection
Long-lasting sublimation printing

CASTELLI LOGO WATER BOTTLE

4526045



SIZES

UNI

"Fly Team" water bottle made by Elite
Ultra-thin walls
Soft rubber nozzle delivers fluid fast
Wide-mouth opening for easy filling and cleaning
Weighs just 53 g
550 ml liquid capacity



001
WHITE



010
BLACK

CASTELLI CLOUD WATER BOTTLE

4526046



SIZES

UNI

"Fly Team" water bottle made by Elite
Ultra-thin walls
Soft rubber nozzle delivers fluid fast
Wide-mouth opening for easy filling and cleaning
Weighs just 53 g
550 ml liquid capacity



010
BLACK



021
SMOKY GRAY





MEN'S ALL-WEATHER PROTECTION

PERFETTO RoS 3 JACKET

4525556



085
LIGHT BLACK/SILVER REFLEX



457
POOL BLUE/BLACK REFLEX



245
MOCHA/BLACK REFLEX

SIZES

XS S M L XL XXL 3XL

The jacket that does it all: protects from wind and rain while being highly breathable and stretchy for comfort

Uninsulated for cool conditions, can extend to cold conditions with an extra insulation layer

Exclusive 150 g Polartec® AirCore™ electrospun air-permeable membrane gives industry-leading breathability

Reflective taped shoulder seams for extra rain protection

Top- and bottom-opening YKK® Vislon® zipper for easy sliding, covered for additional wind and rain protection

Zippered ventilation openings on sides of chest

3 rear pockets with drain holes

Longer tail for coverage from wheel spray


Reflective piping at bottom of pockets

PERFETTO AIR VEST

4525503



034
BRILLIANT ORANGE



712
MANGO MOJITO



085
LIGHT BLACK



424
BELGIAN BLUE

SIZES

XS S M L XL XXL 3XL

Mid-weight vest for cool temperatures provides moderate insulation with excellent breathability

Castelli Ristretto Lite fabric technology for unparalleled breathability, warmth, and dryness with PFAS-free DWR treatment

Stretch woven back for stretch with excellent breathability

Top- and bottom-opening YKK® Vislon® easy-sliding zipper

3 lie-flat pockets with security lip inside

Reflective piping at bottom of pocket for visibility

Castelli partnered with fabric innovator ITTTAI® to create an exclusive fabric, combining advanced stretch, breathability, and water protection through ITTTAI®'s membrane and lamination expertise

CASTELLI CYCLING

DO.DI.CI. JACKET

4525504



501
ULTRAVIOLET



085
LIGHT BLACK



245
MOCHA



SIZES

XS S M L XL XXL 3XL

Next-generation breathability in a stretch jacket that blurs the line between a jersey and a jacket, for cool to mild conditions

Exclusive Castelli Ristretto technology with engineered air permeability keeps most wind out, allowing in just enough to provide exceptional breathability — 12 times more than previous Castelli Perfetto jackets

Close-to-body stretch race fit doesn't feel constricting, thanks to Ristretto stretch fabrics
Minimalist construction for speed and comfort
YKK® Vislon® zipper for easy sliding


3 rear pockets

Reflective piping at bottom of pocket for visibility
Castelli partnered with fabric innovator ITTTAI® to create an exclusive fabric, combining advanced stretch, breathability, and water protection through ITTTAI®'s membrane and lamination expertise


CASTELLI CYCLING

DO.DI.CI. SHORT SLEEVE JACKET

4525505



501
ULTRAVIOLET



245
MOCHA



085



SIZES

XS S M L XL XXL 3XL

Next-generation breathability in a stretch short-sleeve jacket that blurs the line between a jersey and a jacket, for cool to mild conditions


Exclusive Castelli Ristretto technology with engineered air permeability keeps most wind out, allowing in just enough to provide exceptional breathability — 12 times more than previous Castelli Gabba jackets

Close-to-body stretch fit doesn't feel constricting, thanks to Ristretto stretch fabrics
Minimalist construction for speed and comfort
YKK® Vislon® zipper for easy sliding

3 rear pockets

Reflective piping at bottom of pocket for visibility
Castelli partnered with fabric innovator ITTTAI® to create an exclusive fabric, combining advanced stretch, breathability, and water protection through ITTTAI®'s membrane and lamination expertise

GABBA R
4524505



SIZES	T ° RANGE
XS S M L XL XXL 3XL	10-18 °C / 50-64 °F
WEIGHT	FIT
215 g	Race
WATERPROOFNESS	WINDPROOFNESS
Fully Waterproof	Front and Back



The next generation of Foul Weather Race Equipment has arrived. The Gabba R Jacket short sleeve is more protective and more aerodynamic than ever before.


Castelli exclusive fabric with a microporous electro-spun hydrophilic polyurethane membrane. The external membrane keeps it light and breathable while avoiding an external textile layer that holds moisture next to the membrane. The fabric weighs just 125gr /m2 and stretches to at least double the original dimension in each direction. The inner fabric backer is 78% polyester / 22% elastane to maintain the extreme stretch while enhancing breathability. The polyurethane membrane has been formulated to be more hydrophobic than standard polyurethane. YKK® Vislon® waterproof zipper. 3 rear mesh pockets for drainage. Drop tail with reflective stripe. The membrane and entire fabrics are PFAS-free. Castelli partnered with fabric innovator ITTTAI® to create an exclusive fabric, combining advanced stretch, breathability, and water protection through ITTTAI®'s membrane and lamination expertise.



010
BLACK

GABBA R JACKET

4524504



SIZES	T ° RANGE
XS S M L XL XXL 3XL	4-18 °C / 39-64 °F
WEIGHT	FIT
229 g	Race
WATERPROOFNESS	WINDPROOFNESS
Fully Waterproof	Front and Back



The next generation of Foul Weather Race Equipment has arrived. The Gabba R Jacket long sleeve is more protective and more aerodynamic than ever before.

Castelli exclusive fabric with a microporous electro-spun hydrophilic polyurethane membrane
The external membrane keeps it light and breathable while avoiding an external textile layer that holds moisture next to the membrane
The fabric weighs just 125gr /m2 and stretches to at least double the original dimension in each direction
The inner fabric backer is 78% polyester / 22% elastane to maintain the extreme stretch while enhancing breathability
The polyurethane membrane has been formulated to be more hydrophobic than standard polyurethane.
Stretch wrist closure to keep water out
YKK® Vislon® waterproof zipper
3 rear mesh pockets for drainage
Drop tail with reflective stripe
The membrane and entire fabrics are PFAS-free
Castelli partnered with fabric innovator ITTTAI® to create an exclusive fabric, combining advanced stretch, breathability, and water protection through ITTTAI®'s membrane and lamination expertise.



010
BLACK

ULTRA RAIN CAPE

4524506



383
ELECTRIC LIME/SILVER REFLEX



010
BLACK/SILVER REFLEX

SIZES

XS S M L XL XXL 3XL


Waterproof packable jacket
2-layer stretch form-fit Polartec® Power Shield™
RPM fabric
PFAS-free and PFC-free DWR treatment
Taped seams to keep water out
Long tail for added protection from wheel spray
Packs into internal pocket for easy carrying when on the bike
YKK® zipper for easy use
Reflective piping for added visibility
Contains recycled fibers and can be recycled

EMERGENCY 3 RAIN JACKET

4525508



034
BRILLIANT ORANGE




001
WHITE

SIZES

S M L XL XXL 3XL

Fully waterproof 3-layer shell jacket, highly packable, with performance stretch fit
New Castelli 3-layer Deluge fabric with 20,000 mm water column is thin and light for packability
Knit polyester layer inside is comfortable next to skin
Fit is close to body but not tight, and the fabric's stretch makes sure it doesn't bind
Highly packable to fit into a jersey pocket or bikepacking bag
All-day water protection with taped seams
360° reflectivity
Waterproof zipper



085
LIGHT BLACK

SQUALL SHELL JACKET

4524507



383
ELECTRIC LIME/BLACK



085
LIGHT BLACK/SILVER GRAY



870
SILVER GRAY/BLACK

SIZES

XS S M L XL XXL 3XL

Lightweight construction for packability
Stretch 2-layer fabric with waterproof membrane
Taped seams
Reflective stripe on back for added visibility
Elastic at wrist and waist to keep out water and cold air

ARIA SHELL 2 JACKET

4526047



SIZES	T ° RANGE
XS S M L XL XXL 3XL	10-18 °C / 50-64 °F
WEIGHT	FIT
109 g	Tailored
WATERPROOFNESS	WINDPROOFNESS
	Front/Sleeves

An extremely light and packable wind shell that fits close to body, with stretch breathability panels, allowing you extend the temperature range of your favorite Castelli pieces.

- Ultralight windproof woven microfiber front and back
- Striped mesh fabric at sides and back of sleeves is stretchy to prevent fabric flapping in wind
- Folds up extremely small
- Integrated stuff sack
- YKK® Vislon® top- and bottom-opening zipper
- Reflective Castelli logos



030
DARK GRAY



294
CLAY



625
DEEP BORDEAUX



870
SILVER GRAY/DARK GRAY



424
BELGIAN BLUE



NOT YOUR OLD-STYLE WIND JACKET

The Aria Jacket has always been one of the most functional pieces in our lineup. Now, it's better than ever. We've refined the fit for improved ergonomics and added reflective details through our new logo and wordmark, making you more visible without compromising style. It's still impossibly light, still blocks the wind where it counts, and still breathes thanks to the mesh side panels.

But now it fits even closer, thanks to updated stretch panels through the sides and sleeves—eliminating flapping fabric and sealing out cold air. It's the kind of jacket you'll wear for the entire ride in mild conditions. And if the temperature rises, it packs away easily into its own side pocket to disappear in your jersey or seat bag.

Classic, evolved. Performance, enhanced.

ARIA 2 VEST

4526048



SIZES	T ° RANGE
XS S M L XL XXL 3XL	10-18 °C / 50-64 °F
WEIGHT	FIT
88 g	Tailored
WATERPROOFNESS	WINDPROOFNESS
	Front

Our lightest and most packable wind shell that fits close to body with a stretch breathable back. It effectively blocks wind on the front without causing overheating.

Ultralight windproof woven microfiber front
Striped mesh fabric at sides and back is stretchy to prevent fabric flapping in wind
Folds up extremely small
Integrated stuff sack
YKK® Vislon® top- and bottom-opening zipper
Reflective Castelli logos



424
BELGIAN BLUE



030
DARK GRAY



294
CLAY



625
DEEP BORDEAUX



870
SILVER GRAY/DARK GRAY

NEAR WEIGHTLESS PROTECTION

The Aria Vest has always been one of the most versatile pieces in our collection. Now, it's even better. We've refined the fit for a more ergonomic shape and added reflective elements through our updated logo and wordmark, enhancing visibility while keeping the aesthetic clean and modern.

It blocks wind where it matters most, breathes through mesh side panels, and fits close to the body thanks to stretch inserts on the sides and shoulders—no flapping, no drag, no bulk. It's the ideal layer for cool starts, long descents, or unpredictable weather, and when things heat up, it packs down into its own pocket to disappear into your jersey or saddlebag.

Minimal weight. Maximum function. A staple, for every ride.



SQUADRA STRETCH JACKET

4521511



SIZES	T ° RANGE
XS S M L XL XXL 3XL	10-18 °C / 50-64 °F
WEIGHT	FIT
152 g	Regular
WATERPROOFNESS	WINDPROOFNESS
None	Front and Back

The Squadra Stretch shell keeps the wind off on cool-weather rides or long descents, while the stretch panels keep the jacket fitting close to body and eliminate flapping fabric.

Coated ripstop nylon front and back and front of sleeves to keep wind off
Tightly knit stretch panels on sides and sleeves allow for perfect fit
High collar to keep drafts out
Reflective details on chest and lower back for low-light visibility



085
LIGHT BLACK/DARK GRAY



383
ELECTRIC LIME/DARK GRAY



870
SILVER GRAY/DARK GRAY

SQUADRA STRETCH VEST


4521512




SIZES	T° RANGE
XS S M L XL XXL 3XL	12-20 °C / 54-68 °F
WEIGHT	FIT
93 g	Tailored
WATERPROOFNESS	WINDPROOFNESS
None	Front/Sleeves

The Squadra Stretch Vest is the simple yet elegant solution to keep the wind off your core in cool conditions while providing a close-to-body fit and excellent ventilation.

Coated ripstop nylon front and back to keep wind off
 Tightly knit stretch panels on sides for perfect fit and ventilation
 High collar to keep drafts out
 Reflective details on chest and lower back for low-light visibility



085
LIGHT BLACK/DARK GRAY



383
ELECTRIC LIME/DARK GRAY



870
SILVER GRAY/DARK GRAY



MEN'S 360 PRODUCTS



ESPRESSO THERMAL JERSEY

4524508



354
GREEN PEPPER/DEEP GREEN



424
BELGIAN BLUE



085
LIGHT BLACK



294
CLAY/DARK GRAY

SIZES

XS S M L XL XXL 3XL

Luxuriously soft and warm fleece-lined fabric with stretch for comfort and perfect fit
3 back pockets with 4th zippered security pocket for valuables
Full-length YKK® Vislon® zipper with easy-use zipper pull
Elastic at waist with silicone to keep jersey in place
Reflective tab for added visibility

ESPRESSO BIBTIGHT

4524514



010
BLACK

PROGETTO X²

SIZES

XS S M L XL XXL 3XL

Thermoflex fabric for warmth, stretch, and comfort
Stretch mesh bib straps for ventilation and comfort
Progetto X2 Air Seamless seat pad for long-distance comfort
Zipperless ankle to reduce bulk
Reflective tab on back of leg

CASTELLI CYCLING

COMPETIZIONE BIBTIGHT

4525514



010
BLACK

KISSair²

SIZES

XS S M L XL XXL 3XL

Extreme comfort for cool- to cold-weather rides, with partial wind-resistant front panel for extended temperature range

Castelli's Core Due front fabric (down to knees), with its tightly knit nylon outer face backed with polyester hollow-core fleece on the inside, blocks more wind while providing excellent insulation and moisture management

Lower legs in Castelli's Thermoflex warm fleece

Seat area and back of legs in 3D knit 80% nylon /

20% elastane for excellent stretch and comfort

KISS Air2 seat pad

Raw-cut ankle openings

Mesh bibs with elastic seamless straps

CASTELLI CYCLING

ENTRATA BIBTIGHT

4520524



010
BLACK

KISSair²

SIZES

XS S M L XL XXL 3XL

Thermoflex fabric for warmth and comfort

KISS Air2 seat pad is so good it's the choice of some of our pro riders

Mesh bib straps

Ankle zippers for easy on/off

Reflective logo below knee

Reflective flap over ankle zipper for extra visibility

SIZE CHARTS



MEN (UNISEX)

		XS	S	M	L	XL	2XL	3XL
Chest	A	88 cm	92 cm	96 cm	100 cm	105 cm	110 cm	115 cm
Waist	B	76 cm	80 cm	84 cm	88 cm	93 cm	98 cm	103 cm
Hips	C	90 cm	94 cm	98 cm	102 cm	107 cm	112 cm	117 cm
Inseam	D	81 cm	82 cm	83 cm	84 cm	85 cm	86 cm	87 cm

SOCKS - Euro shoe size

	S / M	L / XL	2XL
Men's Shoe Size	36-39	40-43	44-47
Women's Shoe Size	35-38	39-41	-

SHOE-COVERS - Diluvio

	S / M	L / XL	2XL
Unisex	36-40	40-44	44-48

WARMERS

SIZE

S	XS - S	45 - 60 Kg
M	S - M	60 - 70 Kg
L	L - XL	70 - 80 Kg
XL	2XL - 3XL	> 80 Kg

GLOVES MEN

	XS	S	M	L	XL	2XL
Circumference (cm)	< 18,4	18,4-20,3	20,3-22,2	22,2-24,1	24,1-26	> 26



WOMEN

		XS	S	M	L	XL
Chest	A	79 cm	84 cm	89 cm	94 cm	99 cm
Waist	B	63 cm	68 cm	73 cm	78 cm	83 cm
Hips	C	87 cm		97 cm	102 cm	107 cm
Inseam	D	75 cm	76 cm	77 cm	78 cm	79 cm

SHOE-COVERS - Euro Shoe size

	S	M	L	XL	2XL
Men	36-39	40-42	43-44	45-46	46-48
Women	35-37	37-39	39-42	-	-

BRA SIZE CHART (B Cup Sizes)



	XS	S	M	L	XL
81-85	86-90	91-95	96-100	101-105	
65-69	70-74	75-79	80-84	85-89	

GLOVES WOMEN

	XS	S	M	L	XL
Circumferenza (cm)	< 16,6	16,6-18,4	18,4-20,2	20,2-22	> 22



PROGETTO X²

Pro-level seat pad for maximum comfort. New seamless skin-care layer is softer against the skin and reduces abrasion. Separate saddle-shaped cushioning layer with progressive damping through high-density foam and gel inserts.



KISS^{AIR} 2

High-performance seat pad for all conditions. Single-piece construction with infinitely variable thickness. Updated with more supportive padding and a softer, stretchier fabric next to the skin.



KISS^{TRI}

Specifically designed for the triathlete. Minimum bulk doesn't get in the way during the swim and run legs. Extra fast drying foam prevents chafing on the bike.



CASTELLI LOCATIONS

MVC GROUP

Via G. Marconi 81-83 I-32030 Fonzaso (BL) Italy

Telephone: +39 0439 5711 / Fax: +39 0439 56 436

Email: info@castelli-cycling.com

Website: www.castelli-cycling.com

For other Castelli locations please refer to castelli-cycling.com



CASTELLI CATALOG

SPRING
SUMMER
2026

CASTELLI-CYCLING.COM

f @ y e /CASTELICYCLING

CASTELLI



CASTELLI

SPRING SUMMER WOMEN'S 2026



[GO TO MEN'S CATALOG](#)

WOMEN'S COLLECTION

SHORTS [➔](#)

JERSEYS [➔](#)

SUMMER TRAVEL [➔](#)

HOT WEATHER PRODUCTS [➔](#)

UNLIMITED [➔](#)

BASE LAYERS [➔](#)

ACCESSORIES [➔](#)

ALL WEATHER PROTECTION [➔](#)

360 PRODUCTS [➔](#)



SPRING SUMMER 2026

PHOTOS
Ashley & Jared Gruber
Federico Ravassard
Chiara Redaschi
James Mitchell
Triathlonfocus

OFF BIKE

MEN'S OFF BIKE [→](#)

WOMEN'S OFF BIKE [→](#)

TRIATHLON

MEN'S TRIATHLON [→](#)

WOMEN'S TRIATHLON [→](#)

TRIATHLON ACCESSORIES [→](#)

RACE BAGS [→](#)

SPRING SUMMER 2026





A blurred landscape photograph showing a river flowing through a valley. In the background, there are mountains under a clear sky. The foreground and middle ground are heavily blurred, suggesting motion. In the bottom left corner, a portion of a person's face and their glasses is visible, also blurred.

WOMEN'S SHORTS

PREMIO EVO W DT BIBSHORT

4525039



SIZES	T° RANGE
XS S M L XL	16-35 °C / 60-95 °F
WEIGHT	FIT
287 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

progetto X2 

Innovatively engineered for ultimate long-distance comfort, support, speed, and durability.

- Gradient-stretch woven fabric for the right support in the right place
- Woven fabric weighs 30% less than comparable knit fabric
- Soft, stretchy elastic bib straps with drop-tail design for easy nature breaks
- Integrated gripper elastic at leg ending holds short in place without need for additional silicone grippers
- Progetto X2 Air Seamless Donna seat pad



010
BLACK



424
BELGIAN BLUE



625
DEEP BORDEAUX/ROSA GIRO

PREMIO EVO W SHORT

4525040



SIZES	T ° RANGE
XS S M L XL	16-35 °C / 60-95 °F
WEIGHT	FIT
275 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

progetto X **air** corsa

Innovatively engineered for ultimate long-distance comfort, support, speed, and durability.

Gradient-stretch woven fabric for the right support in the right place
Woven fabric weighs 30% less than comparable knit fabric
Flat waist keeps short in place without pressure
Integrated gripper elastic at leg ending holds short in place without need for additional silicone grippers
Progetto X2 Air Seamless Donna seat pad



010
BLACK

FREE AERO RACE S W BIBSHORT

4525041



SIZES	T° RANGE
XS S M L XL	15-35 °C / 59-95 °F
WEIGHT	FIT
206 g	Race
WATERPROOFNESS	WINDPROOFNESS

progetto X2 INOMI CORRIS

Comfort and aerodynamics meet in the fastest, most comfortable Free Aero Race Bibshort to date.

- Aero-optimized Forza2 Stretch fabric for maximum comfort and aerodynamic advantage
- Aero-optimized fabric delivers 3% decrease in CdA
- Drop Tail stretch bib straps for comfort and easy nature breaks
- Silicone leg grippers to keep the leg endings in place
- Progetto X2 Air Seamless Donna seat pad for comfort even on your longest rides
- Back pocket for extra storage or race radio
- Short fabric rated to 50+ UPF protection



010
BLACK



424
BELGIAN BLUE



001
WHITE

FREE AERO RACE S SHORT
4525042



SIZES	T° RANGE
XS S M L XL	15-35 °C / 59-95 °F
WEIGHT	FIT
192 g	Race
WATERPROOFNESS	WINDPROOFNESS

progetto X2 **RODIO CORSA**

Comfort and aerodynamics meet in the fastest, most comfortable Free Aero Race Short to date.

Aero-optimized Forza2 Stretch fabric for maximum comfort and aerodynamic advantage
Aero-optimized fabric delivers 3% decrease in CdA
Silicone leg grippers to keep the leg endings in place
Progetto X2 Air Seamless Donna seat pad for comfort even on your longest rides
Fabric rated to 50+ UPF protection



010
BLACK

espresso
CASTELLI



**ESPRESSO 2 W DT
BIBSHORT – REFINED
BY RIDERS, PERFECTED
BY CASTELLI**

Our goal was clear: to create the most comfortable and functional bibshort on the market for female riders. No shortcuts, no compromises—just a deep focus on real performance for real women who ride. We started with what we already loved, then pushed every detail further. Improved fit through precise pattern work, refined bib construction for better support and easier wear.

Alongside these updates, we introduced our new logo—a subtle but important step forward in our design evolution. Clean, modern, and made to move with you. This is the result of countless hours of testing, feedback, and fine-tuning. Built for comfort. Designed for performance. Made for women who ride hard.



ESPRESSO 2 W DT BIBSHORT

4526051



SIZES	T° RANGE
XXS XS S M L XL	15-35 °C / 59-95 °F
WEIGHT	FIT
174 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

progetto X2

Your favourite bibshort. Revised & refined. 2.0

Castelli-engineered Espresso Doppio fabric for comfort and perfect fit
Raw-cut leg endings with silicone grippers
Drop Tail stretch bib straps for comfort and easy nature breaks
Progetto X2 Air Seamless Donna seat pad for all-day comfort
Extended front and rear panels with folded lightweight mesh for smoother interface with jersey
Designed for improved comfort and coverage where bibshort and jersey meet



010
BLACK



294
CLAY



625
DEEP BORDEAUX



655
PAPRIKA



424
BELGIAN BLUE



501
ULTRAVIOLET

ESPRESSO 2 W SHORT

4526112



SIZES	T° RANGE
XXS XS S M L XL	15-35 °C / 59-95 °F
WEIGHT	FIT
154 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

progetto X



424
BELGIAN BLUE



625
DEEP BORDEAUX



294
CLAY



010
BLACK



501
ULTRAVIOLET



655
PAPRIKA

ENDURANCE W BIBSHORT
4522048



SIZES	T° RANGE
XS S M L XL	15-38 °C / 59-100 °F
WEIGHT	FIT
200 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

progetto X2

Endurance-level comfort for every ride with Castelli's most comfortable seat pad.

Endurance Evolution fabric provides optimum muscle support and feels drier in nearly all conditions
Anatomic cut for perfect on-bike fit
Bib straps can cross in front or back and are extra elastic, allowing short to be pulled down for pee stops without removing bibs
Women's-specific Progetto X2 Air Donna seamless seat pad for even greater comfort and improved airflow
GIRO3 leg grippers lie flat



010
BLACK

ENDURANCE W SHORT

4522049



SIZES	T° RANGE
XSSMLXL	- °C / - °F
WEIGHT	FIT
173 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

KISS^{AIR}2

Endurance-level comfort for every ride with Castelli's most comfortable seat pad.

Endurance Evolution fabric provides optimum muscle support and feels drier in nearly all conditions
Anatomic cut for perfect on-bike fit
Soft elastic at waist lies flat without binding
Women's-specific Progetto X2 Air Donna seamless seat pad for even greater comfort and improved airflow
GIRO3 leg grippers lie flat



010
BLACK

PRIMA 2 DT BIBSHORT
4525044




SIZES	T° RANGE
XS S M L XL	16-35 °C / 60-95 °F
WEIGHT	FIT
156 g	Regular
WATERPROOFNESS	WINDPROOFNESS

KISS^{AIR}2

Comfortable so all you need to do is enjoy the ride.

Pro2 Dry Soft fabric feels amazing on the skin and supremely comfortable
Anatomic construction for perfect fit
Lie-flat leg back with silicone gripper
Soft, stretchy elastic bib straps with drop-tail design for easy nature breaks
KISS Air 2 Donna seat pad
Color inserts to match your favorite jersey
Reflective tabs for safety




030
DARK GRAY/POOL BLUE



456
TWILIGHT BLUE/HIBISCUS



513
DARK NIGHT SHADE/DEEP PURPLE



010
BLACK/BLACK

PRIMA 2 SHORT
4525045



SIZES	T ° RANGE
XS S M L XL	16-35 °C / 60-95 °F
WEIGHT	FIT
132 g	Regular
WATERPROOFNESS	WINDPROOFNESS

KISS^{AIR}2

Comfortable so all you need to do is enjoy the ride.

Pro2 Dry Soft fabric feels amazing on the skin and supremely comfortable
Anatomic construction for perfect fit
Lie-flat leg back with silicone gripper
KISS Air 2 Donna seat pad
Color inserts to match your favorite jersey
Reflective tabs for safety



513
DARK NIGHT SHADE/DEEP PURPLE



010
BLACK/BLACK



030
DARK GRAY/POOL BLUE



456
TWILIGHT BLUE/HIBISCUS

MOVEMENT SUIT
4526068



SIZES	T° RANGE
XS S M L XL	15-35 °C / 59-95 °F
WEIGHT	FIT
236 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

progetto X

The Movement Suit is a purpose-built piece of performance engineering tailored for women who ride with intensity.

Women's-specific one-piece suit for performance riding
Shorter leg and sleeve lengths tailored for a more natural female fit
Short portion features Castelli-engineered Espresso Doppio fabric for comfort and perfect fit
Low-profile collar
Reengineered rear pockets for easier access
Progetto X2 Air Seamless Donna seat pad



563
VIOLET PINK/TWILIGHT BLUE



053
SILVER MOON/BLACK

PURPOSE BUILT AND TAILORED FOR WOMEN

The Movement Suit is our most advanced solution for female cyclists who demand performance and precision at high intensity. A seamless jersey-and-bibshort integration built specifically for the female form, it's designed to disappear in motion — letting you ride harder, longer, and with greater comfort. Every detail has been considered.

A shortened leg and sleeve length offers a more natural, proportional fit. The soft, contoured collar reduces pressure and enhances comfort over long distances. We've reimagined the traditional three-pocket layout, shaping them for easier access to nutrition and essentials helping to enhance the suit's profile.

The Movement Suit is a purpose-built piece of performance engineering tailored for women who ride with intensity.






WOMEN'S JERSEYS




PREMIO EVO W JERSEY
4525047



085
LIGHT BLACK



529
DEEP PURPLE



025
ROSA GIRO

SIZES	T° RANGE
XS S M L XL	18-35 °C / 64-95 °F
WEIGHT	FIT
259 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

Premio comfort. Premio style. Premio performance.

Stretch woven lightweight body fabric in recycled microfiber polyester for excellent moisture management and 26% elastane for stretch
Shoulder panel in recycled ribbed stretch woven mesh to keep you cool and comfortable while adding world-class aerodynamics
Collarless construction makes it feel lighter and cooler
Reverse-coil self-locking YKK® zipper with U-shaped zipper pull for easy adjustment
Silicone gripper elastic on back with no-sew bonded front elastic panel
3 rear pockets with additional hidden zippered security pocket
Reflective points on back pocket for visibility
UPF 50

AERO RACE 8S W JERSEY

4526076



SIZES	T° RANGE
XS S M L XL	18-35 °C / 64-95 °F
WEIGHT	FIT
105 g	Race
WATERPROOFNESS	WINDPROOFNESS

CORSA

More than a decade of speed innovation and knowledge. Our fastest jersey is now faster


- CFD-based fabric placement and seam construction
- Engineered shoulder fabric used specifically to reduce drag at race speeds, with as much as 6% savings in CdA
- Bonded sleeve endings for comfort
- Lightweight body fabric for optimal cooling, breathability, and comfort
- Elastic at waist to keep jersey in place and support loaded pockets
- 3 rear cargo pockets
- YKK® Vislon® zipper for easy use
- Reflective tab for added safety



294
CLAY



655
PAPRIKA



030
DARK GRAY

CORRETTO W JERSEY

4526053



SIZES	T° RANGE
XS S M L XL	18-35 °C / 64-95 °F
WEIGHT	FIT
134 g	Race
WATERPROOFNESS	WINDPROOFNESS

Espresso + Grappa = Corretto

Race fit — ideal for high-intensity road riding and racing
Engineered with contrasting fabrics on body and sleeves to optimize comfort in key zones
Sleeve and body fabric optimized for breathability and aerodynamics
Sleeves finished with bonded tape edges
Contoured collar construction enhances fit around neck
3 back pockets with fourth zippered security pocket for valuables
Full-length YKK® Vislon® zipper with easy-use zipper pull
Elastic at waist with silicone to keep jersey in place



863
VIVID ORANGE/VIOLET PINK



204
ELMWOOD/ROSA GIRO



486
WINTER SKY/HOT SAUCE



065
IVORY/CLAY

CORRETTO W LONG SLEEVE JERSEY

4526054



SIZES	T° RANGE
XS S M L XL	15-30 °C / 59-86 °F
WEIGHT	FIT
162 g	Race
WATERPROOFNESS	WINDPROOFNESS

Espresso + Grappa = Corretto

Race fit — ideal for high-intensity road riding and racing
Summer-weight fabrics with long sleeves are ideal for cool days
Engineered with contrasting fabrics on body and sleeves to optimize comfort in key zones
Sleeve and body fabric optimized for breathability and aerodynamics
Contoured collar construction enhances fit around neck
3 back pockets with fourth zippered security pocket for valuables
Full-length YKK® Vislon® zipper with easy-use zipper pull
Elastic at waist with silicone to keep jersey in place



025
ROSA GIRO/ELMWOOD



655
PAPRIKA/WINTER SKY

espresso
CASTELLI





YOUR FAVOURITE JERSEY. REVISED & REFINED. 2.0

When we set out to make the original Espresso Jersey, we wanted the jersey that we'd always reach for no matter if you normally wear an aero race-fit jersey or a more regular cut jersey. We developed a fabric that would allow for a close-to-body fit without being constrictive or feeling tight. Our proprietary Air_O fabric also offers great breathability and moisture management, and amazingly tests well in the wind tunnel.

With innovation in our DNA and a healthy obsession for details, we set about perfecting our favourite jersey. The updates for Espresso 2.0 Jersey include even better fit: close to body but never restricting. We focused a lot of attention on improving the pocket structure, giving even better support and compression while reducing pocket sag and we added a nice finish to the edge.

Of course the 4th zip pocket remains as an essential for valuables. You can find the updated subtle logos in tone on tone color, and our signature red scorpion on the zipper puller.



ESPRESSO 2 W JERSEY


4526055



SIZES	T ° RANGE
XXS XS S M L XL	18-35 °C / 64-95 °F
WEIGHT	FIT
105 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

Your favourite jersey. Revised & refined. 2.0

Castelli-engineered Air_O Stretch fabric for breathability, comfort, and perfect fit
Fabric optimized for breathability and aerodynamics
Raw-cut sleeve endings for comfort
3 back pockets with fourth zippered security pocket for valuables
Full-length YKK® Vislon® zipper with easy-use zipper pull
Elastic at waist with silicone to keep jersey in place
UPF 30



538
PURPLE MIST



486
WINTER SKY



025
ROSA GIRO



010
BLACK



424
BELGIAN BLUE



501
ULTRAVIOLET



053
SILVER MOON



712
MANGO MOJITO



ESPRESSO 2 W LONG SLEEVE JERSEY

4526056



SIZES	T ° RANGE
XXS XS S M L XL	15-30 °C / 59-86 °F
WEIGHT	FIT
123 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

Designed to be your favorite jersey for every ride except race day. Espresso comfort and style, revised and refined. 2.0. Summer-weight fabric for cool days.

Castelli-engineered Air_O Stretch fabric for breathability, comfort, and perfect fit
Summer-weight fabric optimized for breathability and aerodynamics, perfect for cool days
Raw-cut sleeve endings for comfort
3 back pockets with fourth zippered security pocket for valuables
Full-length YKK® Vislon® zipper with easy-use zipper pull
Elastic at waist with silicone to keep jersey in place
UPF 30



501
ULTRAVIOLET



053
SILVER MOON



712
MANGO MOJITO



486
WINTER SKY



424
BELGIAN BLUE

ESPRESSO 2 W VEST

4526057



SIZES	T ° RANGE
XXS XS S M L XL	12-20 °C / 53-68 °F
WEIGHT	FIT
102 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

The perfect vest to match your favorite Espresso kit. Wind protection front, breathable back, highly packable, 3 pockets, double-opening zipper.

Stretch woven front to allow just enough air through to keep you dry and comfortable
Air_0 Stretch fabric on back and sides for breathability, comfort, and perfect fit
3 back pockets
Top- and bottom-opening YKK® zipper
Elastic at waist to keep vest in place



501
ULTRAVIOLET



294
CLAY



010
BLACK



486
WINTER SKY

ANIMA FLOW JERSEY


4526058



SIZES	T ° RANGE
XS S M L XL	18-35 °C / 64-95 °F
WEIGHT	FIT
134 g	Regular
WATERPROOFNESS	WINDPROOFNESS

The Anima Flow Jersey balances performance, comfort, and timeless style

Sublimation-printed jacquard-knit lightweight fabric keeps you cool and dry
Close-to-body fit
Vertical ventilation strip runs length of back
3 back pockets
Raw-cut sleeve endings



288
BRILLIANT PINK/HIBISCUS



712
MANGO MOJITO/VIOLET PINK



010
BLACK/WHITE



025
ROSA GIRO/MANGO MOJITO



047
KELLY GREEN/BLACK



501
ULTRAVIOLET/PURPLE MIST

ANIMA FLOW SLEEVELESS



4526059



SIZES	T° RANGE
X S M L XL	22-40 °C / 71-104 °F
WEIGHT	FIT
96 g	Regular
WATERPROOFNESS	WINDPROOFNESS

The Anima Flow Jersey balances performance, comfort, and timeless style

Sublimation-printed jacquard-knit lightweight fabric keeps you cool and dry
Close-to-body fit
Vertical ventilation strip runs length of back
3 back pockets




712
MANGO MOJITO/VIOLET PINK



501
ULTRAVIOLET/PURPLE MIST



047
KELLY GREEN/BLACK



010
BLACK/WHITE

COSMIC VORTEX JERSEY


4526060



SIZES	T° RANGE
XS S M L XL	18-35 °C / 64-95 °F
WEIGHT	FIT
98 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

The Cosmic Vortex Jersey represents the new era of Castelli design — unapologetically bold and built for high performance.

- Strada micromesh ventilated stretch fabric for great fit and moisture management
- Raw-cut sleeve endings
- Full-length YKK® Vislon® zipper
- 3 back pockets with fourth zippered security pocket for valuables
- Silicone gripper elastic at waist



008
GRAY



991
MULTICOLOR PINK GREEN



987
MULTICOLOR VIOLET BLUE



998
MULTICOLOR ULTRAVIOLET ROSE

SUMMER TRAVEL



COMFORT TRAVEL CROP TOP

4526109



SIZES	T ° RANGE
S/M L/X	15-35 °C / 59-95 °F
WEIGHT	FIT
90 g	Regular
WATERPROOFNESS	WINDPROOFNESS

The Crop Top was made for women who ride with intention, not intensity


Seamless construction for a pure comfort fit
Engineered stretch zones for support and freedom of movement
Breathable knit design keeps you cool on and off the bike
Soft, second-skin feel for all-day comfort
Designed for weekend adventures



625
DEEP BORDEAUX




010
BLACK



001
WHITE

**DESIGNED FOR THE
FEMALE CYCLIST**
WHO VALUES
COMFORT AND STYLE
OVER SPEED



The Crop Top was made for women who ride with intention, not intensity.

With a soft stretch feel and supportive cut, it's ideal for hot days and spontaneous weekend detours.

Wear it solo or layer it under the Mesh Tee — it's designed to move with you, not restrict you.

COMFORT TRAVEL SHORT

4526063



SIZES	T ° RANGE
XS S M L XL	15-35 °C / 59-95 °F
WEIGHT	FIT
136 g	Regular
WATERPROOFNESS	WINDPROOFNESS



these shorts deliver just enough comfort for casual riding while staying comfortable and flexible when the bike isn't the focus.

Performance short for adventure and style
Espresso Doppio fabric for proven comfort
New W Summer Travel seat pad provides comfort without bulk
Shorter length for confident off-the-bike style
Silicone gripper elastic at leg endings
Stretch fabric allows natural movement on and off the saddle
2 side pockets



204
ELMWOOD



010
BLACK



625
DEEP BORDEAUX

**DESIGNED FOR THE
FEMALE CYCLIST**
WHO VALUES
COMFORT AND STYLE
OVER SPEED

The Comfort Travel Short is built for freedom —
on two wheels or two feet.

With a lighter seat pad, these shorts deliver
just enough comfort for casual riding while
staying comfortable and flexible when t
he bike isn't the focus.

Perfect for café stops or full-day adventures
with friends.



DESIGNED FOR THE FEMALE CYCLIST

WHO VALUES
COMFORT AND STYLE
OVER SPEED



We took our Comfort Travel Short and layered it with a lightweight outer short to create the Movement Travel Short: the perfect blend of cycling function and everyday style.

Designed for riders who want comfort in the saddle without the full Lycra look, this short gives you the freedom to move seamlessly from the bike to the rest of your day. Whether you're pedaling to a friend's house, or exploring all weekend, this hybrid short delivers low-key performance with a laid-back feel.

MOVEMENT TRAVEL SHORT

4526064



SIZES	T ° RANGE
XS S M L XL	15-35 °C / 59-95 °F
WEIGHT	FIT
167 g	Regular
WATERPROOFNESS	WINDPROOFNESS



low-key performance with a laid back feel.

Espresso short comfort with integrated overshort
Ultralight stretch woven taffeta outer shell that
you'll hardly notice
New W Summer Travel seat pad provides comfort
without bulk
Mid-leg length for confident off-the-bike style
2 side pockets and zippered rear pocket
Stretch fabric allows natural movement on and off
the saddle



625
DEEP BORDEAUX



053
SILVER MOON



010
BLACK

COMFORT TRAVEL MESH TOP

4526065



SIZES	T° RANGE
XS S M L XL	15-35 °C / 59-95 °F
WEIGHT	FIT
60 g	Regular
WATERPROOFNESS	WINDPROOFNESS

the Mesh Tee combines lightweight breathability with casual versatility


Ultralight mesh fabric for breathability and all-day comfort
Relaxed fit designed for freedom of movement
Ideal for layering over a crop top or sports bra
Quick-drying and moisture-wicking for hot days on or off the bike



053
SILVER MOON



505
FADED ROSE



010
BLACK

TRAVEL CAP
4526066



SIZES

UNI

this baseball cap is a perfect everyday companion

100% polyester for wicking and easy cleaning
Adjustable fit



010
BLACK



101
WHITE

WOMEN'S HOT WEATHER PRODUCTS



CLIMBER'S A/C W JERSEY

4526052



SIZES	T° RANGE
XS S M L XL	22-40 °C / 71-104 °F
WEIGHT	FIT
116 g	Race
WATERPROOFNESS	WINDPROOFNESS

CORSA

Light. Dry. Fast

CFD-based fabric placement and seam construction
Engineered rapid cooling, light weight, and aero efficiency
Airflow shoulder construction
Flusso 3D fabric on front
StradaPro 3D back for breathability
Stretch sleeves with raw-cut edges
Elastic around waist to keep jersey in place and support pockets
YKK® Vislon® zipper
UPF 13



424
BELGIAN BLUE/NEON
COBALT-SILVER



501
ULTRAVIOLET/PURPLE
MIST-PINK

UPF W JERSEY
4526061



SIZES	T° RANGE
XS S M L XL	18-35 °C / 64-95 °F
WEIGHT	FIT
123 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

For sunny days when you want that extra protection

- UPF 50+ rated fabrics
- Front fabric slightly perforated for better breathability
- Raw-cut sleeve endings for comfort
- Higher collar on back and longer sleeves for added sun protection
- 3 rear cargo pockets and additional zippered security pocket
- Elastic at waist to keep jersey in place and support loaded pockets
- YKK® Vislon® zipper for easy use



486
WINTER SKY/VIOLET PINK



712
MANGO MOJITO/ULTRAVIOLET

A/C W BIBSHORT
4525043



SIZES	T° RANGE
XS S M L XL	22-40 °C / 71-104 °F
WEIGHT	FIT
204 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

progetto X²

Lightweight bibshort for hot days, with extra breathability.

Closed-knit mesh side panels for maximum breathability and sun protection
Mesh grippers with integrated silicone
Minimalist mesh bib straps
Progetto X2 Air Seamless Donna seat pad
UPF 50+



010
BLACK



424
BELGIAN BLUE





WOMEN'S UNLIMITED

UNLIMITED PRO 2 W JERSEY

4526113



SIZES	T° RANGE
XS S M L XL	18-35 °C / 64-95 °F
WEIGHT	FIT
134 g	Race
WATERPROOFNESS	WINDPROOFNESS

The Unlimited Pro 2 Jersey is Castelli’s answer to the evolving demands of gravel athletes who want every marginal gain, without sacrificing the soul of the sport.

- Close-to-body, aerodynamic fit — ideal for high-intensity gravel riding and racing
- CFD-based fabric placement and seam construction
- Engineered shoulder fabric used specifically to reduce drag at race speeds
- Bonded sleeve endings for comfort
- Castelli-engineered Air_O Stretch fabric on body for breathability, comfort, and performance
- 3 rear pockets and zippered security pocket
- Hydration pocket for 1.5l bladder and hose loops (Hydration Pack not included)



655
PAPRIKA



302
FOREST GREEN/ELMWOOD/VIVID ORA

UNLIMITED 2 W JERSEY

4526069



SIZES	T ° RANGE
XS S M L XL	18-35 °C / 64-95 °F
WEIGHT	FIT
100 g	Regular
WATERPROOFNESS	WINDPROOFNESS

The Unlimited 2 W Jersey delivers all the performance you need for hours out on the bike

- 3 back pockets with fourth zippered security pocket for valuables
- Full-length YKK® Vislon® zipper
- Elastic at waist with silicone to keep jersey in place
- Contrast flatlock stitching gives a modern look



204
ELMWOOD/ROSA GIRO-LIGHT
PINK



272
NEON COBALT/PURPLE
MIST-LIGHT



655
PAPRIKA/VIVID ORANGE-WINTER
SK

FLY DIRECT W VEST
4525057



SIZES	T ° RANGE
XS S M L XL	10-19 °C / 50-66 °F
WEIGHT	FIT
144 g	Regular
WATERPROOFNESS	WINDPROOFNESS
	Front



Packable lightweight thermal vest with Polartec® Alpha® Direct insulation.

Super-lightweight construction with amazing warmth, protection, and packability
Ultralightweight windproof microfiber woven outer shell with DWR treatment
Polartec® Alpha® Direct insulation for maximum loft and insulation with minimal bulk
Top- and bottom-opening YKK® Vislon® zipper
3 back pockets
Reflectivity at waist for added visibility



010
BLACK

UNLIMITED ENDURANCE W DT BIBSHORT

4525058



SIZES	T ° RANGE
XS S M L XL	16-35 °C / 60-95 °F
WEIGHT	FIT
195 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

progetto X2

Everything you need to meet the demands of the longest gravel rides. Unparalleled comfort and extra storage.

- Espresso Doppio fabric provides comfort and perfect fit
- Soft, stretchy elastic bib straps provide comfortable support
- Drop-tail construction
- Mesh side pockets with elastic closure
- Silicone gripper at leg endings for secure placement
- Progetto X2 Air Seamless Donna seat pad
- Reflective tabs for added safety



010
BLACK



204
ELMWOOD/BLACK

UNLIMITED CARGO W BIBSHORT

4523048




SIZES	T° RANGE
XS S M L XL	15-35 °C / 59-95 °F
WEIGHT	FIT
184 g	Regular
WATERPROOFNESS	WINDPROOFNESS

KISS^{air2}

Equally at home on tarmac or gravel, the Unlimited Cargo Bibshort knows no limits. This cargo-pocket short is ready for your next adventure.

Made for fast riding on unlimited terrain
Affinity Pro Lycra® fabric on inside of leg for outstanding stretch and rebound
Drop-tail bib construction for more convenient nature breaks
2 cargo-style side pockets with flap over top to keep stuff from falling out
KISS Air2 Donna seat pad for long-distance comfort
GIRO4 leg grippers



010
BLACK



513
DARK NIGHT SHADE

UNLIMITED ADVENTURE BAGGY W SHORT

4525059



SIZES	T° RANGE
XS S M L XL	16-35 °C / 60-95 °F
WEIGHT	FIT
191 g	Regular
WATERPROOFNESS	WINDPROOFNESS

Lightweight, durable baggy short with extra storage for all of your adventure rides.

Stretch woven nylon for comfort, stretch, and abrasion resistance
PFAS-free DWR finish
Elastic waist
Button-and-clasp fly closure with zipper fly
2 front pockets
Zippered cargo pocket
UPF 50+



010
BLACK



A person wearing a blue long-sleeved base layer is standing in a field. The background shows a line of trees with autumn-colored leaves under a bright sky. The scene is partially obscured by dark, out-of-focus foliage in the foreground.

WOMEN'S BASE LAYERS


CASTELLI CYCLING

PRO MESH W SLEEVELESS

4524075



010
BLACK



001
WHITE



538
PURPLE MIST

SIZES

XS S M L XL

3D mesh fabric for excellent moisture management
Sublimated print graphic
Waist hem stays flat under shorts


CASTELLI CYCLING

PRO MESH W SHORT SLEEVE

4524076



001
WHITE



010
BLACK



538
PURPLE MIST

SIZES

XS S M L XL

3D mesh fabric for excellent moisture management
Sublimated print graphic
Waist hem stays flat under shorts

ROSSO CORSA BRA

4518550


ROSSO CORSA

SIZES

XS S M L XL



001
WHITE



010
BLACK

Superlight stretch fabric perfect for cycling
Mesh inserts for extreme breathability keep you cool and dry
Back hook-and-eye closure with 3-position regulation for easy on and off
Molded cups with full coverage
Medium support thanks to contoured seams and underbust elastic for enhanced fit and support



WOMEN'S ACCESSORIES



PREMIO EVO W GLOVE

4525060



SIZES

XS S M L XL

Same stretch woven fabric on back of hand as the jersey for a perfect color match
Stretch woven back of hand for comfort and support
Seamless synthetic palm with silicone grip
Easy on-off wrist closure
Castelli Damping System (CDS) protects median nerve
UPF 50



860
VORTEX GRAY



010
BLACK



529
DEEP PURPLE

ESPRESSO W GLOVE

4525061



SIZES

XS S M L XL



Same Air-0 stretch fabric as your favorite Espresso Jersey for a perfect color match
Air-0 stretch back of hand for breathability and comfort
Reflective Castelli logo
Easy on-off wrist closure
Padded palm with silicone grip
Castelli Damping System (CDS) protects median nerve
UPF 30



424
BELGIAN BLUE



085
SILVER MOON



085
LIGHT BLACK



065
IVORY



538
PURPLE MIST



501
ULTRAVIOLET

COMPETIZIONE W GLOVE

4526077



SIZES

XS S M L XL

Synthetic palm with medium-density foam padding
Silicone grip pattern on palm
Velcro wrist closure for easy on/off
Stretch back of hand with excellent breathability
Castelli Damping System (CDS) to protect median nerve



010
BLACK



053
SILVER MOON



501
ULTRAVIOLET

PERFETTO RoS W GLOVE

4519549



RoS
RAIN OR
SHINE

CDS
CASTELLI DAMPING SYSTEM

PERFETTO

SIZES

S M L XL

Engineered with GORE-TEX INFINIUM™
WINDSTOPPER® Stretch Warm fabric and
reduced-seam technology
Fleece lined for warmth
Castelli Damping System (CDS) protects median nerve
Neoprene stretch wrist insert for easy on and off
Reflective details
Silicone zones on palm for extra grip
Touchscreen technology at fingertip



010
BLACK

PREMIO EVO W 12 SOCK

4525062

SIZES

S/M/L/X

Premio nylon for softness and comfort
Highly breathable and durable
Hidden Castelli logo
Premio stripe on top to complete your Premio kit
96% nylon, 4% elastane
12 cm cuff



010
BLACK



001
WHITE

ESPRESSO 2 W 12 SOCK

4525063

SIZES

S/M L/X

Developed to match your Espresso kit
Ideal sock for any ride
Durable and breathable construction
Nylon/elastane mix for optimal comfort and fit
85% nylon, 15% elastane
12 cm cuff



001
WHITE



010
BLACK



538
BELGIAN BLUE



538
PURPLE MIST



053
SILVER MOON



501
ULTRAVIOLET



025
ROSA GIRO

CASTELLI CYCLING

TONAL LOGO W 12 SOCK

4526071



501
ULTRAVIOLET/ROSA GIRO-PURPLE M



712
MANGO MOJITO/ULTRAVIOLET-PURPL



424
BELGIAN BLUE/SILVER GRAY-NEON



563
VIOLET PINK/WINTER SKY-ROSA GI

SIZES

S/M L/X

Polypropylene yarns that don't absorb moisture
Mix of textures for breathability and cushioning
Midfoot support band
12 cm height

CASTELLI CYCLING

ANIMA 7 SOCK

4525065



001
WHITE



010
BLACK

SIZES

S/M L/X

Durable and breathable construction
Nylon/elastane mix for optimal comfort and fit
85% polyamide, 15% elastane
7 cm cuff

CASTELLI CYCLING

INVISIBLE SOCK

4516062



001
WHITE



010
BLACK

SIZES

S/M L/X

Q Skin yarns feature bacteriostatic silver ions
Diaphanous web mesh on top of foot
Midfoot support band
No ankle cuff to be practically invisible
Heel tab to prevent rubbing on the back of cycling shoe





WOMEN'S ALL WEATHER PROTECTION

PERFETTO RoS 3 W JACKET

4525557



SIZES	T ° RANGE
XS S M L XL	4-14 °C / 39-57 °F
WEIGHT	FIT
208 g	Tailored
WATERPROOFNESS	WINDPROOFNESS
Light Rain	Front and Back




The perfect jacket for most conditions: wind proof, highly water resistant, stretch fit with industry leading breathability thanks to Polartec® AirCore™ fabric.

The jacket that does it all: protects from wind and rain while being highly breathable and stretchy for comfort
Uninsulated for cool conditions, can extend to cold conditions with an extra insulation layer
Exclusive 150 g Polartec® AirCore™ electrospun air-permeable membrane gives industry-leading breathability
Reflective taped shoulder seams for extra rain protection
Top- and bottom-opening YKK® Vislon® zipper for easy sliding, covered for additional wind and rain protection
Zippered ventilation openings on sides of chest
3 rear pockets with drain holes
Longer tail for coverage from wheel spray
Reflective piping at bottom of pockets



081
HIBISCUS/BLACK REFLEX



085
LIGHT BLACK/SILVER REFLEX

PERFETTO AIR W VEST
4525555



SIZES	T ° RANGE
XS S M L XL	10-18 °C / 50-64 °F
WEIGHT	FIT
160 g	Tailored
WATERPROOFNESS	WINDPROOFNESS
Wet Roads	Front and Back



The perfect vest for cool conditions. Castelli Ristretto technology insulates while allowing restricted airflow to keep your core body dry.

Mid-weight vest for cool temperatures provides moderate insulation with excellent breathability
Castelli Ristretto Lite fabric technology for unparalleled breathability, warmth, and dryness with PFAS-free DWR treatment
Stretch woven back for stretch with excellent breathability
Top- and bottom-opening YKK® Vislon® easy-sliding zipper
3 lie-flat pockets with security lip inside
Reflective piping at bottom of pocket for visibility
Castelli partnered with fabric innovator ITTAL® to create an exclusive fabric, combining advanced stretch, breathability, and water protection through ITTAL®'s membrane and lamination expertise



085
LIGHT BLACK



502
NIGHT SHADE




288
BRILLIANT PINK

DO.DI.CI. W JACKET
4525554



SIZES	T ° RANGE
XS S M L XL	8-15 °C / 46-59 °F
WEIGHT	FIT
212 g	Race
WATERPROOFNESS	WINDPROOFNESS
Wet Roads	Front and Back



The ultimate jacket for higher intensity rides in cool conditions. Castelli Ristretto technology allows a small amount of air to come in and evaporate sweat, 12 times more than previous technology.

Next-generation breathability in a stretch jacket that blurs the line between a jersey and a jacket, for cool to mild conditions
Exclusive Castelli Ristretto technology with engineered air permeability keeps most wind out, allowing in just enough to provide exceptional breathability — 12 times more than previous Castelli Perfetto jackets
Close-to-body stretch race fit doesn't feel constricting, thanks to Ristretto stretch fabrics
Minimalist construction for speed and comfort
YKK® Vislon® zipper for easy sliding
3 rear pockets
Reflective piping at bottom of pocket for visibility
Castelli partnered with fabric innovator ITTTAI® to create an exclusive fabric, combining advanced stretch, breathability, and water protection through ITTTAI®'s membrane and lamination expertise




085
LIGHT BLACK



501
ULTRAVIOLET

GABBA R W JACKET

4524576



SIZES	T ° RANGE
XS S M L XL	4-18 °C / 39-64 °F
WEIGHT	FIT
207 g	Race
WATERPROOFNESS	WINDPROOFNESS
Fully Waterproof	Front/Sleeves

POSSIBLE COLOURS

The next generation of Foul Weather Race Equipment has arrived. The Gabba R is more protective and more aerodynamic than ever before. It's made to keep up with the demands of the pro peloton, where every watt counts. It's tested in the wind tunnel as our fastest jacket, so you know you aren't sacrificing any speed in order to stay dry.

Castelli Stretch Microshell 2-layer ultralight waterproof breathable fabric with PFC-free external microporous polyurethane membrane
Stretch wrist closure to keep water out
YKK® Vislon® waterproof zipper
Full taped seams for total waterproof construction
3 rear mesh pockets
Drop tail with reflective stripe
Castelli partnered with fabric innovator ITTTA® to create an exclusive fabric, combining advanced stretch, breathability, and water protection through ITTTA®'s membrane and lamination expertise.




010
BLACK

ULTRA W RAIN CAPE

4525567



010
BLACK/SILVER REFLEX



SIZES

XS S M L XL

Waterproof packable jacket
2-layer stretch form-fit Polartec® Power Shield™
RPM fabric
PFAS-free and PFC-free DWR treatment
Taped seams to keep water out
Long tail for added protection from wheel spray
Packs into internal pocket for easy carrying when on the bike
YKK® zipper for easy use
Reflective piping for added visibility
Contains recycled fibers and can be recycled

EMERGENCY 3 W RAIN JACKET

4525535



001
WHITE



085
LIGHT BLACK

SIZES

XS S M L XL

Fully waterproof 3-layer shell jacket, highly packable, with performance stretch fit
New Castelli 3-layer Deluge fabric with 20,000 mm water column is thin and light for packability
Knit polyester layer inside is comfortable next to skin
Fit is close to body but not tight, and the fabric's stretch makes sure it doesn't bind
Highly packable to fit into a jersey pocket or bikepacking bag
All-day water protection with taped seams
360° reflectivity
Waterproof zipper

SQUALL SHELL W JACKET

4524539



870
SILVER GRAY/BLACK



085
LIGHT BLACK/SILVER GRAY

SIZES

XS S M L XL

Lightweight construction for packability
Stretch 2-layer fabric with waterproof membrane
Taped seams
Reflective stripe on back for added visibility
Elastic at wrist and waist to keep out water and cold air

ARIA SHELL 2 W JACKET

4526072



SIZES	T ° RANGE
XS S M L XL	10-18 °C / 50-64 °F
WEIGHT	FIT
100 g	Tailored
WATERPROOFNESS	WINDPROOFNESS
	Front/Sleeves

An extremely light and packable wind shell that fits close to body, with stretch breathability panels, allowing you extend the temperature range of your favorite Castelli pieces.

- Ultralight windproof woven microfiber front and back
- Striped mesh fabric at sides and back of sleeves is stretchy to prevent fabric flapping in wind
- Folds up extremely small
- Integrated stuff sack
- YKK® Vislon® top- and bottom-opening zipper
- Reflective Castelli logos



424
BELGIAN BLUE



030
DARK GRAY



294
CLAY



870
SILVER GRAY



625
DEEP BORDEAUX

ARIA 2 W VEST

4526073



SIZES	T° RANGE
XS S M L XL	10-18 °C / 50-64 °F
WEIGHT	FIT
88 g	Tailored
WATERPROOFNESS	WINDPROOFNESS
	Front

Our lightest and most packable wind shell that fits close to body with a stretch breathable back. It effectively blocks wind on the front without causing overheating.

Ultralight windproof woven microfiber front
Striped mesh fabric at sides and back is stretchy to prevent fabric flapping in wind
Folds up extremely small
Integrated stuff sack
YKK® Vislon® top- and bottom-opening zipper
Reflective Castelli logos



870
SILVER GRAY



625
DEEP BORDEAUX



294
CLAY



424
BELGIAN BLUE



030
DARK GRAY

SQUADRA STRETCH W JACKET



4521529



SIZES	T° RANGE
XS S M L XL	10-18 °C / 50-64 °F
WEIGHT	FIT
140 g	Regular
WATERPROOFNESS	WINDPROOFNESS
None	Front and Back

The Squadra Stretch shell keeps the wind off on cool-weather rides or long descents, while the stretch panels keep the jacket fitting close to body and eliminate flapping fabric.

Coated ripstop nylon front and back and front of sleeves to keep wind off
Tightly knit stretch panels on sides and sleeves allow for perfect fit
High collar to keep drafts out
Reflective details on chest and lower back for low-light visibility



085
LIGHT BLACK/DARK GRAY



870
SILVER GRAY/DARK GRAY

WOMEN'S 360 PRODUCTS



CASTELLI CYCLING

ESPRESSO THERMAL W JERSEY

4524540



065
IVORY/SILVER MOON



085
LIGHT BLACK

SIZES

XS S M L XL

Luxuriously soft and warm fleece-lined fabric with stretch for comfort and perfect fit
3 back pockets with 4th zippered security pocket for valuables
Full-length YKK® Vislon® zipper with easy-use zipper pull
Elastic at waist with silicone to keep jersey in place
Reflective tab for added visibility

CASTELLI CYCLING

ESPRESSO W DT BIBTIGHT

4524546



010
BLACK

PROGETTO X²
PERFORMANCE

SIZES

XS S M L XL

Thermoflex fabric for warmth, stretch, and comfort
Drop Tail stretch bib straps for comfort and easy nature breaks
Progetto X2 Air Seamless Donna seat pad for long-distance comfort
Zipperless ankle to reduce bulk
Reflective tab on back of leg

ENTRATA W BIBTIGHT

4523567



010
BLACK

PROGETTO X²

SIZES

XS S M L XL

Thermoflex fabric for warmth and comfort
KISS Air2 Donna seat pad gives great cushioning
without excessive bulk
Mesh bib straps
Ankle zippers for easy on/off
Reflective panel below knee

AST - CAFFE'



LOGO HOODY
4526079



SIZES	T° RANGE
XS S M L XL XXL 3XL	- °C / - °F
WEIGHT	FIT
588 g	Regular
WATERPROOFNESS	WINDPROOFNESS

It's cycling lifestyle, done right.

Relaxed drop-shoulder fit
Castelli wordmark logo
Elasticated ribbed cuff and bottom hem



006
MELANGE GRAY



010
BLACK

LOGO SWEATSHIRT
4526080



SIZES	T° RANGE
XS S M L XL XXL 3XL	- °C / - °F
WEIGHT	FIT
466 g	Regular
WATERPROOFNESS	WINDPROOFNESS

It's cycling lifestyle, done right.

Relaxed fit
Castelli wordmark logo
Raglan sleeves for additional freedom of movement
Elasticated ribbed cuff and bottom hem



424
BELGIAN BLUE



006
MELANGE GRAY

CASTELLI ALPHA FLEECE HOODY
4526084



SIZES	T° RANGE
XS S M L XL XXL 3XL	- °C / - °F
WEIGHT	FIT
162 g	Regular
WATERPROOFNESS	WINDPROOFNESS



It's cycling lifestyle, done right. A relaxed fit hoodie made from Polartec Alpha Fabric.

Relaxed drop-shoulder fit
Polartec® Alpha® 90 g



405
ROCK BLUE




870
SILVER GRAY/DARK GRAY

**TECHNICAL WHERE IT COUNTS.
EFFORTLESS EVERYWHERE ELSE.**

We designed this hoodie to move seamlessly between travel days, race prep, and everyday life — bringing together advanced performance and street-ready style. Made with Polartec® Alpha® 90, it delivers lightweight warmth, breathability, and next-level comfort, all wrapped in a clean, modern silhouette.

It's part of our new off-bike collection: garments built for those moments when you're not riding but still want to feel connected to the sport. Featuring our updated Castelli branding, this hoodie is understated, functional, and made to go everywhere you do.



TONE LOGO TEE

4526081



SIZES	T° RANGE
XS S M L XL XXL 3XL	- °C / - °F
WEIGHT	FIT
215 g	Regular
WATERPROOFNESS	WINDPROOFNESS

the kind of tee you'll wear on the daily—because representing Castelli doesn't stop when the ride ends.


Relaxed fit
Castelli wordmark logo
Ribbed collar



001
WHITE



010
BLACK



You might not be on the bike—but you're still part of the team. This T-shirt is part of our new off-bike collection, designed for relaxed comfort before and after race day, or while traveling to your next ride.

Featuring our updated Castelli logo and wordmark, it's a clean expression of where we're headed as a brand—modern, confident, and connected to the culture of performance.

Cut with a relaxed fit and made from soft, premium cotton, it's the kind of tee you'll wear on the daily—because representing Castelli doesn't stop when the ride ends.

INNOVATION LOGO TEE

4526082



SIZES	T° RANGE
XS S M L XL XXL 3XL	- °C / - °F
WEIGHT	FIT
189 g	Regular
WATERPROOFNESS	WINDPROOFNESS

the kind of tee you'll wear on the daily—because representing Castelli doesn't stop when the ride ends.

Relaxed fit
Castelli wordmark logo
Ribbed collar



010
BLACK



006
MELANGE GRAY

SLEEVE LOGO LS TEE

4526083



SIZES	T° RANGE
XS S M L XL XXL 3XL	- °C / - °F
WEIGHT	FIT
246 g	Regular
WATERPROOFNESS	WINDPROOFNESS

the kind of tee you'll wear on the daily—because representing Castelli doesn't stop when the ride ends.

Relaxed fit
Castelli wordmark logo
Ribbed collar



001
WHITE

MILANO 2 PANT

4526085



SIZES	T ° RANGE
XS S M L XL XXL 3XL	- °C / - °F
WEIGHT	FIT
0 g	Regular
WATERPROOFNESS	WINDPROOFNESS

It's cycling lifestyle, done right.

Lightweight stretch woven material for comfort and athletic styling
Front fly with snap closure
Snap button closure at cuffs for easy on and off
2 back welt pockets with zippers
2 side pockets with internal phone pocket



010
BLACK

MILANO 2 SHORT

4526086



SIZES	T ° RANGE
XS S M L XL XXL 3XL	- °C / - °F
WEIGHT	FIT
0 g	Regular
WATERPROOFNESS	WINDPROOFNESS

It's cycling lifestyle, done right.

Lightweight woven material for comfort and athletic styling
Front fly with snap closure
2 back welt pockets with zippers
2 side pockets with internal phone pocket
Above-the-knee length



010
BLACK

CLASSICO PUFFY JACKET

4525548



SIZES	T° RANGE
XS S M L XL XXL 3XL	- °C / - °F
WEIGHT	FIT
547 g	Regular
WATERPROOFNESS	WINDPROOFNESS

Hooded synthetic down puffy jacket for light weight warmth. Good for casual use, bike packing, recovery.

Lightweight warm synthetic down hooded puffy casual jacket
Lightweight and warm 100-130 g polyester synthetic down insulation
Windproof 80 g/m2 100% polyester woven outer fabric with PFAS-free water-repellent finish
Side-seam zippered pockets are fleece lined to keep hands warm
YKK® zippers
Reflective wordmark on chest



010
BLACK

CLASSICO FLEECE JACKET

4525550



SIZES	T ° RANGE
XS S M L XL XXL 3XL	- °C / - °F
WEIGHT	FIT
503 g	Regular
WATERPROOFNESS	WINDPROOFNESS

Warm polyester zip fleece for comfortable lounging, recovery, and layering.

Fleece jacket for staying warm inside or outdoors
Extra-warm 292 g/m2 100% polyester brushed fleece
Zippered pockets at side seams and on chest
YKK® zippers



010
BLACK

CASUAL SOCK

4526089



SIZES

S/M L/X XXL

60% polyester / 30% polyamide / 10% elastane
Summer weight



010
BLACK



001
WHITE

BASEBALL CAP

4526111



SIZES

UNI

100% polyester for wicking and easy cleaning
Adjustable fit



010
BLACK



424
BELGIAN BLUE



CASTELLI WOMEN'S OFF-BIKE



O CASTELLI

LOGO W SWEATSHIRT

4526104



SIZES	T° RANGE
X S M L XL	- °C / - °F
WEIGHT	FIT
386 g	Regular
WATERPROOFNESS	WINDPROOFNESS

It's cycling lifestyle, done right.

Relaxed fit
Castelli wordmark logo
Raglan sleeves for additional freedom of movement
Elasticated ribbed cuff and bottom hem



006
MELANGE GRAY

LOGO W TEE
4526105



SIZES	T° RANGE
X S S M L XL	- °C / - °F
WEIGHT	FIT
159 g	Regular
WATERPROOFNESS	WINDPROOFNESS

It's cycling lifestyle, done right.

Relaxed drop shoulder
Female-specific cropped fit
Castelli wordmark logo



006
MELANGE GRAY



001
WHITE

CLASSICO W PUFFY JACKET

4525552



SIZES	T° RANGE
XS S M L XL	- °C / - °F
WEIGHT	FIT
460 g	Regular
WATERPROOFNESS	WINDPROOFNESS

Hooded synthetic down puffy jacket for light weight warmth. Good for casual use, bike packing, recovery.

Lightweight warm synthetic down hooded puffy casual jacket
Lightweight and warm 100-130 g polyester synthetic down insulation
Windproof 80 g/m2 100% polyester woven outer fabric with PFAS-free water-repellent finish
Side-seam zippered pockets are fleece lined to keep hands warm
YKK® zippers
Reflective wordmark on chest



010
BLACK

CLASSICO W FLEECE JACKET

4525553



SIZES	T° RANGE
XSSMLXL	- °C / - °F
WEIGHT	FIT
398 g	Regular
WATERPROOFNESS	WINDPROOFNESS

Warm polyester zip fleece for comfortable lounging, recovery, and layering.

Fleece jacket for staying warm inside or outdoors
Extra-warm 292 g/m2 100% polyester brushed fleece
Zippered pockets at side seams and on chest
YKK® zippers



010
BLACK

MEN'S TRIATHLON





ENGINEERED FOR
YOUR FASTEST
RACE YET





PR 3 SPEED SUIT
8626114



SIZES	T ° RANGE
XS S M L XL XXL 3XL	18-35 °C / 64-95 °F
WEIGHT	FIT
183 g	Race
WATERPROOFNESS	WINDPROOFNESS

KISS TRI INOMI CORRIS

Optimized for speed. Built for comfort. Made to break your PR.

Pushing the limits: Our fastest, most comfortable race suit yet
CFD-driven design: Optimized fabric placement and seam construction using advanced CFD (computational fluid dynamics) analysis for maximum aerodynamic performance
Engineered ribbed sleeves: Specialized ribbed fabric on the sleeves reduces drag at race speeds, delivering significant savings in CdA
Internal neck ice pocket: Strategically placed pocket to hold ice to help regulate body temperature in extreme heat
Asymmetric GPS pocket: Discreetly placed on the neck for pro-level GPS tracking without affecting aerodynamics
Premio-based shorts: Seamless comfort and exceptional aerodynamics using our proven Premio fabric technology
Ultralight upper body: 50-denier fabric — the thinnest, smoothest we've ever used, for unmatched lightness and aerodynamic efficiency
Active cooling: Designed to keep you cool during the run, with fabric that enables moisture to evaporate directly next to the skin
Integrated rear pocket: Covered storage for gels or energy bars, with easy access and zero drag
KISS Tri pad: Designed for comfort and performance across all triathlon disciplines



101
ICE WHITE/BLACK



010
BLACK

When every second counts, the PR 3 Speed Suit is built to help you leave limits behind. Designed for athletes who aim to beat their personal best, this is our fastest, most comfortable race suit ever — where innovation meets performance at every seam.

Developed using advanced CFD, every fabric panel and seam placement has been optimized for maximum aerodynamic efficiency. Engineered ribbed sleeves actively reduce drag at race speeds, delivering measurable gains in CdA to give you the edge when it matters most.


Racing in extreme heat? The internal neck ice pocket is strategically positioned to put ice and help regulate core temperature, while the asymmetric GPS pocket ensures seamless integration of tracking devices without disrupting airflow. The lower portion of the suit features Premio-based shorts, offering seamless compression, reduced friction, and exceptional aerodynamics. Up top, the ultra-light 50-denier fabric - our thinnest and smoothest to date - provides unmatched comfort and speed.

Stay cool and dry through every stage, designed to evaporate moisture right next to the skin during high-intensity efforts. A covered rear pocket offers secure, drag-free storage for nutrition, keeping your fueling streamlined.

The KISS Tri pad delivers all-day comfort and performance across swim, bike, and run so you can stay focused on the finish line, not your gear.



FREE SANREMO 3 SUIT SHORT SLEEVE
8625083



SIZES	T ° RANGE
XS S M L XL XXL 3XL	15-40 °C / 59-104 °F
WEIGHT	FIT
266 g	Race
WATERPROOFNESS	WINDPROOFNESS


KISS TRI INNOVATIVE CONCEPT

Revolutionizing our iconic Free Sanremo Suit. Groundbreaking aero improvements due to the engineered ribbed fabric on the sleeves.

A true evolution of our best-selling suit
CFD-based fabric placement and seam construction
Engineered ribbed fabric on sleeves and shoulders to reduce drag at race speeds, with significant savings in CdA
Internal neck pocket for ice to keep body temperature down in hottest conditions
Bonded sleeve endings for comfort
Lightweight body fabric for optimal cooling, breathability, and comfort
2 rear pockets lie flat and prevent nutrition from bouncing around
Castelli's Sanremo front opening makes it easier to bend for cycling and straighten out for the run and swim, while also allowing for easier nature breaks or opening up for extra-hot runs
Leg portion in aero-optimized Forza2 Stretch fabric for maximum comfort and aerodynamic advantage
Silicone leg grippers to keep the leg endings in place
KISS Tri seat pad that provides comfort on the bike and that you almost don't feel during the run
UPF x



101
WHITE/BLACK





010
BLACK



655
PAPRIKA/WINTER SKY-BLACK

FREE SANREMO 3 SUIT SLEEVELESS

8625084



SIZES	T ° RANGE
XS S M L XL XXL 3XL	15-40 °C / 59-104 °F
WEIGHT	FIT
226 g	Race
WATERPROOFNESS	WINDPROOFNESS

KISS TRI **PRO-S-CORE**

A true evolution of our best-selling sleeveless suit for longer distances.

A true evolution of our iconic suit
CFD-based fabric placement and seam construction
Internal neck pocket for ice to keep body temperature down in hottest conditions
Soft fabric overlap around armhole to prevent chafing
Lightweight body fabric for optimal cooling, breathability, and comfort
2 rear pockets lie flat and prevent nutrition from bouncing around
Castelli's Sanremo front opening makes it easier to bend for cycling and straighten out for the run and swim, while also allowing for easier nature breaks or opening up for extra-hot runs
Leg portion in aero-optimized Forza2 Stretch fabric for maximum comfort and aerodynamic advantage
Silicone leg grippers to keep leg endings in place
KISS Tri seat pad that provides comfort on the bike and that you almost don't feel during the run
UPF x



101
WHITE/BLACK



010
BLACK



655
PAPRIKA/WINTER SKY-BLACK

CORE TRI SUIT SHORT SLEEVE

8625085



SIZES	T ° RANGE
XS S M L XL XXL 3XL	15-35 °C / 59-95 °F
WEIGHT	FIT
279 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

KISSTRI

Top short-sleeve suit for your first triathlon experience or budget-minded athletes.

Top short-sleeve suit for your first triathlon experience or budget-minded athletes
Elbow-length sleeves with raw-cut edges for maximum comfort and aerodynamics
3/4-length YKK® front zip
2 rear pockets lie flat in the swim but allow generous room for nutrition
GIRO4 flat leg grippers on longer legs for maximum aerodynamics
KISS Tri seat pad that provides comfort on the bike and that you almost don't feel during the run
UPF x



010
BLACK



424
BELGIAN BLUE/WHITE



FREE SPEED 3 RACE TOP
8625087



SIZES	T ° RANGE
XS S M L XL XXL 3XL	15-40 °C / 59-104 °F
WEIGHT	FIT
130 g	Race
WATERPROOFNESS	WINDPROOFNESS

PERFORMANCE EXPRESS

Short-sleeve top for all distances, with aerodynamics from our Free Sanremo 3 Short Sleeve suit.

Freedom of movement, aerodynamics on the bike, comfort and protection on the run
CFD-based fabric placement and seam construction
Engineered ribbed fabric on sleeves and shoulders to reduce drag at race speeds, with significant savings in CdA
Bonded sleeve endings for comfort
Lightweight body fabric for optimal cooling, breathability, and comfort
2 rear pockets lie flat and prevent nutrition from bouncing around
YKK® Camlock® zipper
GIRO3 flat gripper elastic lies flat on lower back
SnapLock fastener at lower back to clip to shorts, to prevent riding up during swim or bike leg
UPF x



101
WHITE/SILVER GRAY



010
BLACK



655
PAPRIKA/WINTER SKY

FREE SPEED 3 TOP

8625088



SIZES	T° RANGE
XS S M L XL XXL 3XL	15-40 °C / 59-104 °F
WEIGHT	FIT
100 g	Race
WATERPROOFNESS	WINDPROOFNESS

POCKET CORSE

Traditional sleeveless triathlon top for training and racing.

Freedom of movement and comfort in a traditional sleeveless top
CFD-based fabric placement and seam construction
Lightweight body fabric for optimal cooling, breathability, and comfort
2 rear pockets lie flat and prevent nutrition from bouncing around
YKK® Camlock® zipper
GIRO3 flat gripper elastic lies flat on lower back
SnapLock fastener at lower back to clip to shorts, to prevent riding up during swim or bike leg
UPF x



010
BLACK



101
WHITE/SILVER GRAY

TRI SHORT
8625089



SIZES	T ° RANGE
XS S M L XL XXL 3XL	15-40 °C / 59-104 °F
WEIGHT	FIT
180 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

KISS TRI

Triathlon short for training and racing, for all distances.

- KISS Tri seat pad is comfortable on the bike and virtually disappears on the run
- Inside drawcord at waist for secure fit
- Flat-lock stitching
- Rear pocket for gels or energy bars
- SnapLock fastener at waist to clip top into place for swim and bike
- GIRO3 leg gripper
- UPF 50+



010
BLACK

CORE DRILL SHORT


8624094



SIZES	T° RANGE
XS S M L XL XXL 3XL	- °C / - °F
WEIGHT	FIT
147 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

Drill short for training.

The triathlon short for training or racing if you don't need a full seat pad
Fleece seat liner smooths out the bike ride but disappears on the run
Flat-lock stitching
Raw-cut leg ending with internal silicone grip elements





010
BLACK

WOMEN'S TRIATHLON





PR 3 W SPEED SUIT
8626115



SIZES	T ° RANGE
XS S M L XL	18-35 °C / 64-95 °F
WEIGHT	FIT
165 g	Race
WATERPROOFNESS	WINDPROOFNESS

KISS TRI INOMOCORIS

Optimized for speed. Built for comfort. Made to break your PR.

Pushing the limits: Our fastest, most comfortable race suit yet
CFD-driven design: Optimized fabric placement and seam construction using advanced CFD (computational fluid dynamics) analysis for maximum aerodynamic performance
Engineered ribbed sleeves: Specialized ribbed fabric on the sleeves reduces drag at race speeds, delivering significant savings in CdA
Internal neck ice pocket: Strategically placed pocket to hold ice to help regulate body temperature in extreme heat
Asymmetric GPS pocket: Discreetly placed on the neck for pro-level GPS tracking without affecting aerodynamics
Premio-based shorts: Seamless comfort and exceptional aerodynamics using our proven Premio fabric technology
Ultralight upper body: 50-denier fabric — the thinnest, smoothest we've ever used, for unmatched lightness and aerodynamic efficiency
Active cooling: Designed to keep you cool during the run, with fabric that enables moisture to evaporate directly next to the skin
Integrated rear pocket: Covered storage for gels or energy bars, with easy access and zero drag
KISS Tri pad: Designed for comfort and performance across all triathlon disciplines



010
BLACK

ENGINEERED FOR YOUR FASTEST RACE YET

When every second counts, the PR 3 Speed Suit is built to help you leave limits behind. Designed for athletes who aim to beat their personal best, this is our fastest, most comfortable race suit ever — where innovation meets performance at every seam.

Developed using advanced CFD, every fabric panel and seam placement has been optimized for maximum aerodynamic efficiency. Engineered ribbed sleeves actively reduce drag at race speeds, delivering measurable gains in CdA to give you the edge when it matters most.

Racing in extreme heat? The internal neck ice pocket is strategically positioned to put ice and help regulate core temperature, while the asymmetric GPS pocket ensures seamless integration of tracking devices without disrupting airflow. The lower portion of the suit features Premio-based shorts, offering seamless compression, reduced friction, and exceptional aerodynamics. Up top, the ultra-light 50-denier fabric - our thinnest and smoothest to date - provides unmatched comfort and speed.

Stay cool and dry through every stage, designed to evaporate moisture right next to the skin during high-intensity efforts. A covered rear pocket offers secure, drag-free storage for nutrition, keeping your fueling streamlined.

The KISS Tri pad delivers all-day comfort and performance across swim, bike, and run so you can stay focused on the finish line, not your gear.



FREE SANREMO 3 W SUIT SHORT SLEEVE
8625090



SIZES	T ° RANGE
XS S M L XL	15-40 °C / 59-104 °F
WEIGHT	FIT
223 g	Race
WATERPROOFNESS	WINDPROOFNESS

KISS TRI **INOMI CORRIS**

Revolutionizing our iconic Free Sanremo Suit. Groundbreaking aero improvements due to the engineered ribbed fabric on the sleeves.

A true evolution of our best-selling suit
CFD-based fabric placement and seam construction
Engineered ribbed fabric on sleeves and shoulders to reduce drag at race speeds, with significant savings in CdA
Internal neck pocket for ice to keep body temperature down in hottest conditions
Bonded sleeve endings for comfort
Lightweight body fabric for optimal cooling, breathability, and comfort
2 rear pockets lie flat and prevent nutrition from bouncing around
Castelli's Sanremo front opening makes it easier to bend for cycling and straighten out for the run and swim, while also allowing for added ventilation on extra-hot runs
Leg portion in aero-optimized Forza2 Stretch fabric for maximum comfort and aerodynamic advantage
Silicone leg grippers to keep leg endings in place
KISS Tri seat pad that provides comfort on the bike and that you almost don't feel during the run
UPF x



513
DARK NIGHT SHADE/VIVID ORANGE-



101
WHITE/BLACK



486
WINTER SKY/SILVER MOON-SMOKY G

FREE SANREMO 3 W SUIT SLEEVELESS

8625091



SIZES	T ° RANGE
XS S M L XL	15-40 °C / 59-104 °F
WEIGHT	FIT
238 g	Race
WATERPROOFNESS	WINDPROOFNESS

KISS TRI **ROSCORSA**

A true evolution of our best-selling sleeveless suit for longer distances.

A true evolution of our iconic suit
CFD-based fabric placement and seam construction
Internal neck pocket for ice to keep body temperature down in hottest conditions
Soft fabric overlap around armhole to prevent chafing
Lightweight body fabric for optimal cooling, breathability, and comfort
2 rear pockets lie flat and prevent nutrition from bouncing around
Castelli's Sanremo front opening makes it easier to bend for cycling and straighten out for the run and swim, while also allowing for added ventilation on extra-hot runs
Leg portion in aero-optimized Forza2 Stretch fabric for maximum comfort and aerodynamic advantage
Silicone leg grippers to keep leg endings in place
KISS Tri seat pad that provides comfort on the bike and that you almost don't feel during the run
UPF x



101
WHITE/BLACK



513
DARK NIGHT SHADE/VIVID ORANGE



486
WINTER SKY/SILVER MOON-SMOKE G

CORE TRI W SUIT SHORT SLEEVE
8625092



SIZES	T ° RANGE
XS S M L XL	15-35 °C / 59-95 °F
WEIGHT	FIT
224 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

KISS TRI

Top short-sleeve suit for your first triathlon experience or budget-minded athletes.

Top short-sleeve suit for your first triathlon experience or budget-minded athletes
Elbow-length sleeves with raw-cut edges for maximum comfort and aerodynamics
3/4-length YKK® front zip
2 rear pockets lie flat in the swim but allow generous room for nutrition
GIRO4 flat leg grippers on longer legs for maximum aerodynamics
KISS Tri seat pad that provides comfort on the bike and that you almost don't feel during the run
UPF x



010
BLACK



424
BELGIAN BLUE/BRIGHT ROSE



FREE SPEED 3 W RACE TOP
8625094



SIZES	T° RANGE
XS S M L XL	15-40 °C / 59-104 °F
WEIGHT	FIT
124 g	Race
WATERPROOFNESS	WINDPROOFNESS

PERFORMANCE

Short-sleeve top for all distances, with aerodynamics from our Free Sanremo 3 W Short Sleeve suit.

Freedom of movement, aerodynamics on the bike, comfort and protection on the run
CFD-based fabric placement and seam construction
Engineered ribbed fabric on sleeves and shoulders to reduce drag at race speeds, with significant savings in CdA
Bonded sleeve endings for comfort
Lightweight body fabric for optimal cooling, breathability, and comfort
2 rear pockets lie flat and prevent nutrition from bouncing around
YKK® Camlock® zipper
GIRO3 flat gripper elastic lies flat on lower back
SnapLock fastener at lower back to clip to shorts, to prevent riding up during swim or bike leg
UPF x



513
DARK NIGHT SHADE/VIVID ORANGE-



486
WINTER SKY/SILVER MOON

FREE SPEED 3 W TOP
8625095



SIZES	T° RANGE
XS S M L XL	15-40 °C / 59-104 °F
WEIGHT	FIT
85 g	Race
WATERPROOFNESS	WINDPROOFNESS

POCKET CORSE

Traditional sleeveless triathlon top for training and racing.

Freedom of movement and comfort in a traditional sleeveless top
CFD-based fabric placement and seam construction
Lightweight body fabric for optimal cooling, breathability, and comfort
2 rear pockets lie flat and prevent nutrition from bouncing around
YKK® Camlock® zipper
GIRO3 flat gripper elastic lies flat on lower back
SnapLock fastener at lower back to clip to shorts, to prevent riding up during swim or bike leg
UPF x



513
DARK NIGHT SHADE/VIVID
ORANGE



010
BLACK

TRI W SHORT
8625096



SIZES	T ° RANGE
XS S M L XL	15-40 °C / 59-104 °F
WEIGHT	FIT
166 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

KISSTRI

Triathlon short for training and racing, for all distances.

KISS Tri seat pad is comfortable on the bike and virtually disappears on the run
Inside drawcord at waist for secure fit
Flat-lock stitching
Rear pocket for gels or energy bars
SnapLock fastener at waist to clip top into place for swim and bike
GIRO3 leg gripper
UPF 50+



010
BLACK

CORE DRILL W SHORT

8624098



SIZES	T° RANGE
X S S M L X L	- °C / - °F
WEIGHT	FIT
129 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

Drill short for training.

The triathlon short for training or racing if you don't need a full seat pad
Fleece seat liner smooths out the bike ride but disappears on the run
Flat-lock stitching
Raw-cut leg ending with internal silicone grip elements



010
BLACK





TRIATHLON ACCESSORIES

PR LEG SLEEVES

8626116



SIZES

S M L XL XXL

Developed and optimized with world champion Laura Philipp

Designed to reduce drag on the bike

Rear stretch panel for easy on/off and improved fit

Top elastic band for a secure, slip-free fit



101

WHITE/BLACK

FAST LEGS SLEEVES

8623088



SIZES

S M L XL XXL

Designed and tested in the wind tunnel to reduce drag on the bike

Optimized fit with light level of compression

Internal silicone tape at top to prevent sliding

Also available in your individual team design through our custom program



010
BLACK



101
WHITE/BLACK

RACE BAGS





ROLLING TRAVEL BAG

8900100



010
BLACK

SIZES

UNI

Water and stain resistant materials
Semi rigid bottom for support and protection
Molded bottom skid plates
Low density wheels
Telescoping handle
2 main compartments
Front and top carry handles
Multiple internal pockets
Fleece lined electronics pocket
Easy access laptop sleeve
ID window
Reflective accents
Capacity: 43 liter
35x54x25cm

PRO RACE RAIN BAG

8900111



010
BLACK

SIZES

UNI

Developed with professional athletes
Separate compartment for each garment
(jerseys, Gabbas, shoes, head, hands and feet,
jackets)
Removeable shoe bag
Separate and removable Grab Bag compartment
48 x 24 x 26 cm Main Bag
33 x 24 x 16 cm Shoe Bag

CASTELLI CYCLING

GEAR DUFFLE BAG 2

8900110



010
BLACK

SIZES

UNI

Water and stain resistant materials
Removable padded shoulder strap
Multiple internal pockets
Vented external shoe or dirty laundry pocket
Semi rigid bottom for support and protection
Reflective accents
Capacity: 50 liter

CASTELLI CYCLING

GEAR BACKPACK

8900103



010
BLACK

SIZES

UNI

Water and stain resistant materials
Water resistant zippers
Padded laptop sleeve
Tablet sleeve
Hidden waist belt
Helmet attachment loops
Adjustable sternum strap
External bottle pocket
Reflective accents
Capacity: 26 liter

UNDERSADDLE XL

8900105



SIZES

UNI

Water and stain resistant materials
water resistant zipper
water resistant construction
Adjustable hook and loop attachment straps
External mini pump sleeve
Internal storage pocket
Reflective accents
6x15x6cm



010
BLACK

UNDERSADDLE MINI

8900104

SIZES

UNI

Water and stain resistant materials
Water resistant zipper
Water resistant construction
Adjustable hook and loop attachment strap
Internal storage pocket
Reflective accents
5x13x5cm



010
BLACK

SIZE CHARTS



MEN (UNISEX)

		XS	S	M	L	XL	2XL	3XL
Chest	A	88 cm	92 cm	96 cm	100 cm	105 cm	110 cm	115 cm
Waist	B	76 cm	80 cm	84 cm	88 cm	93 cm	98 cm	103 cm
Hips	C	90 cm	94 cm	98 cm	102 cm	107 cm	112 cm	117 cm
Inseam	D	81 cm	82 cm	83 cm	84 cm	85 cm	86 cm	87 cm

SOCKS - Euro shoe size

	S / M	L / XL	2XL
Men's Shoe Size	36-39	40-43	44-47
Women's Shoe Size	35-38	39-41	-

SHOE-COVERS - Diluvio

	S / M	L / XL	2XL
Unisex	36-40	40-44	44-48

WARMERS

SIZE

S	XS - S	45 - 60 Kg
M	S - M	60 - 70 Kg
L	L - XL	70 - 80 Kg
XL	2XL - 3XL	> 80 Kg

GLOVES MEN

	XS	S	M	L	XL	2XL
Circumference (cm)	< 18,4	18,4-20,3	20,3-22,2	22,2-24,1	24,1-26	> 26



WOMEN

		XS	S	M	L	XL
Chest	A	79 cm	84 cm	89 cm	94 cm	99 cm
Waist	B	63 cm	68 cm	73 cm	78 cm	83 cm
Hips	C	87 cm		97 cm	102 cm	107 cm
Inseam	D	75 cm	76 cm	77 cm	78 cm	79 cm

SHOE-COVERS - Euro Shoe size

	S	M	L	XL	2XL
Men	36-39	40-42	43-44	45-46	46-48
Women	35-37	37-39	39-42	-	-

BRA SIZE CHART (B Cup Sizes)



	XS	S	M	L	XL
81-85	86-90	91-95	96-100	101-105	
65-69	70-74	75-79	80-84	85-89	

GLOVES WOMEN

	XS	S	M	L	XL
Circumferenza (cm)	< 16,6	16,6-18,4	18,4-20,2	20,2-22	> 22



PROGETTO X

Pro-level seat pad for maximum comfort. New seamless skin-care layer is softer against the skin and reduces abrasion. Separate saddle-shaped cushioning layer with progressive damping through high-density foam and gel inserts.



KISS^{air} 2

High-performance seat pad for all conditions. Single-piece construction with infinitely variable thickness. Updated with more supportive padding and a softer, stretchier fabric next to the skin.



KISS^{TRI}

Specifically designed for the triathlete. Minimum bulk doesn't get in the way during the swim and run legs. Extra fast drying foam prevents chafing on the bike.



CASTELLI LOCATIONS

MVC GROUP

Via G. Marconi 81-83 I-32030 Fonzaso (BL) Italy

Telephone: +39 0439 5711 / Fax: +39 0439 56 436

Email: info@castelli-cycling.com

Website: www.castelli-cycling.com

For other Castelli locations please refer to castelli-cycling.com



CASTELLI CATALOG

SPRING
SUMMER
2026

CASTELLI-CYCLING.COM

f @ y e /CASTELICYCLING

CASTELLI





SOUDAL – QUICK-STEP
OFFICIAL PRODUCTS 2026

CASTELLI





#SHINEFORSAFETY BECOMES IDENTITY.

In 2025, Soudal Quick-Step introduced the one-off #ShineForSafety jersey at Liège–Bastogne–Liège — a striking statement of visibility and awareness on the road. Following the campaign's powerful impact, the concept has evolved from a single race initiative into a defining part of the team's visual identity.

For the 2026 season, the team kit carries forward the electric lime accents first seen in the #ShineForSafety jersey — a color chosen for its high visibility and unmistakable energy. The design helps riders stand out in every environment, from the chaos of the peloton to open road training.

While the race jersey integrates key elements of electric lime into the iconic team aesthetic, the outerwear products embrace the color fully. Jackets, gilets, and warm-up pieces are rendered entirely in electric lime, ensuring maximum visibility and a bold, modern identity that extends beyond race day.

The new design direction embodies the team's commitment to speed, safety, and standout performance.

MEN'S



WOMEN'S




KID'S



ACCESSORIES

PHOTOS
Wout Beel,
Cedric Depraetere









MEN'S

AERO RACE 8S JERSEY

4236310



SIZES	T ° RANGE
XS S M L XL XXL 3XL	18-35 °C / 64-95 °F
WEIGHT	FIT
128 g	Race
WATERPROOFNESS	WINDPROOFNESS



More than a decade of speed innovation and knowledge. Our fastest jersey is now faster.

- CFD-based fabric placement and seam construction
- Engineered shoulder fabric used specifically to reduce drag at race speeds, with as much as 6% savings in CdA
- Bonded sleeve endings for comfort
- Lightweight body fabric for optimal cooling, breathability, and comfort
- Elastic at waist to keep jersey in place and support loaded pockets
- 3 rear cargo pockets
- YKK® Vislon® zipper for easy use
- Reflective tabs for added safety



051
BLUE/ELECTRIC LIME



CLIMBER'S A/C JERSEY

4236318



SIZES	T° RANGE
XS S M L XL XXL 3XL	22-40 °C / 71-104 °F
WEIGHT	FIT
118 g	Race
WATERPROOFNESS	WINDPROOFNESS



Created for the hottest days when aerodynamics still matter. This jersey allows ample airflow, is quick to dry, and blocks more than 90% of UV rays on your back. A great choice for long summer rides or hot lunchtime rides in the middle of summer — or just add a base layer and it becomes a great three-season jersey.

- CFD-based fabric placement and seam construction
- Engineered rapid cooling, light weight, and aero efficiency
- Airflow shoulder construction
- Flusso 3D fabric on front
- StradaPro 3D back for breathability
- Elbow-length stretch sleeves with raw-cut edges
- Elastic around waist to keep jersey in place and support pockets
- YKK® Vislon® zipper
- UPF 13



051
BLUE/ELECTRIC LIME

COMPETIZIONE 4 JERSEY

4236360



SIZES	T ° RANGE
XS S M L XL XXL 3XL	18-35 °C / 64-95 °F
WEIGHT	FIT
118 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

Modern fit and fabrics, create an all-around jersey for all your riding

- Stretch fabric on front, back, and sleeves for ergonomic fit
- Raw cut sleeve for modern look and feel
- Full-length YKK® Vislon® zipper
- Silicone gripper elastic at waist to prevent jersey from riding up



051
BLUE/ELECTRIC LIME

MID WEIGHT 2 LS JERSEY
4236346



SIZES	T° RANGE
XS S M L XL XXL 3XL	10-20 °C / 50-68 °F
WEIGHT	FIT
242 g	Tailored
WATERPROOFNESS	WINDPROOFNESS



A favorite product among our sponsored pros, this jersey is a bit lighter and stretchier with a closer cut for an aero fit.

Mid-weight Warmer brushed fabric
Ideal for cool conditions, with or without a vest
Race cut with highly elastic fabric provides close-to-body fit without feeling tight
Easy-sliding YKK® Vislon® zipper



051
BLUE/ELECTRIC LIME

PRO WIND VEST

4236343



SIZES	T° RANGE
XS S M L XL XXL 3XL	12-20 °C / 54-68 °F
WEIGHT	FIT
94 g	Tailored
WATERPROOFNESS	WINDPROOFNESS
	Front



Lightweight and packable wind shell that fits close to body with a stretch breathable back and high collar.

Impossibly light weight and compact wind vest
Printed woven front and shoulders with low air permeability to block wind while remaining breathable
Mesh back for full breathability
YKK® Vislon® zipper for easy opening and closing



051
BLUE/ELECTRIC LIME

PRO MESH 2.0 SLEEVELESS
4236353



SIZES	T° RANGE
XS S M L XL XXL	15-28 °C / 59-82 °F
WEIGHT	FIT
74 g	Regular
WATERPROOFNESS	WINDPROOFNESS



Grand Tour-winning base layer with a graphic print that shows your style on the inside.

3D mesh fabric for excellent moisture management
Sublimated print graphic
Waist hem stays flat under shorts



401
LIGHT BLUE



FREE AERO RACE S BIBSHORT

4236311



SIZES	T° RANGE
XS S M L XL XXL 3XL	15-35 °C / 59-95 °F
WEIGHT	FIT
195 g	Race
WATERPROOFNESS	WINDPROOFNESS



Comfort and aerodynamics meet in the fastest, most comfortable Free Aero Race Bibshort to date.

- Aero-optimized Forza2 Stretch fabric for maximum comfort and aerodynamic advantage
- Aero-optimized fabric delivers 3% decrease in CdA
- Lie-flat bib straps and a breathable mesh back keep you cooler
- Silicone leg grippers to keep leg endings in place
- Proetto X2 Air Seamless seat pad for comfort even on your longest rides
- Back pocket for extra storage or race radio
- Short fabric rated to 50+ UPF protection



424
BELGIAN BLUE

COMPETIZIONE 2 BIBSHORT
4236326



SIZES	T ° RANGE
XS S M L XL XXL 3XL	15-35 °C / 59-95 °F
WEIGHT	FIT
179 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

KISS^{AIR2}

Made to do everything right without overdoing anything.

KISS Air2 seat pad for all-day comfort
Affinity Pro Lycra® fabric on inside of leg for outstanding stretch and rebound
Vortex V2 textured fabric on legs for better aerodynamics
Raw-edge leg endings with integrated silicone grippers
Flatlock stitching
UPF 50+



424
BELGIAN BLUE

ESPRESSO TEAM BIBTIGHT

4236351



SIZES	T ° RANGE
XS S M L XL XXL 3XL	4-15 °C / 39-59 °F
WEIGHT	FIT
268 g	Tailored
WATERPROOFNESS	WINDPROOFNESS



The best winter bibtight for most of your winter riding. With a focus on comfort, we've used warm and soft Thermoflex fabric throughout, with carefully placed seams to minimize irritation, and the Progetto X2 Air Seamless seat pad for comfort on the longest days in the saddle.

Thermoflex fabric for warmth, stretch, and comfort
Stretch mesh bib straps for ventilation and comfort
Progetto X2 Air Seamless seat pad for long-distance comfort
Zipperless ankle to reduce bulk



424
BELGIAN BLUE

WOMEN'S



COMPETIZIONE 4 W JERSEY

4236361



SIZES	T ° RANGE
XS S M L XL	18-35 °C / 64-95 °F
WEIGHT	FIT
109 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

Modern fit and fabrics, create an all-around jersey for all your riding

- Stretch fabric on front, back, and sleeves for ergonomic fit
- Raw cut sleeve for modern look and feel
- Full-length YKK® Vislon® zipper
- Silicone gripper elastic at waist to prevent jersey from riding up



051
BLUE/ELECTRIC LIME

COMPETIZIONE 2 W DT BIBSHORT
4236328



SIZES	T° RANGE
XS S M L XL	- °C / - °F
WEIGHT	FIT
180 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

progetto X

Made to do everything right without overdoing anything.

- KISS Air2 Donna seat pad for all-day comfort
- Affinity Pro Lycra® fabric on inside of leg for outstanding stretch and rebound
- Vortex V2 textured fabric on legs for better aerodynamics
- Drop Tail stretch bib straps for comfort and easy nature breaks
- GIRO4 leg gripper with raw edge for comfort and silicone stripes for grip
- Flat-lock stitching



424
BELGIAN BLUE



KID'S

AERO KID JERSEY

4236130



SIZES	T ° RANGE
4A 6A 8A 10A 12A	15-35 °C / 59-95 °F
WEIGHT	FIT
96 g	Tailored
WATERPROOFNESS	WINDPROOFNESS

Made for the young cyclist in the family, with speed and comfort.

- CFD-based fabric placement and seam construction
- Airflow shoulder construction
- Elbow-length stretch sleeves with raw-cut edge
- Elastic around waist to keep jersey in place and support pockets
- YKK® Vislon® zipper
- Contains bluesign® certified fabrics



051
BLUE/ELECTRIC LIME

ACCESSORIES



COMPETIZIONE GLOVE NO PAD

4236232



SIZES

XS S M L XL XXL

Synthetic palm for heightened handlebar feel
Stretch no-sew wrist closure for easy on/off
Stretch back of hand with sublimation-printed graphic



051
BLUE/ELECTRIC LIME

AERO RACE SHOECOVER

4236321



SIZES

S M L XL XXL

Waterproof non-insulated aero bootie for cool and wet conditions
Waterproof PU-coated stretch fabric
Silicone bead at inside top of cuff to seal water out
Waterproof zipper
High-durability material under foot



001
WHITE

FAST FEET 4 TT SHOECOVER

4236355



SIZES

S M L XL XXL

Castelli's Fast Feet project — for time trials or road racing
Extensively tested to be the fastest foot covering for TT or road
Silicone-coated fabric over shoe smooths out airflow
Engineered grooved Lycra® on ankle portion helps detach airflow
Flat polyurethane tape at top keeps shoecover in place



001
WHITE

FAST FEET 4 SOCK

4236356



SIZES

S/M L/X XXL

Castelli's Fast Feet project — for maximum aerodynamics
Foot portion based on Castelli Rosso Corsa Sock for in-shoe comfort
Polyurethane grip strip at top to keep sock in place
Leg portion constructed with engineered grooved Lycra® to help detach airflow



001
WHITE

ROSSO CORSA PRO 18 SOCK

4236324



SIZES

S/M L/X XXL

Multiple-structure knit to get the right performance in every part of the sock
200-needle construction for extra stretch
Compressive midfoot support band
Asymmetrical construction to mirror shape of foot
Cushioning pad under ball of foot
Q-Skin yarns with antimicrobial silver ions to reduce odor



001
WHITE

CYCLING CAP

4236362



SIZES

UNI

Cotton twill
Classic 4-panel construction



051
BLUE/ELECTRIC LIME



SIZE CHARTS



MEN (UNISEX)

		XS	S	M	L	XL	2XL	3XL
Chest	A	88 cm	92 cm	96 cm	100 cm	105 cm	110 cm	115 cm
Waist	B	76 cm	80 cm	84 cm	88 cm	93 cm	98 cm	103 cm
Hips	C	90 cm	94 cm	98 cm	102 cm	107 cm	112 cm	117 cm
Inseam	D	81 cm	82 cm	83 cm	84 cm	85 cm	86 cm	87 cm

SOCKS – Euro shoe size

	S / M	L / XL	2XL
Men's Shoe Size	36-39	40-43	44-47
Women's Shoe Size	35-38	39-41	-

SHOE-COVERS – Euro Shoe size

	S	M	L	XL	2XL
Men	36-39	40-42	43-44	45-46	46-48
Women	35-37	37-39	39-42	-	-

SHOE-COVERS – Diluvio

	S / M	L / XL	2XL
Unisex	36-40	40-44	44-48

WARMERS

SIZE

S	XS - S	45 - 60 Kg
M	S - M	60 - 70 Kg
L	L - XL	70 - 80 Kg
XL	2XL - 3XL	> 80 Kg

GLOVES MEN

	XS	S	M	L	XL	2XL
Circumference (cm)	< 18,4	18,4-20,3	20,3-22,2	22,2-24,1	24,1-26	> 26



WOMEN

		XS	S	M	L	XL
Chest	A	79 cm	84 cm	89 cm	94 cm	99 cm
Waist	B	63 cm	68 cm	73 cm	78 cm	83 cm
Hips	C	87 cm	92 cm	97 cm	102 cm	107 cm
Inseam	D	75 cm	76 cm	77 cm	78 cm	79 cm

BRA SIZE CHART (B Cup Sizes)

XS	S	M	L	XL
81-85	86-90	91-95	96-100	101-105
65-69	70-74	75-79	80-84	85-89



PROGETTO X²

Pro-level seat pad for maximum comfort. New seamless skin-care layer is softer against the skin and reduces abrasion. Separate saddle-shaped cushioning layer with progressive damping through high-density foam and gel inserts.



KISS AIR²

High-performance seat pad for all conditions. Single-piece construction with infinitely variable thickness. Updated with more supportive padding and a softer, stretchier fabric next to the skin.



KISS TRI

Specifically designed for the triathlete. Minimum bulk doesn't get in the way during the swim and run legs. Extra fast drying foam prevents chafing on the bike.



GLOVES WOMEN

	XS	S	M	L	XL
Circumference (cm)	< 16,6	16,6-18,4	18,4-20,2	20,2-22	> 22



CASTELLI LOCATIONS

MVC GROUP

Via G. Marconi 81-83 I-32030 Fonzaso (BL) Italy

Telephone: +39 0439 5711 /

Fax: +39 0439 56 436

Email: info@castelli-cycling.com

Website: www.castelli-cycling.com

For other Castelli locations please refer to
castelli-cycling.com





CASTELLI CATALOG

SOUDAL – QUICK-STEP
OFFICIAL PRODUCTS 2026

CASTELLI-CYCLING.COM
f @ v e / CASTELLI-CYCLING



CASTELLI

[GO BACK TO THE TOP ↑](#)

Custom Team Wear

**FÜR IHR GESCHÄFT, IHREN VEREIN ODER IHRE KUNDEN:
INDIVIDUELLE TEAMBEKLEIDUNG BEREITS AB CHF 49**

MODELLAUSWAHL – RADSPORT, TRIATHLON ODER LANGLAUF FÜR GROSS UND KLEIN

Umfassende Palette führender italienischer Sportbekleidungshersteller. Helm Personalisierungen sind möglich. Beratung durch ehemalige und aktive Weltklassesportler.

DESIGN

Kreation auf Wunsch mit unseren Grafik-Spezialisten. Farbkombinationen und Logo-platzierungen fast uneingeschränkt möglich.

PRODUKTION

Pünktlich zum Saisonstart. Lieferfristen garantiert – 8 bis 9 Wochen. «Made in Europe». Alle Grössen des Designs sind jederzeit nachbestellbar.

MENGE UND PREISE

Trikots ab CHF 49*
5-teiliges Set ab CHF 199**
Mindestbestellmenge 10 Stück
Datenhandling einmalig CHF 150

GRATIS HELME FÜR DEN NACHWUCHS

Bei jeder Bestellung unterstützen wir die Nachwuchsabteilung mit kostenlosen KASK Junioren Helmen.



POUR VOTRE ENTREPRISE, VOTRE ÉQUIPE OU VOS CLIENTS: VÊTEMENT DE SPORT PERSONALISÉS À PARTIR DE CHF 49

MODÈLES AU CHOIX – CYCLISME, TRIATHLON OU SKI DE FOND POUR LES PETITS ET GRANDS

Une gamme complète des meilleurs fabricants italiens de vêtements de sport. Les personnalisations de casques sont possible. Des sportifs actuels et d'anciens sportifs de haut niveau vous conseillent.

DESIGN

Création sur demande dans notre studio de design interne. Les combinaisons de couleurs et l'emplacement des logos sont possible presque sans restriction.

PRODUCTION

Pile à l'heure pour l'ouverture de la saison. Délais de livraison garantis – 8 à 9 semaines. «Made in Europe». Le design peut être commandé à nouveau à tout moment.

QUANTITÉ ET PRIX

Maillot à partir de CHF 49*
Ensemble à partir de CHF 199**
Quantité minimal de commande 10 pièces
Traitement de la commande une fois CHF 150

CASQUES GRATUITS POUR LES ATHLÈTES JUNIORS

Avec chaque commande, nous soutenons les athlètes juniors avec des casques juniors KASK gratuits.

CASTELLI

S sportful


MEHR INFOS ZU:
CYCLING SERVIZIO CORSE

MEHR INFOS ZU:
TRIATHLON SERVIZIO CORSE

MEHR INFOS ZU:
LANGLAUF / XC TEAM

MEHR INFOS ZU:
CYCLING TEAM

MEHR INFOS ZU:
TRAINING TEAM



TEAMBESKLEIDUNG AB 10 STÜCK

- Personalisierte Teamtrikots ab CHF 49
- 5-teiliges Set ab CHF 199
- Gratis Helme für den Nachwuchs
- Gratis Design im Wert von CHF 2'500

VÊTEMENTS DE SPORT POUR ÉQUIPES, À PARTIR DE 10 PIÈCES

- Maillot d'équipe personnalisée à partir de CHF 49
- Ensemble de 5 pièces à partir de CHF 199
- Casques gratuits pour les athlètes juniors
- Design gratuit d'une valeur de CHF 2'500

JETZT DESIGN KREIEREN UND PROFITIEREN!
N'HÉSITEZ PLUS ET PROFITEZ MAINTENANT!

CU:AG
SPORTS AG

CUAG SPORTS AG | C/O HOHLE GASSE | ARTHURSTR. 60 | 6405 IMMENSEE | +41412595100 | INFO@CUAGSPORTS.COM | CUAGSPORTS-SHOP.COM



nimbl

SHOES XXVI

EXCEED

nimbl

EXCEED



MODEL	ULTIMATE EXCEED
CLEATS SYSTEM	Three bolt and Speedplay
SOLE GUARD	Less than 2 mm sole stack
SIZE RANGE	37 > 47 and half size
OUTSOLE	New Nimbl® monocoque carbon chassis. 3 bolts and Speedplay options
WEIGHT	175 gr. (Size 43)
INSOLE	EVA
UPPER	1,2 mm Microfiber, supported with memory foam
CLOSURE SYSTEM	Dual side mounted BOA® Fit System Li2 micro-adjustable premium (aluminium) dial



nimbi

EXCEED



MODEL	ULTIMATE EXCEED
CLEATS SYSTEM	Three bolt and Speedplay
SOLE GUARD	Less than 2 mm sole stack
SIZE RANGE	37 > 47 and half size
OUTSOLE	New Nimbi® monocoque carbon chassis. 3 bolts and Speedplay options
WEIGHT	175 gr. (Size 43)
INSOLE	EVA
UPPER	1,2 mm Microfiber, supported with memory foam
CLOSURE SYSTEM	Dual side mounted BOA® Fit System Li2 micro-adjustable premium (aluminium) dial



nimbi

EXCEED



MODEL | ULTIMATE EXCEED

CLEATS SYSTEM | Three bolt and Speedplay

SOLE GUARD | Less than 2 mm sole stack

SIZE RANGE | 37 > 47 and half size

OUTSOLE | New Nimbi® monocoque carbon chassis.
3 bolts and Speedplay options

WEIGHT | 175 gr. (Size 43)

INSOLE | EVA

UPPER | 1,2 mm Microfiber, supported with memory foam

CLOSURE SYSTEM | Dual side mounted BOA® Fit System Li2 micro-adjustable premium (aluminium) dial



nimbl

EXCEED



MODEL	ULTIMATE EXCEED
CLEATS SYSTEM	Three bolt and Speedplay
SOLE GUARD	Less than 2 mm sole stack
SIZE RANGE	37 > 47 and half size
OUTSOLE	New Nimbl® monocoque carbon chassis. 3 bolts and Speedplay options
WEIGHT	175 gr. (Size 43)
INSOLE	EVA
UPPER	1,2 mm Microfiber, supported with memory foam
CLOSURE SYSTEM	Dual side mounted BOA® Fit System Li2 micro-adjustable premium (aluminium) dial



nimbl

EXCEED
PRO EDITION



MODEL | ULTIMATE EXCEED PRO EDITION

CLEATS SYSTEM | Three bolt and Speedplay

SOLE GUARD | Less than 2 mm sole stack

SIZE RANGE | 37 > 47 and half size

OUTSOLE | New Nimbl® monocoque carbon chassis.
3 bolts and Speedplay options

WEIGHT | 175 gr. (Size 43)

INSOLE | EVA

UPPER | 1,2 mm Microfiber, supported with memory foam

CLOSURE SYSTEM | Dual side mounted BOA® Fit System Li2 micro-adjustable premium (aluminium) dial



GLIDE

nimbl

GLIDE



MODEL	ULTIMATE GLIDE
CLEATS SYSTEM	Three bolt and Speedplay
SOLE GUARD	Less than 2 mm sole stack
SIZE RANGE	37 > 47 and half size
OUTSOLE	New Nimbl® monocoque carbon chassis. 3 bolts and Speedplay options
WEIGHT	172 gr. (Size 43)
INSOLE	EVA
UPPER	1,2 mm Microfiber, supported with memory foam
CLOSURE SYSTEM	Dual side mounted BOA® Fit System Li2 micro-adjustable premium (aluminium) dial



nimbi

GLIDE



MODEL	ULTIMATE GLIDE
CLEATS SYSTEM	Three bolt and Speedplay
SOLE GUARD	Less than 2 mm sole stack
SIZE RANGE	37 > 47 and half size
OUTSOLE	New Nimbi® monocoque carbon chassis. 3 bolts and Speedplay options
WEIGHT	172 gr. (Size 43)
INSOLE	EVA
UPPER	1,2 mm Microfiber, supported with memory foam
CLOSURE SYSTEM	Dual side mounted BOA® Fit System Li2 micro-adjustable premium (aluminium) dial



nimbi

GLIDE



MODEL	ULTIMATE GLIDE
CLEATS SYSTEM	Three bolt and Speedplay
SOLE GUARD	Less than 2 mm sole stack
SIZE RANGE	37 > 47 and half size
OUTSOLE	New Nimbi® monocoque carbon chassis. 3 bolts and Speedplay options
WEIGHT	172 gr. (Size 43)
INSOLE	EVA
UPPER	1,2 mm Microfiber, supported with memory foam
CLOSURE SYSTEM	Dual side mounted BOA® Fit System Li2 micro-adjustable premium (aluminium) dial



nimbl

GLIDE



MODEL	ULTIMATE GLIDE
CLEATS SYSTEM	Three bolt and Speedplay
SOLE GUARD	Less than 2 mm sole stack
SIZE RANGE	37 > 47 and half size
OUTSOLE	New Nimbl® monocoque carbon chassis. 3 bolts and Speedplay options
WEIGHT	172 gr. (Size 43)
INSOLE	EVA
UPPER	1,2 mm Microfiber, supported with memory foam
CLOSURE SYSTEM	Dual side mounted BOA® Fit System Li2 micro-adjustable premium (aluminium) dial



nimbl

GLIDE
PRO EDITION



MODEL	ULTIMATE GLIDE PRO EDITION
CLEATS SYSTEM	Three bolt and Speedplay
SOLE GUARD	Less than 2 mm sole stack
SIZE RANGE	37 > 47 and half size
OUTSOLE	New Nimbl® monocoque carbon chassis. 3 bolts and Speedplay options
WEIGHT	172 gr. (Size 43)
INSOLE	EVA
UPPER	1,2 mm Microfiber, supported with memory foam
CLOSURE SYSTEM	Dual side mounted BOA® Fit System Li2 micro-adjustable premium (aluminium) dial





BLR

nimbi



MODEL	ULTIMATE AIR
CLEATS SYSTEM	Three bolt and Speedplay
SOLE GUARD	Less than 2 mm sole stack
SIZE RANGE	37 > 47 and half size
OUTSOLE	New Nimbi® monocoque carbon chassis. 3 bolts and Speedplay options
WEIGHT	160 gr. (Size 43)
INSOLE	EVA
UPPER	1,2 mm Microfiber, supported with memory foam
CLOSURE SYSTEM	Dual side mounted BOA® Fit System Li2 micro-adjustable premium (aluminium) dial



nimbl

BLR
PRO EDITION



MODEL	ULTIMATE AIR PRO EDITION
CLEATS SYSTEM	Three bolt and Speedplay
SOLE GUARD	Less than 2 mm sole stack
SIZE RANGE	37 > 47 and half size
OUTSOLE	New Nimbl® monocoque carbon chassis. 3 bolts and Speedplay options
WEIGHT	160 gr. (Size 43)
INSOLE	EVA
UPPER	1,2 mm Microfiber, supported with memory foam
CLOSURE SYSTEM	Dual side mounted BOA® Fit System Li2 micro-adjustable premium (aluminium) dial



STARDUST PRO *EDITION*

nimbl

EXCEED
PRO EDITION



MODEL | ULTIMATE EXCEED PRO ED. STARDUST

CLEATS SYSTEM | Three bolt and Speedplay

SOLE GUARD | Less than 2 mm sole stack

SIZE RANGE | 35 > 50 and half size

OUTSOLE | New Nimbl® monocoque carbon chassis.
3 bolts and Speedplay options

WEIGHT | 192 gr. (Size 43)

INSOLE | EVA

UPPER | 1,2 mm Microfiber, supported with memory foam

CLOSURE SYSTEM | Dual side mounted BOA® Fit System Li2 micro-adjustable premium (aluminium) dial



nimbl



TUNAP SPORTS

**DIE RICHTIGE PFLEGE
FÜR JEDES BIKE.**

Von Profis entwickelt.
Für alle gemacht.



**MADE IN
GERMANY**

MADE FOR PERFORMANCE.

Seit über 50 Jahren stecken wir unsere Erfahrung in Schmierstoffe, Reiniger und technische Lösungen – alles entwickelt, um zu funktionieren.

Bei TUNAP SPORTS steckt in jedem Produkt Clean, Lube und Protect – echte Pflege, die dein Bike stark hält. Kurze Wege, moderne Produktion und kompromisslose Qualität sorgen dafür, dass alles genau das macht, wofür es gedacht ist: zuverlässig, langlebig, performant. Echte Performance entsteht nur, wenn Know-how, Technik und Leidenschaft zusammenkommen. Darum entwickeln und produzieren wir unsere Bikepflege-Produkte in Deutschland – für alle, die ihr Bike lieben und ihm das Beste gönnen.

Deutschland
Wolftratshausen

Seit über
50 Jahren



TECHNISCH PRÄZISE. ECHT DURCHDACHT.

Unsere Produkte entstehen nicht irgendwo – sie werden in Deutschland entwickelt, getestet und produziert. Im Labor prüfen unsere Entwickler jeden Reiniger, jedes Öl und jedes Spray bis ins kleinste Detail, damit Clean, Lube und Protect perfekt funktionieren. Wir verbinden Erfahrung, modernste Technik und echte Leidenschaft für Bikes – für Produkte, die halten, was sie versprechen. So stellen wir sicher: Dein Bike läuft leichter, hält länger und sieht besser aus. Ganz einfach, zuverlässig, TUNAP SPORTS.

CLEAN LUBE PROTECT



R. Klawa

Romano Klawa
Produktentwickler



n1 CLEAN

Mit unseren Reinigern wird aus schmutzig wieder glänzend – schnell, effizient und materialschonend. Ob für Kette, Rahmen oder das ganze Bike: Wir haben die passende Lösung, abgestimmt auf jedes Detail.



n2 LUBE

Unsere Schmierstoffe sorgen für geschmeidige Schaltvorgänge, leisen Lauf und eine lange Lebensdauer deiner Antriebskomponenten.



n3 PROTECT

Nach dem Reinigen und Schmieren kommt der Schutz. Unsere Protect-Produkte halten Salz, Feuchtigkeit und Schmutz in Schach und machen Komponenten langlebiger.

QUICK GUIDE

01 FAHRRAD VORREINIGEN

Fahrrad mit Wasser abspülen und grobe Verschmutzungen entfernen.



02 FAHRRADREINIGER AUFSPRÜHEN

Fahrradreiniger auf Rahmen und Reifen aufsprühen. 4-6 Minuten einwirken lassen. Besonders schmutzige Stellen ggf. mit Fahrradbürste reinigen. In der Einwirkzeit Reiniger gründlich mit Wasser abspülen.



03 KETTE UND ANTRIEB REINIGEN

Kette, Kassette, Kettenblätter und Schaltwerkrollchen mit Antriebsreiniger und ggf. Kettenbürste vom alten Öl und Dreck befreien. Bei Sand und grobem Schmutz in der Kette diese mit Wasser spülen. Kette danach mit einem Tuch abziehen.



04 BREMSE REINIGEN

Zu reinigenden Teile (Bremscheiben, Bremskörper) mit dem Bremsenreiniger einsprühen. Den Reiniger kurz einwirken lassen. Warten bis das Lösungsmittel verdampft ist (5-10 Sekunden). Danach mit einem Tuch den gelösten Schmutz abwischen und alle Teile trocken reiben.



05 KETTE SCHMIEREN

Die Tropfflasche leicht drücken und das Öl auf die Kette auftragen, dabei die Kurbel drehen, bis die ganze Kette mit ausreichend Kettenöl benetzt ist. Das Kettenöl 10-15 Minuten (oder über Nacht) einwirken lassen. Vor der nächsten Tour die Kette mit einem Tuch abreiben und das überschüssige Öl entfernen.

ENTWEDER



05 KETTE WACHSEN


Die Flasche leicht drücken und durch rückwärtsdrehen der Kurbel jedes Kettenglied mit einem Tropfen benetzen, bis die Kette einmal komplett durchgelaufen ist. Das Kettenwachs ca. 1 Std. einziehen lassen – oder über Nacht. Die Kette mit einem Tuch leicht abwischen.

ODER



06 RAHMEN SCHÜTZEN

Zum Abschluss dein Bike mit dem Rahmen-Finish pflegen: aufsprühen, verteilen, kurz einziehen lassen – fertig. Danach das Oberflächenschutz-Spray auftragen. Wasser und Schmutz perlen ab, dein Bike bleibt länger sauber, geschützt und ready to ride.



CLEAN CLEAN CLEAN



FAHRRADREINIGER

- ▶ Perfekte Handhabung
- ▶ Nachhaltig & stark
- ▶ Löst hartnäckigen Schmutz
- ▶ E-Bike-ready

**TUNAP
SPORTS**

Bike Cleaner
**FAHRRAD-
REINIGER**
E-BIKE READY



Schonend zu Material, stark gegen
Schmutz

01 CLEAN

SCHLUSS MIT SCHMUTZ!

Schmutz hat keine Chance: Clean bringt dein Bike auf Hochglanz – vom Antriebs- bis zum Fahrradreiniger. Die Basis für jede Pflege. Sauber, schnell, perfekt.



Gefahr

Extrem entzündbares Aerosol. Behälter steht unter Druck: Kann bei Erwärmung bersten. Verursacht Hautreizungen. Verursacht schwere Augenreizung. Kann Schläfrigkeit und Benommenheit verursachen. Schädlich für Wasserorganismen, mit langfristiger Wirkung. Die Informationen auf dem Produktetikett sind stets zu befolgen.



Gefahr


Extrem entzündbares Aerosol. Behälter steht unter Druck: Kann bei Erwärmung bersten. Kann Schläfrigkeit und Benommenheit verursachen. Schädlich für Wasserorganismen, mit langfristiger Wirkung. Die Informationen auf dem Produktetikett sind stets zu befolgen.



Fahrradreiniger 750 ml

Dein Bike soll strahlen, ohne dass du lange schrubbst. TUNAP SPORTS Fahrradreiniger löst hartnäckigen Dreck, schützt Rahmen & Technik und sorgt für schnellen Glanz – einfach aufsprühen, abspülen, fertig.

- Schluss mit Schmutz
- Einfache Anwendung
- Schützt dein Bike
- Saubere Leistung



Antriebsreiniger 300 ml

Dein Antrieb braucht Pflege, aber kein Drama. Einfach aufsprühen, einwirken lassen, fertig. Der TUNAP SPORTS Antriebsreiniger entfernt Schmutz & Öl schnell, Hände bleiben sauber, Kette sofort wieder geschmiert. Mehr Zeit fürs Fahren, weniger für Putzen.

- Gründliche Kettenreinigung
- Saubere Sache
- Kein Nachspülen nötig
- Schont dein Bike



Bremsenreiniger 300 ml

Bremsen quietschen oder sind verschmutzt? Der TUNAP SPORTS Bremsenreiniger beseitigt Schmutz, Öl und Bremsstaub zuverlässig. Einfach punktgenau aufsprühen, Bremskraft wieder spürbar – sauber, schnell und sicher.

- Für sicheres Bremsen
- Sanft zur Technik & hart zum Dreck
- Einfach aufsprühen
- Schnell einsatzbereit



PROFI-TIPP

Nach Fahrten im Regen und bei Nässe oder nach dem Waschen das Fahrrad trocken reiben – das verlängert die Lebensdauer deutlich.



DIE BEDEUTUNG DAHINTER!

E-Bike Ready heißt: Entwickelt für moderne Antriebe. Unsere Produkte sind nicht elektrisch leitend, unterbinden Feuchtebrücken und schützen elektronische Schaltungen zuverlässig. Gleichzeitig halten sie dank spezieller Additivierung hohen Drehmomenten beim Anfahren stand – genau das, was E-Bikes täglich fordern. Für sichere Funktion, sauberen Lauf und maximale Lebensdauer von Antrieb und Elektronik.



Gefahr

Extrem entzündbares Aerosol. Behälter steht unter Druck: Kann bei Erwärmung bersten. Die Informationen auf dem Produktetikett sind stets zu befolgen.



Gefahr

Extrem entzündbares Aerosol. Behälter steht unter Druck: Kann bei Erwärmung bersten. Die Informationen auf dem Produktetikett sind stets zu befolgen.




Gefahr

Behälter steht unter Druck: Kann bei Erwärmung bersten. Verursacht Hautreizungen. Verursacht schwere Augenschäden. Schädlich für Wasserorganismen, mit langfristiger Wirkung. Die Informationen auf dem Produktetikett sind stets zu befolgen.

Federgabelreiniger 125 ml

Deine Federgabel oder Dämpfer haken? Einfach TUNAP SPORTS Federgabelreiniger aufsprühen, Schmutz entfernen, Dichtungen pflegen. Spürbar bessere Kontrolle und reibungsloses Fahrverhalten auf jedem Trail.



- Mehr Fahrspaß, weniger Widerstand
- Reinigt & schützt
- Sanft zur Technik
- Schnelle Pflege

Textildeo 300 ml

Schluss mit muffigen Schuhen, Handschuhen oder Helmen: TUNAP SPORTS Textildeo neutralisiert Gerüche, hinterlässt Frische und schützt Materialien



– schnell, sauber, zuverlässig.

- Nie wieder muffelnde Ausrüstung
- Trocknet blitzschnell & rückstandslos
- Schnell & einfach
- Wirkt antibakteriell

Duschschaum 200 ml

Schweiß ab, Frische an! Der TUNAP SPORTS Duschschaum verwandelt sich in cremigen Schaum, reinigt sanft, pflegt Haut und Muskeln. Für aktive Menschen, die sich nach jedem Training schnell erfrischen wollen.



- Schweiß runter, Frische rein
- Angenehmes Gefühl
- Super ergiebig
- 100 % vegan



PROFI-TIPP

Nehmt einen Montageständer zum Fahrradwaschen. So kommt ihr überall besser dran und das Fahrrad kann nicht umfallen. Das macht euch das Leben leichter.

LUBE LUBE LUBE



KETTENÖL ULTIMATE

- ▶ Hält über 600 km
- ▶ weniger Verschleiß
- ▶ Spürbar leiser Lauf
- ▶ Einfache Anwendung



02 LUBE

UNSERE KETTENÖLE

Performance, die bleibt. TUNAP SPORTS Kettenöle reduzieren Reibung, schützen vor Verschleiß und sorgen für einen leisen, effizienten Antrieb. Die abgestimmte Formulierung dringt tief ein, hält zuverlässig auf der Kette und funktioniert bei hoher Belastung ebenso wie im Alltag. Für sauberes Schalten, lange Laufleistung und spürbar mehr Effizienz auf jeder Fahrt.



Gefahr

Extrem entzündbares Aerosol. Behälter steht unter Druck: Kann bei Erwärmung bersten. Kann allergische Hautreaktionen verursachen. Die Informationen auf dem Produktetikett sind stets zu befolgen.



Kettenöl Ultimate 100 ml

Die Kette flüstert: TUNAP SPORTS Kettenöl Ultimate sorgt für leichtlaufende Kette, Schutz vor Verschleiß, präzise aufgetragen – mehr Fahrspaß, weniger Wartung.


- ▶ Mehr Reichweite, weniger Verschleiß
- ▶ Bleibt da, wo es hingehört
- ▶ Einfache Anwendung
- ▶ Spürbar leiser Lauf



Kettenöl Ultimate im Mini-Tropfer 50 ml

Unser Testsieger in der praktischen 50-ml-Größe für unterwegs oder zum Ausprobieren.

- ▶ Mehr Reichweite, weniger Verschleiß
- ▶ Bleibt da, wo es hingehört
- ▶ Einfache Anwendung
- ▶ Spürbar leiser Lauf



BESTSELLER

Kettenöl Ultimate 125 ml

Sprüh drauf, Kette läuft wie neu. TUNAP SPORTS Kettenöl Ultimate Spray kriecht schnell in die Kettenlieder und hinterlässt einen dünnen Film, reduziert Reibung, schützt vor Verschleiß – für alle, die Performance lieben.

- ▶ Schnelle, saubere Anwendung
- ▶ Langanhaltende Performance
- ▶ OMC₂ Additivtechnologie
- ▶ Maximale Vielseitigkeit





PROFI-TIPP



Weniger ist mehr: Zu viel Schmierstoff zieht Schmutz an und erhöht den Verschleiß. Vor der Tour die Ketten mit einem Tuch abziehen, um überschüssigen Schmierstoff zu entfernen.

02 LUBE

UNSERE KETTENWACHSE

Sauber fahren. Effizient bleiben. Kettenwachs steht für minimalen Schmutzantrag und maximale Sauberkeit. Die trockene Wachsschicht bindet kaum Staub, sorgt für leisen Lauf und hohe Effizienz. Gleichzeitig hält sie dank spezieller Additive auch hohen Drehmomenten bei E-Bikes stand. Ideal für alle, die wenig Pflegeaufwand und konstanten Leichtlauf wollen.



Gefahr

Kann bei Verschlucken und Eindringen in die Atemwege tödlich sein. Die Informationen auf dem Produktetikett sind stets zu befolgen.



Gefahr

Kann bei Verschlucken und Eindringen in die Atemwege tödlich sein. Die Informationen auf dem Produktetikett sind stets zu befolgen.



Gefahr

Extrem entzündbares Aerosol. Behälter steht unter Druck: Kann bei Erwärmung bersten. Verursacht Hautreizungen. Kann Schläfigkeit und Benommenheit verursachen. Schädlich für Wasserorganismen, mit langfristiger Wirkung. Die Informationen auf dem Produktetikett sind stets zu befolgen.



Kettenwachs Ultimate 100 ml

Einfach, sauber, effizient: TUNAP SPORTS Kettenwachs Ultimate tropfen – Kette leicht, geschützt und sauber. Ideal für zu Hause oder unterwegs.

- ▶ Langlebige Schmierung, minimale Arbeit
- ▶ Präzises Auftragen, kein Schmutz
- ▶ Mehr Speed, weniger Reibung
- ▶ Langanhaltender Schutz



Kettenwachs Ultimate im Mini-Tropfer 30 ml

Das Kettenwachs Ultimate in der praktischen 30-ml-Größe zum ausprobieren oder auch für unterwegs. Wachse deine Kette im Handumdrehen egal wo du gerade bist – für maximale Performance ohne Wachsbad.

- ▶ Für bis zu 8 Anwendungen
- ▶ Weniger Dreck, mehr Performance
- ▶ Schutz gegen Rost & Nässe
- ▶ Ultra-leise Kette



Kettenwachs Ultimate 125 ml

Wachse deine Kette im Handumdrehen: Aufsprühen, einwirken lassen, fertig. Sauber, leicht laufend, schützt vor Schmutz & Rost – für maximale Performance ohne Wachsbad.

- ▶ Easy auftragen, lange fahren
- ▶ Weniger Dreck, mehr Performance
- ▶ Schutz gegen Rost & Nässe
- ▶ Ultra-leise Kette



PROFI-TIPP

Wenn's mal schnell gehen muss:
Unsere LUBE-Produkte gibt's auch
als praktische Sprüh-Anwendung –
einfach, sauber und effizient!



KETTENÖLE VS. KETTENWACHSE

Zwei Lösungen. Ein Ziel!
Ein besserer Antrieb.



Kettenöl Ultimate

- ▶ Dringt tief in die Kettenglieder ein
- ▶ Sehr guter Schutz bei Nässe und hoher Belastung
- ▶ Langanhaltende Schmierung – auch bei hohen Drehmomenten
- ▶ Ideal für Vielfahrer, E-Bikes und anspruchsvolle Bedingungen

Der bewährte Allrounder für alle Bedingungen.

Kettenwachs Ultimate

- ▶ Trockene, schmutzabweisende Oberfläche
- ▶ Kaum Anhaftung von Staub und Dreck
- ▶ Ruhiger, sauberer Lauf auf trockenen Strecken
- ▶ Ideal für Rennrad, Gravel und Schönwetterfahrten

Sauber, effizient, fast wartungsfrei.

	Kettenöl Ultimate	Kettenwachs Ultimate	Kettenöl Wet & Winter	Kettenöl ECO
Haltbarkeit	+++	+++	+++	++
Schmutzabweisung	++	+++	++	+
Schutz	Sehr gut bei Nässe & Belastung	Sehr gut verhindert Anhaften von Schmutz	Optimal bei Nässe, Salz & Matsch	Umweltfreundlich, trotzdem Schutz
Anwendung	Tropfflasche	Tropfflasche	Tropfflasche	Tropfflasche
E-Bike Einsatz	✓	✓	✓	✓
Wetter				
Performance	Testsieger, langlebige Schmierung	Ruhiger, sauberer Lauf	Ideal für extreme Bedingungen	Nachhaltig, zuverlässig

- neutral / + gut / ++ sehr gut / +++ Top Performance

**SAUBER. GESCHMIERT.
READY TO RIDE.**

+20%

Lebensdauer der Kette

+25%

Schutz bei Nässe & Salz

-40%


Schmutzanhaftung

Zahlen, die nicht nur
dich überzeugen – dein
Bike wird sie lieben.



PROFI-TIPP

Mit dem Kettenöl Ultimate bleibt dein Antrieb auch nach 600 km geschmeidig. Erst sauber reinigen, dann ölen – so läuft die Kette leise, effizient und verschleißarm. Perfekt für lange Touren oder die tägliche Pendelstrecke.



02 LUBE

WEITERE LUBE-PRODUKTE

Für jeden Einsatz das richtige System: Ob Kettenöl Eco, Wet & Winter, Lagerfett oder Spezialschmierstoffe: Unsere Lube-Produkte sind auf unterschiedliche Bedingungen und Anforderungen abgestimmt. Vom nachhaltigen Alltagseinsatz bis zur maximalen Belastung bei Nässe, Kälte oder Dauerbeanspruchung. Immer mit dem Ziel: Reibung reduzieren, Verschleiß minimieren, Performance sichern.



Gefahr

Extrem entzündbares Aerosol. Behälter steht unter Druck: Kann bei Erwärmung bersten. Verursacht Hautreizungen. Verursacht schwere Augenreizung. Kann Schläfrigkeit und Benommenheit verursachen. Schädlich für Wasserorganismen, mit langfristiger Wirkung. Die Informationen auf dem Produktetikett sind stets zu befolgen.

Kettenöl Eco 100 ml

Umweltfreundlich und trotzdem leistungsstark: Das TUNAP SPORTS Kettenöl ECO schützt Kette & Natur. Selbst bei Minusgraden flüssig, langlebig, sauber aufzutragen – für alle Bikes, die du liebst.



- ▶ Schmiert top, schützt die Umwelt
- ▶ Rost & Reibung? Keine Chance!
- ▶ Nachhaltig verpackt
- ▶ Langanhaltende Performance

Kettenöl Wet & Winter 125 ml

Winter, Schnee, Streusalz? Kein Problem. TUNAP SPORTS Kettenöl Wet & Winter hält die Kette flüssig, schützt vor Rost und sorgt für geschmeidigen Lauf – auch bei Minusgraden.



- ▶ Perfekt für Winterfahrten
- ▶ Starker Schutz gegen Salz & Nässe
- ▶ Bleibt, wo es soll
- ▶ Saubere Anwendung

Lagerfett 100 g

Reibung reduzieren, Lager schützen: TUNAP SPORTS Lagerfett sorgt für leicht laufende Lager, schützt vor Feuchtigkeit und Verschleiß – mehr Kontrolle, weniger Ärger.



- ▶ Dein Bike verdient das Beste
- ▶ Schmutz bleibt draußen
- ▶ Einfach aufzutragen
- ▶ Hält extrem lange

**PROTECT
PROTECT
PROTECT**



REIFENDICHTMILCH

- ▶ Schutz für jedes Abenteuer
- ▶ Einfach & schnell
- ▶ Pannenschutz
- ▶ Ammoniakfrei & CO₂-kompatibel

03 PROTECT


PFLEGE DIE BLEIBT!

Schutz, auf den du dich verlassen kannst: Unsere Protect Produkte bewahren dein Bike vor Verschleiß, Rost und Pannen – von Korrosionsschutz bis Pannenspray. Mehr Sicherheit, längere Lebensdauer, mehr Spaß auf jeder Tour.



Gefahr


Extrem entzündbares Aerosol. Behälter steht unter Druck: Kann bei Erwärmung bersten. Die Informationen auf dem Produktetikett sind stets zu befolgen.



Reifendichtmilch 250 ml

Pannen adé! TUNAP SPORTS Reifendichtmilch verschließt Löcher bis 8 mm zuverlässig. Einfach ins Ventil, schützt Reifen & Felge, CO₂-kompatibel und für alle Bikes einsatzbereit – entspannt fahren, egal wo.

- Schutz für jedes Abenteuer
- Einfach & schnell
- Hält lange durch
- Schonend für Reifen & Umwelt



Reifendichtmilch 1.000 ml

Die 1-Liter-Version der TUNAP SPORTS Reifendichtmilch ist perfekt für alle, die mehrere Bikes fahren oder regelmäßig nachfüllen. Die bewährte Formel verschließt Löcher bis 8 mm zuverlässig, schützt Reifen und Felge und sorgt für maximale Pannensicherheit auf jeder Strecke.

- Perfekt zum Nachfüllen
- Für mehrere Bikes geeignet
- Zuverlässiger Schutz bis 8 mm
- Langanhaltende Wirkung



Pannenspray 125 ml

Platt auf der Tour? Kein Problem! Einfach aufs Ventil, sprühen, fertig – das TUNAP SPORTS Pannenspray dichtet Löcher bis 5 mm ab und pumpt den Reifen auf. So bleibst du schnell unterwegs und musst dein Bike nicht ausbauen. Für mehr Fahrspaß ohne Stress.

- Pannenschutz in Sekunden
- Ohne Werkzeug & ohne Stress
- Für jedes Bike
- Immer dabei



PROFI-TIPP

Den Reifen für das Tubeless-Setup erst auf die Felge ziehen und aufpumpen. Danach die Dichtmilch über das Ventil einfüllen, um sauber und ohne zu kleckern zu arbeiten.

03 PROTECT

PFLEGEPRODUKTE

Unsere Pflegeprodukte schützen aktiv und erhalten den Wert deines Bikes. Die Rahmenpflege frischt Lack, Carbon und Metall auf, wirkt schmutzabweisend und sorgt dafür, dass dein Fahrrad länger wie neu aussieht.



Gefahr

Extrem entzündbares Aerosol. Behälter steht unter Druck: Kann bei Erwärmung bersten. Die Informationen auf dem Produktetikett sind stets zu befolgen.



Gefahr

Extrem entzündbares Aerosol. Behälter steht unter Druck: Kann bei Erwärmung bersten. Kann Schläfrigkeit und Benommenheit verursachen. Schädlich für Wasserorganismen, mit langfristiger Wirkung. Die Informationen auf dem Produktetikett sind stets zu befolgen.



Gefahr


Extrem entzündbares Aerosol. Behälter steht unter Druck: Kann bei Erwärmung bersten. Verursacht Hautreizungen. Kann Schläfrigkeit und Benommenheit verursachen. Giftig für Wasserorganismen, mit langfristiger Wirkung. Die Informationen auf dem Produktetikett sind stets zu befolgen.



Rahmen-Finish 300 ml

Dein Bike glänzt und bleibt sauber: TUNAP SPORTS Rahmen-Finish versiegelt, schützt und bringt neue Intensität ins Schwarz – einfach aufsprühen, abwischen, fertig.

- ▶ Wasser & Schmutz perlen ab
- ▶ Glanz & Schutz für dein Bike
- ▶ Für jeden Rahmen geeignet
- ▶ UV-Schutz inklusive



Oberflächenschutz-Spray 300 ml

Das Oberflächenschutz-Spray versiegelt Rahmen und Komponenten mit einer unsichtbaren Schutzschicht. Schmutz haftet weniger, Wasser perlt ab. Dein Bike bleibt länger sauber. Perfekt als letzter Schritt nach der Reinigung – für mehr Wert, Langlebigkeit und weniger Aufwand.

- ▶ Lotus-Effekt gegen Wasser und Schmutz
- ▶ Weniger Schmutzanhaftung, schnellere Reinigung
- ▶ Für Lack, Carbon, Kunststoff und Metall
- ▶ Ideal nach der Wäsche oder vor der Tour



Imprägnierspray 300 ml

Das TUNAP SPORTS Imprägnierspray macht Textilien und Oberflächen wasser- und schmutzabweisend, ohne die Atmungsaktivität zu beeinträchtigen. Ideal für Schuhe, Taschen, Bekleidung und empfindliche Materialien. Schützt zuverlässig vor Nässe – bei jedem Wetter, auf jeder Tour.

- ▶ Bleib trocken, egal bei welchem Wetter
- ▶ Unsichtbar, aber effektiv
- ▶ Atmungsaktiv & langanhaltend
- ▶ Frei von PFAS



PROFI-TIPP

Im Winter oder bei Nässe gezielt auf
Wet- & Winter-Produkte setzen –
für den Extra-Boost an Rostschutz.

03 PROTECT

DETAILS, DIE ENTSCHEIDEN!



Gefahr

Extrem entzündbares Aerosol. Behälter steht unter Druck: Kann bei Erwärmung bersten. Kann Schläfrigkeit und Benommenheit verursachen. Schädlich für Wasserorganismen, mit langfristiger Wirkung. Die Informationen auf dem Produktetikett sind stets zu befolgen.



Achtung

Behälter steht unter Druck: Kann bei Erwärmung bersten. Die Informationen auf dem Produktetikett sind stets zu befolgen.



Carbon Montagepaste 50 g

Sorgt für sicheren Halt bei weniger Klemmkraft. Die feinen Partikel erhöhen die Reibung zwischen Carbon- und Metallflächen und verhindern das Verdrehen von Sattelstützen, Lenkern und Vorbauten. Schützt empfindliche Carbonteile und beugt Materialschäden vor.

- Perfekter Halt für Carbon-Parts
- Schützt dein Material
- Easy aufzutragen
- Maximale Sicherheit



Multifunktionsöl 125 ml

Ein echtes Allround-Tool: Löst festsitzende Teile, verdrängt Feuchtigkeit, schützt vor Korrosion und hält bewegliche Komponenten geschmeidig. Für Werkstatt, Garage und schnelle Hilfe unterwegs.

- Das Multitalent fürs Bike
- Schnell & effektiv
- Sanft zur Technik
- Schützt nachhaltig



Sitzcreme 250 ml

Komfortabel sitzen, egal wie lang die Tour: TUNAP SPORTS Sitzcreme schützt Sattelmateriale, reduziert Reibung und macht jede Fahrt angenehmer – schnell aufgetragen, lang anhaltend

- Reduziert Reibung
- Pflegt & schützt die Haut
- Langanhaltende Gleitwirkung
- Angenehm frischer Duft

PROFI-TIPP



Carbonteile niemals trocken montieren -
immer Montagepaste verwenden, für
sicheren Halt.



TOOLS

ENTDECKE UNSERE TOOLS

Eine gründliche Fahrradpflege beginnt mit den richtigen Tools. Unsere Reinigungswerkzeuge sind darauf ausgelegt, jede Art von Verschmutzung – von Staub bis hartnäckigen Ölrückständen – effizient zu entfernen, ohne Materialien zu belasten. Präzise Bürstenformen, funktionale Details und robuste Materialien ermöglichen eine Reinigung bis in schwer zugängliche Bereiche wie Ritzel, Speichen oder Zwischenräume am Antrieb.

Mikrofasertuch 40x40 cm

UVP 7,50 €

TUNAP SPORTS Mikrofasertuch – sanft zu Rahmen, stark gegen Schmutz. Polieren, abwischen, glänzen lassen. Perfekt für schnelle Reinigung zwischendurch.

- ▶ Fusselfrei & ohne Kratzer
- ▶ Waschbar & wiederverwendbar
- ▶ Schützt den Lack
- ▶ Ideal zum Nachwischen & Polieren



Fahrradbürste

Schlamm, Staub oder Dreck – mit der TUNAP SPORTS Fahrradbürste kommt dein Bike wieder sauber auf die Strecke. Ergonomisch, langlebig und schonend für Rahmen und Lack – perfekt für die schnelle Reinigung nach jeder Tour.



- ▶ Reinigt Rahmen & Komponenten
- ▶ Weiche Borsten
- ▶ Ergonomischer & rutschfester Griff
- ▶ Strapazierfähig & pflegeleicht

Zwischenraumbürste

Selbst in engen Spalten sitzt kein Schmutz mehr. TUNAP SPORTS Zwischenraumbürste erreicht Ritzel, Kassette und enge Stellen zuverlässig. Für saubere Ketten und Antriebe – schnell, gründlich, ganz ohne Ärger.



- ▶ Kommt tief in enge Zwischenräume
- ▶ Materialschonend & widerstandsfähig
- ▶ Für präzise Detailreinigung
- ▶ Flexibles Design

Ketten-/Riemenbürste

Kette oder Riemen reinigen? TUNAP SPORTS Ketten-/Riemenbürste sorgt für sauberen Lauf, schützt Material und erleichtert die Schmierung. Schnell, sauber, zuverlässig – für maximale Performance deines Bikes.



- ▶ Bauform für schwer erreichbare Stellen
- ▶ Materialschonend – ohne Kratzer
- ▶ Ideal für schnelle Zwischenreinigungen
- ▶ Robust, griffig & langlebig

DEINE FRAGEN, UNSERE ANTWORTEN!

01

WARUM SOLLTE ICH MEIN FAHRRAD ÜBERHAUPT PFLEGEN?

- Regelmäßige Pflege hält dein Bike zuverlässig in Schuss. Sie schützt vor Verschleiß, verlängert die Lebensdauer von Kette, Antrieb und Komponenten und sorgt dafür, dass dein Bike sicher läuft und jede Fahrt Spaß macht.

02

WARUM SIND DIE TUNAP SPORTS PRODUKTE SO GUT?

- Über 50 Jahre Erfahrung stecken in jedem Produkt. Ob Profi oder Alltagsradler – unsere Clean-, Lube- und Protect - Lösungen sind praxisnah getestet, zuverlässig und für maximale Performance entwickelt. Einfach: Produkte, die tun, was sie versprechen.

03

WARUM SOLLTE ICH MEIN BIKE REGELMÄSSIG REINIGEN?

- Nur ein sauberes Rad läuft zuverlässig. Unsere Clean-Produkte entfernen schonend Schmutz, Salz und Ablagerungen, schützen die Materialien und sorgen dafür, dass Antrieb, Rahmen und Komponenten lange wie neu bleiben. So bleibt dein Bike leistungsfähig – Tour für Tour.

05

WO KANN ICH TUNAP SPORTS PRODUKTE KAUFEN?

- Entweder direkt in unserem Online-Shop oder im Fachhandel in deiner Nähe. So findest du immer die passende Lösung für dein Bike.


04

WARUM EIN SET STATT EINZELNER PRODUKTE?

- Ein Set kombiniert Clean, Lube und Protect - perfekt aufeinander abgestimmt. Du hast alles, was dein Bike für Pflege, Schmierung und Schutz braucht, direkt parat – sparst Zeit, Nerven und Geld.

UNSERE CREW – LEIDENSCHAFT FÜRS RADFAHREN


Hinter TUNAP SPORTS stehen echte Bike-Liebhaber. Ob Profi, Athlet, Team oder passionierter Fahrer – sie alle teilen die Leidenschaft für saubere, geschmeidige Bikes und ungetrübten Fahrspaß. Sie wissen: Performance entsteht nicht im Rampenlicht, sondern auf dem Trail, der Straße und im täglichen Training.




GERMAN CYCLING E. V.



SEBI NEEF



MIKE KLUGE



PUSHBIKERS



BJÖRN KNÖLL



STEFFI MARTH



CARO SKARABELA



HANNES KLAUSNER



SABRINA MÜLLER

WIRKT EINFACH BESSER.

TUNAP GmbH & Co.KG
Bürgermeister-Seidl-Strasse 2
D-82515 Wolfratshausen

+49 8171 16 000
order@tunap-sports.de
tunap-sports.de

Haftungsausschluss: Die in diesem Katalog bereitgestellten Inhalte wurden mit größter Sorgfalt erstellt. Für die Richtigkeit, Vollständigkeit, Brauchbarkeit und Aktualität der Inhalte übernimmt die TUNAP GmbH & Co. KG („TUNAP“) jedoch keine Gewähr. Der jeweilige Nutzer ist daher verpflichtet, sämtliche Inhalte vorab auf ihre Tauglichkeit für die von ihm geplante Verwendung fachmännisch zu prüfen oder prüfen zu lassen. Sämtliche im Katalog enthaltenen Produktinformationen werden dem Nutzer lediglich „wie vorhanden“ und soweit gesetzlich zulässig, ohne jegliche (ausdrückliche oder konkludente) Garantie, Zusage, Eigenschaftszusicherung oder Haftung zur Verfügung gestellt. Alle Angaben sind Richtwerte, die sich am Schmierstoffzusammenstellung, am vorgegebenen Einsatzzweck und an der Anwendungstechnik richten. Da die Produkte von TUNAP kontinuierlich weiterentwickelt werden, behält sich TUNAP das Recht vor, alle technischen Daten in diesem Katalog jederzeit und ohne Vorankündigung zu ändern. Für weitere Informationen stehen Ihnen technische Datenblätter, sowie Sicherheitsdatenblätter zu Verfügung. Außer im Falle vorsätzlicher Schädigung, haftet TUNAP nicht für Schäden, die durch oder in Folge der Benutzung dieser Informationen entstanden sind. In jedem Falle ist TUNAP jedoch nicht verantwortlich und übernimmt keinerlei Haftung für indirekte, mittelbare, zufällige oder Folgeschäden, die durch oder in Folge der Benutzung dieser Inhalte aufgetreten sind. Herausgeber

TUNAP GmbH & Co. KG
Stand: 03/2026





KASK | KCO

25/26 COLLECTION

INDEX

25/26 Collection

KASK

About KASK

6

KASK Rotational Impact WG11 Test

8

Collection

12

Accessories

40

Sales Support

46

KOO

About KOO

56

Collection

60


Accessories

92

Sales Support

104

KASK



ABOUT

Your safety is in our nature

Since 2004, KASK has been developing and creating products that combine excellence and safety with innovative and unmistakable design. Constantly engaged in technological research to further improve the quality of its helmets and raise its production standards, KASK guarantees customers a wide range of products that meet the highest safety requirements.

In addition to the extraordinary quality of the materials used and their unmistakable style, KASK products are distinguished by perfect ergonomics and guarantee unparalleled comfort, even in the most extreme conditions.

Comfort, Safety, Design: following these principles, KASK has set the quality standards of the CSD Project. The design and features of all KASK collections are innovative, proprietary, and protected by numerous patents.

All KASK products are exclusively developed and manufactured in Italy to ensure the utmost quality and provide top-tier protective helmets for our discerning customers. We are dedicated to upholding the highest standards in helmet production, and maintaining full control over the entire production process is essential to delivering an excellent product.

KASK ROTATIONAL IMPACT WG11 TEST

KASK has always been committed to creating products that provide both excellent safety and comfort, exceeding requirements set by international standards and norms.

KASK Rotational Impact WG11 Test is an internal protocol adopted by KASK to identify an objective method, based on scientific sources, for measuring the performance of its helmets against rotational impacts.

Most helmets tests use rotational impact prevention technologies with headforms that have a higher coefficient of friction than those of the human skull and therefore may not reflect what occurs in some accidents.

The “pass-fail” criterion is based on the BrIC value, an algorithm that defines the level of brain injury. This value must be lower than 0,68.

The final test protocol is:

OBLIQUE IMPACT TESTS

- oblique tests @ 45°, impact speed 6 m/s, BrIC < 0,68
- + grade 80 closed-coat aluminum oxide abrasive paper
- + headform nominal coefficient of friction 0,3
- + wireless system: triaxial accelerometer + n. 3 ARS

Headform: EN960 serie

Measurements:

Peak of rotational acceleration, Peak of linear acceleration, HIC, BRIC (< 0,68)

All KASK helmets successfully pass this test, with values that are substantially less than 0,68 BrIC 0,390.

*ROTATIONAL IMPACT WG11 TEST PASSED is a KASK registered trademark. The ROTATIONAL IMPACT TEST PASSED is a KASK internal oblique impact test that measures the performance of its helmets against rotational impacts. This Test has not been adopted by CEN or its Working Group CEN TC158/Working Group 11.



0.68

BrIC peak value (Brain Injury Criteria)

The BrIC value is an algorithm that defines the typical level of brain injury. This value must be lower than 0.68 – the lower, the better.

0.39

Our BrIC value is never above 0.39.

**LAB TESTED.
ROAD APPROVED.**

 **6 m/s**

Rotational impact tested

Based on science and realistic impact scenarios, we test all our helmets for rotational impact reduction at a minimum speed of 6 m/s.

ROAD

INEOS Grenadiers

The INEOS Grenadiers, formerly known as Team Sky, are the most successful cycling team in the world. KASK has been a partner of the team since its inception in 2010. To date, the team has claimed seven editions of Tour de France, three Giro d'Italia, two Vuelta a España, and has achieved more than 500 race victories.



Geraint Thomas



Filippo Ganna



Bob Jungels



Egan Bernal



KASK

CYCLING

Collection



Materials
Inner padding material: Merino wool
Chinstrap material: Polyester
Shell finish: Shiny

Standard Detail
CE / UKCA - EN 1078

Weight
260 GRAMS (M size)

Sizes			
S	M	L	
50/56 cm	52/58 cm	59/62 cm	

aerodynamics

5/5

ventilation

5/5

VIRGINIA TECH
HELMET RATING

5 ★★★★★

FEATURES

- MULTIPOD

An isotropic material that allows better management of rotational impact energy and increases ventilation. It behaves in the same way when a force is applied to it from any direction and it can reduce the shear stress between the head and the inside of the helmet.
- OCTOFIT+

The new overinjected rubber dial provides improved finger grip. The vertical stabiliser has been redesigned for greater stability providing a customised fit for riders with longer hair. The ergonomic neck support ensures a fast and secure fit against the back of the head.
- FLUID CARBON

A new composite material that allows to reduces the thickness of EPS from the inner shell, in order to improve ventilation and aerodynamics. It also generates a better energy distribution in case of an impact and guarantees a low friction surface between the helmet and the impact surface.

HYVENT
The structure and design of the shell implement the air flow and break up the exchangeable heat.



ELEMENTO



White
CHE00101.201



Red
CHE00101.204



Black
CHE00101.210



Silver
CHE00101.252



Oxford Blue
CHE00101.445



Sporty Grey
CHE00101.492



Kelly Green
CHE00101.493

Related product

- WINTER CAP

CPA00021
- INTERNAL SPARE PAD (Merino Wool)

CPA00033



Materials
Inner padding material: Merino wool
Chinstrap material: Faux Leather
Shell finish: Shiny, Matt

Standard Detail
CE / UKCA - EN 1078

Weight
270 GRAMS (M size)

Sizes
M 52/58 cm L 59/62 cm

aerodynamics

5/5

ventilation

4/5

FEATURES

MULTIPD
An isotropic material that allows better management of rotational impact energy and increases ventilation. It behaves in the same way when a force is applied to it from any direction and it can reduce the shear stress between the head and the inside of the helmet.

OCTOFIT+
The new overinjected rubber dial provides improved finger grip. The vertical stabiliser has been redesigned for greater stability providing a customised fit for riders with longer hair. The ergonomic neck support ensures a fast and secure fit against the back of the head.

HYVENT
The structure and design of the shell implement the air flow and break up the exchangeable heat.



NIRVANA



White Matt
CHE00109.321



Black Matt
CHE00109.211



Ultraviolet
CHE00109.466




Blueberry Fade
CHE00109.467



Cherry Burst
CHE00109.465

Related product

- WINTER CAPCPA00021
- INTERNAL SPARE PAD (Merino Wool)CPA00034



Materials
Inner padding material: 87% nylon - 9% polyester - 4% other fibers
Chinstrap material: Faux Leather
Shell finish: Shiny, Matt

Standard Detail
CE / UKCA - EN 1078

Weight
260 GRAMS (M size)

Sizes

S	M	L
50/56 cm	52/58 cm	59/62 cm

aerodynamics

5/5

ventilation

4/5

FEATURES

OCTOFIT+
The new overinjected rubber dial provides improved finger grip. The vertical stabiliser has been redesigned for greater stability providing a customised fit for riders with longer hair. The ergonomic neck support ensures a fast and secure fit against the back of the head.

HYVENT
The structure and design of the shell implement the air flow and break up the exchangeable heat.



White
CHE00104.201



Black
CHE00104.210



Black Matt
CHE00104.211



Grey
CHE00104.313



White Matt
CHE00104.321



Oxford Blue
CHE00104.445



Celestial Yellow Matt
CHE00104.494



Grape
CHE00104.416



Caribe Green
CHE00104.499




Cognac Matt
CHE00104.496

Related product

WINTER CAP CPA00021

INTERNAL SPARE PAD CPA00031



Materials
Inner padding material: Polyester
Chinstrap material: Faux Leather
Shell finish: Shiny, Matt

Standard Detail
CE / UKCA - EN 1078

Weight
230 GRAMS (M size)

Sizes

S	M	L
50/56 cm	52/58 cm	59/62 cm

aerodynamics

4/5

ventilation

4/5

FEATURES

INNER FRAME
The innovative inner strengthening frame offers a greater mechanical strength and a better compactness. In case of shock it prevents the helmet from breaking into many pieces, allowing greater safety for every rider.

OCTOFIT+
The new overinjected rubber dial provides improved finger grip. The vertical stabiliser has been redesigned for greater stability providing a customised fit for riders with longer hair. The ergonomic neck support ensures a fast and secure fit against the back of the head.

FAUX LEATHER CHINSTRAP
The anallergic and easy to clean chinstrap is extremely comfortable and helps to avoid irritation of the skin.

PROTONE ICON



White
CHE00097.201



Black
CHE00097.210



Black Matt
CHE00097.211



Grey
CHE00097.313



White Matt
CHE00097.321



Grey Matt
CHE00097.389



Forest Green Matt
CHE00097.461



Lavender Matt
CHE00097.458



Sahara Matt
CHE00097.460



Cognac Matt
CHE00097.496



Flamingo Matt
CHE00097.497



Celestial Yellow Matt
CHE00097.494



Espresso Brown Matt
CHE00097.495



Powder Blue Matt
CHE00097.498

Related product

WINTER CAP CPA00021

INTERNAL SPARE PAD CPA00030



Materials
Inner padding material: 87% nylon - 9% polyester - 4% other fibers
Chinstrap material: Faux Leather
Shell finish: Shiny, Matt

Standard Detail
CE / UKCA - EN 1078

Weight
180 GRAMS (S size)

Sizes			
S	M	L	
50/56 cm	52/58 cm	59/62 cm	

	aerodynamics	ventilation	lightness
	3/5	5/5	5/5

FEATURES

OCTOFIT
Rubberised Micro Dial adjuster provides improved finger grip. Floating cradle contact points combine internal gel pads for optimum comfort. These supports are designed to oscillate freely through 180° allowing a perfect fit on any shaped head. The Skeletal Brackets of the cradle have been designed and refined to provide the best fit and support whilst being as light as possible.

HYVENT
The structure and design of the shell implement the air flow and break up the exchangeable heat.



White
CHE00052.201



Red
CHE00052.204



Black
CHE00052.210



Black Matt
CHE00052.211



Light Blue
CHE00052.218



Ash
CHE00052.349



Olive Green
CHE00052.392

Related product


WINTER CAP CPA00021

INTERNAL SPARE PAD CPA00017

ROAD

GRAVEL

MOJITO³



W311

Materials
Inner padding material: Polyamide
Chinstrap material: Faux Leather
Shell finish: Shiny, Matt

Standard Detail
CE / UKCA - EN 1078

Weight
230 GRAMS (M size)

Sizes
S 50/56 cm
M 52/58 cm
L 59/62 cm

• aerodynamics
• ventilation
3/5 **4/5**

FEATURES

OCTOFIT
Rubberised Micro Dial adjuster provides improved finger grip. Floating cradle contact points combine internal gel pads for optimum comfort. These supports are designed to oscillate freely through 180° allowing a perfect fit on any shaped head. The Skeletal Brackets of the cradle have been designed and refined to provide the best fit and support whilst being as light as possible.

FAUX LEATHER CHINSTRAP
The anallergic and easy to clean chinstrap is extremely comfortable and helps to avoid irritation of the skin.



White
CHE00076.201



Red
CHE00076.204



Black
CHE00076.210



Black Matt
CHE00076.211



Grey
CHE00076.313



Yellow Fluo
CHE00076.221



Orange Fluo
CHE00076.222



Alpine
CHE00076.404



Atlantic Blue
CHE00076.407



Sea Ice
CHE00076.408



White Matt
CHE00076.321

Related product

WINTER CAP CPA00021

INTERNAL SPARE PAD CPA00025



Materials
Inner padding material: Polyamide
Chinstrap material: Polyester
Shell finish: Shiny

Standard Detail
CE / UKCA - EN 1078

Weight
230 GRAMS (M size)

Sizes
M 52/58 cm L 59/62 cm

aerodynamics

2/5

ventilation

3/5

FEATURES

ERGO FIT
A brand-new adjustment system engineered to improve fit and comfort. The redesigned wheel offers a better grip for managing micro adjustments, while improved aesthetics and design result in a new fit-system to provide optimal comfort and fit.

BLUE TECH PADDING
The padding material offers high breathability, while featuring anti-bacterial and antistatic properties.



White
CHE00100.201



Red
CHE00100.204



Black
CHE00100.210



Light Blue
CHE00100.218



Grey
CHE00100.313



Sea Ice
CHE00100.408



Wine Red
CHE00100.443



Tangerine
CHE00100.444



Oxford Blue
CHE00100.445



Sahara
CHE00100.446



Aloe Green
CHE00100.447

Related product

WINTER CAP CPA00021

INTERNAL SPARE PAD CPA00032

AERO



Materials
Inner padding material: Polyester
Chinstrap material: Faux Leather
Shell finish: Shiny, Matt

Visor Specs
Visor color: Clear
Visor material: Polycarbonate
Visor type: Clear

Standard Detail
Standard: CE / UKCA - EN 1078
Visor Standard: CE / UKCA - EN 166

Weight
340 GRAMS (M size)

Sizes	
M	L
55/58 cm	59/62 cm

• aerodynamics	• ventilation
5/5	1/5

FEATURES

AERO CONTROL Incredibly aerodynamic and top performing shell, tested in the wind-tunnel and able to provide a really impressive CX rate. Any position the head will assume the outflow of the air will be perfectly in line with the helmet.	3D DRY PADDING The 3D DRY padding utilizes a multi-layer open cell construction process: high technology for the best comfort and performance.
--	--

BAMBINO PRO
*Clear visor included



White
CHE00042.201



Red
CHE00042.204



Light Blue
CHE00042.218



Black
CHE00042.210



Black Matt
CHE00042.211

Related product

- | | | | |
|--------------------------|--------------|----------------------------------|--------------|
| CLEAR VISOR | CVI00009.500 | SILVER MIRROR VISOR | CVI00009.520 |
| AERO PRO 2.0 VISOR CLEAR | CVI00022.500 | AERO PRO 2.0 VISOR SILVER MIRROR | CVI00022.520 |
| INTERNAL SPARE PAD | CPA00015 | | |

AERO

BAMBINO PRO EVO

*Clear visor included

Materials
Inner padding material: Polyester
Chinstrap material: Faux Leather
Shell finish: Shiny

Visor Specs
Antifog: Yes
Visor color: Clear
Visor material: Polycarbonate
Visor type: Clear

Standard Detail
Standard: CE / UKCA - EN 1078
Visor Standard: CE / UKCA - EN 166

Weight
360 GRAMS (M size)

Sizes
M 55/58 cm L 59/62 cm

aerodynamics

5/5

ventilation

1/5

FEATURES

AERO CONTROL
Incredibly aerodynamic and top performing shell, tested in the wind-tunnel and able to provide a really impressive CX rate. Any position the head will assume the outflow of the air will be perfectly in line with the helmet.

3D DRY PADDING
The 3D DRY padding utilizes a multi-layer open cell construction process: high technology for the best comfort and performance.



White
CHE00057.201

Black
CHE00057.210

Related product

- CLEAR VISOR CVI00021.500
- SILVER MIRROR VISOR CVI000021.520
- AERO PRO 2.0 VISOR CLEAR CVI00022.500
- AERO PRO 2.0 VISOR SILVER MIRROR CVI00022.520
- INTERNAL SPARE PAD CPA00015

AERO

Materials

Inner padding material: Polyester
Chinstrap material: Faux Leather
Shell finish: Shiny

Visor Specs

Antifog: Yes
Visor color: Clear
Visor material: Polycarbonate
Visor type: Clear

Standard Detail

Standard: CE / UKCA - EN 1078
Visor Standard: CE / UKCA - EN 166

Weight

350 GRAMS (M size)

Sizes

M	L
55/58 cm	59/62 cm

• aerodynamics	• ventilation
5/5	2/5

FEATURES

AERO CONTROL

Incredibly aerodynamic and top performing shell, tested in the wind-tunnel and able to provide a really impressive CX rate. Any position the head will assume the outflow of the air will be perfectly in line with the helmet.

3D DRY PADDING

The 3D DRY padding utilizes a multi-layer open cell construction process: high technology for the best comfort and performance.

MISTRAL

*Clear visor included



Black/Light Blue
CHE00050.219



Black/Red
CHE00050.226



Black/Anthracite
CHE00050.285



White/Silver
CHE00050.286

Related product

CLEAR VISOR	CVI00013.500	SILVER MIRROR VISOR	CVI00013.520
AERO PRO 2.0 VISOR CLEAR	CVI00022.500	AERO PRO 2.0 VISOR SILVER MIRROR	CVI00022.520
INTERNAL SPARE PAD	CPA00015		

AERO

MISTRAL LW

*Clear visor included

Materials

Inner padding material: Polyester
Chinstrap material: Faux Leather
Shell finish: Shiny

Visor Specs

Antifog: Yes
Visor color: Clear
Visor material: Polycarbonate
Visor type: Clear

Standard Detail

Standard: CE / UKCA - EN 1078
Visor Standard: CE / UKCA - EN 166

Weight

400 GRAMS (L size)

Sizes

L
55/62 cm

• aerodynamics

5/5

• ventilation

2/5

FEATURES

AERO CONTROL

Incredibly aerodynamic and top performing shell, tested in the wind-tunnel and able to provide a really impressive CX rate. Any position the head will assume the outflow of the air will be perfectly in line with the helmet.

3D DRY PADDING

The 3D DRY padding utilizes a multi-layer open cell construction process: high technology for the best comfort and performance.



Black/Red
CHE00074.226



Black/White
CHE00074.240

Related product

- CLEAR VISOR

CVI00013.500

SILVER MIRROR VISOR

CVI00013.520
- AERO PRO 2.0 VISOR CLEAR

CVI00022.500

AERO PRO 2.0 VISOR SILVER MIRROR

CVI00022.520
- INTERNAL SPARE PAD

CPA00015

COMMUTE



W311

Materials

Inner padding material: Polyester
Chinstrap material: Faux Leather
Shell finish: Shiny

Visor Specs

Visor color: Smoke
Visor material: Polycarbonate
Visor type: Clear

Standard Detail

Standard: CE / UKCA - EN 1078,CPSC 1203
Visor Standard: CE / UKCA - EN 166

Weight

410 GRAMS (M size)

Sizes

S-M	M-L	L-XL
51/57 cm	54/59 cm	60/63 cm

• ventilation

3/5

URBAN R

*Light Smoke visor included



Onyx
CHE00085.228



Slate
CHE00085.229



Navy
CHE00085.230



Ivory
CHE00085.238



Champagne
CHE00085.239



Sugar Paper Blue
CHE00085.250



Silver
CHE00085.252



Bordeaux
CHE00085.278



Metal Green
CHE00085.388

Related product

INTERNAL SPARE PAD	CPA00026	CLEAR VISOR	CVI00018.500
LIGHT SMOKE VISOR	CVI00018.511	IRIDIUM MIRROR VISOR	CVI00018.524
SILVER MIRROR VISOR	CVI00018.520	RED MIRROR VISOR	CVI00018.519

COMMUTE

MOEBIUS



Materials
Inner padding material: Polyamide
Chinstrap material: Polycotton
Visor Material: Polyester
Shell finish: Matt

Standard Detail
Standard: CE / UKCA - EN 1078

Weight
420 GRAMS (M size)

Sizes
M 52/58 cm L 59/62 cm

• ventilation

3/5



Red
CHE00090.204



Lime
CHE00090.213



Light Blue
CHE00090.218



Onyx
CHE00090.228



Navy
CHE00090.230



Ivory
CHE00090.238



Champagne
CHE00090.239



Ash
CHE00090.349



Alpine
CHE00090.404



Jade
CHE00090.413

Related product

WINTER CAP CPA00021

INTERNAL SPARE PAD CPA00027

KASK

CYCLING

Accessories



WINTER CAP

CPA00021

The KASK merino wool Winter Cap acts as a helmet base layer to protect the head from wind chill, keeping you toasty for the coldest winter rides.


The internal padding in Merino wool keeps the body temperature stable, ensures high breathability, and dries quickly. External fabric in Tekseries guarantees a significant resistance to cold and wind combined with a high level of transpiration and resistance to water. To wear the winter cap just remove the inner padding of the helmet and make the cap adhere to the Velcro.

The Winter cap is available in three sizes and is compatible with most of our helmets across the range.



INTERNAL PAD

Every KASK helmet internal pad is antistatic, bacteriostatic, heat-regulating, and moisture-transferring. When internal pads are worn out, it's possible to get a replacement pad set, a specific one for every KASK helmet. Each replacement pad set is easy to install, by simply attaching it to the helmet's Velcro sections.



ELEMENTO
CPA00033



PROTONE ICON
CPA00030



NIRVANA
CPA00034



UTOPIA Y
CPA00031



VALEGRO
CPA00017



MOJITO³
CPA00025



SINTESI
CPA00032



ALL AERO HELMETS
CPA00015



URBAN R
CPA00026



MOEBIUS
CPA00027



VISOR

All KASK aero helmets have an easily removable magnetic visor. The magnetic visor for aero helmets is available in two colorways: clear and mirror.

Urban R helmet has an interchangeable visor that can be easily swapped in and out with a click using the One-Move Switch System. The visor is available in four colorways: clear, iridium mirror, red mirror, silver mirror, and light smoke.

URBAN R



CLEAR VISOR
CVI00018.500



IRIDIUM MIRROR VISOR
CVI00018.524



LIGHT SMOKE VISOR
CVI00018.511



RED MIRROR VISOR
CVI00018.519



SILVER MIRROR VISOR
CVI00018.520



BAMBINO PRO



CLEAR VISOR
CVI00009.500



SILVER MIRROR VISOR
CVI00009.520

BAMBINO PRO EVO



CLEAR VISOR
CVI00021.500



SILVER MIRROR VISOR
CVI00021.520

MISTRAL - MISTRAL LW



CLEAR VISOR
CVI00013.500



SILVER MIRROR VISOR
CVI00013.520

BAMBINO PRO - BAMBINO PRO EVO - MISTRAL - MISTRAL LW



AERO PRO VISOR 2.0
CLEAR
CVI00022.500



AERO PRO VISOR 2.0
SILVER MIRROR
CVI00022.520

EVENT

Sales support



MERCHANDISING



STICKERS 10CM - 50 PCS
XME00125

STICKERS 20CM - 50 PCS
XME00126

Lime - Black - White



KASK BIG UMBRELLA
XME00161



PENCIL - 50PCS
XME00124



PEN - 50PCS
XME00123



BLOCKNOTES
XME00015



NOTEBOOK
XME00112



MUSETTE
XME00129



KEY HOLDER - 50 PCS
XME00128



LANYARD - 50 PCS
XME00130



MUG
XME00135



WATER BOTTLE
XME00038



STAINLESS STEEL WATER BOTTLE
XME00052



CRANIOMETER CM
XME00122

CRANIOMETER INCHES
XME00119



NECK WARMER - 50 PCS
XME00131
Lime - Black



KASK TRAINING TOWEL
XME00166



RIDER BACKPACK 22L - NAVY
XME00050-230.00

RIDER BACKPACK 22L - BLACK
XME00050-210.00



HELMETS SKETCH T-SHIRT
MAN
XME00139

HELMETS SKETCH T-SHIRT
WOMAN
XME00140



MAN HOODIE
BLACK-WHITE
XME00001-240

WOMAN HOODIE
BLACK-WHITE
XME00002-240



MAN HOODIE
NAVY-WHITE
XME00001-260

WOMAN HOODIE
NAVY-WHITE
XME00002-260



MAN HOODIE
BORDEAUX-WHITE
XME00001-335

WOMAN HOODIE
BORDEAUX-WHITE
XME00002-335



BEANIE
XME00132



BASEBALL CAP
XME00133



MAN SWEATER
NAVY-WHITE
XME00063-230

WOMAN SWEATER
NAVY-WHITE
XME00102-230



MAN SWEATER
BLACK-WHITE
XME00063-210

WOMAN SWEATER
BLACK-WHITE
XME00102-210



MAN T-SHIRT
WHITE-LIME
XME00005-201

WOMAN T-SHIRT
WHITE-LIME
XME00006-201



MAN T-SHIRT
WHITE-BLACK
XME00005-216

WOMAN T-SHIRT
WHITE-BLACK
XME00006-216



MAN T-SHIRT
NAVY-WHITE
XME00005-230

WOMAN T-SHIRT
NAVY-WHITE
XME00006-230



MAN T-SHIRT
BLACK-WHITE
XME00005-210

WOMAN T-SHIRT
BLACK-WHITE
XME00006-210

EVENT MATERIAL



INFLATABLE GAZEBO
XDI00165
500x500 cm



SINGLE WALL
XDI00166
For Inflatable Gazebo



GAZEBO 3X3 M
XEV00001
300x300 cm



SINGLE WALL
XEV00001-TELO-01
For Gazebo 3x3



INDOOR FLAG
XDI00144
50x200 cm



OUTDOOR FLAG
XDI00143
70x430 cm



PLASTIC GROUND-DRILL BASE
XDI00114
For KASK Outdoor Flag



CONCRETE BASE
XDI00163
For KASK Outdoor Flag



KASK HELMET BAG - BIG
UAC00004
125x30 cm



KASK HELMET BAG - SMALL
UAC00006
80x30 cm



DIRECTOR CHAIR
XDI00167



BANNER TNT 50MT
XDI00164



POUF
XDI00091
45x45 cm

POP



BRAND BLOCK
XDI00175
30x4x10 cm



LOGO PANEL
XDI00176
90x26,5 cm



WINDOW STICKERS 20CM - 50 PCS
XME00127



CENTRAL AREA DISPLAY 8 HELMETS
XDI00145
160x80x20 cm



WALL DISPLAY
XDI00148
120x35,5x220 cm



SLATWALL EVENT DISPLAY
XE000073
65x38x187 cm



DOUBLE FACE DISPLAY
XDI00173-CYCLING
42x40x190 cm



FRAME STAND
XDI00146-CYCLING
40x35x175 cm



WELCOME MAT
XME00134
70x50 cm



SLATWALL MIRROR
XDI00197-
21x31x0,25 cm



SLATWALL GRAPHIC HOLDER
XDI00194-
21,5x31,5x0,25 cm



LOGOBLOCK
XDI00171-CYCLING
25x5x22 cm



HANGER
XDI00188



GRAPHIC HOLDER
XDI00195- CYCLING-
42,6x29,8x13,6 cm



HELMET TABLE DISPLAY
XDI00196-
25x30,8x0,25 cm





GLORIFIER
XDI00152
32x39x155,5 cm



DESK GLORIFIER
XDI00151
32x34x40,5cm

POP VISUALS

LOGOBLOCK



LOGOBLOCK 7 GRAPHICS KIT
XDI00172-CYCLING

DESK GLORIFIER



DESK GLORIFIER GRAPHIC XDI00169-ELEMENTO
DESK GLORIFIER GRAPHIC XDI00169-NIRVANA
DESK GLORIFIER GRAPHIC XDI00169-PROTONE-ICON
DESK GLORIFIER GRAPHIC XDI00169-VALEGRO



DESK GLORIFIER GRAPHIC XDI00169-UTOPIA-Y
DESK GLORIFIER GRAPHIC XDI00169-MOJITO-3
DESK GLORIFIER GRAPHIC XDI00169-SINTESI
DESK GLORIFIER GRAPHIC XDI00169-URBAN-R



ABOUT

Your eyes, our vision.

KOO Eyewear is a premium performance brand born from Italian craftsmanship and innovation. We design and manufacture high-performance sunglasses and goggles that blend advanced technology, superior materials, and iconic style.

Every KOO product is made in Italy and rigorously tested to meet the highest standards of quality, safety, and performance. Featuring ZEISS® lenses as standard, our eyewear delivers exceptional clarity and protection.

ROAD

Red Bull - BORA - hansgrohe

The only German team in the UCI WorldTour, Red Bull – BORA – hansgrohe enters its 15th season with a bold KOO look. From underdogs to Grand Tour champions, the team has carved out a place among the sport's elite, claiming stage wins across all Grand Tours, major classics, and an overall victory at the Giro d'Italia.

As an official partner, KOO proudly supports their vision.




Credits: Red Bull Content Pool

Primož Roglič



Sam Welsford



Gianni Moscon



Roger Adrià



Credits: Red Bull Content Pool

KCO

SUNGLASSES

Collection

HYPE sunglasses are purpose-built for road cyclists, delivering performance during high-intensity rides. Equipped with multiple ventilation ports, including side vents and a central port above the nose bridge, HYPE ensures optimal airflow to prevent fogging. Designed for both function and fashion, they offer a bold, modern aesthetic and are available in a variety of colors for different styles and lighting conditions. Entirely made and designed in Italy.

Size and Fit
Regular
Low Bridge Fit Nose Pad included

TECHNICAL FEATURES

SPORT-FOCUSED DESIGN

With its squared frame and wraparound temples, HYPE offers a bold appearance and ergonomic performance for high-speed road cycling.

INTEGRATED VENTILATION SYSTEM

Three strategically placed vents including a unique central one-maximize airflow and reduce fogging for clear vision during intense activity.

ZEISS® TORIC LENS WITH DUAL-CURVATURE

A single Zeiss® polycarbonate toric lens provides a stylish dual-lens look and enhanced optical comfort through a double-curvature design.



VIOLET GLASS MATT
PINK MIRROR LENS
CAT.3 - VLT 13%
OEY00013.832



FOREST GREEN MATT
GREEN MIRROR LENS
CAT.2 - VLT 23%
OEY00013.833



GREEN GLASS MATT
COPPER MIRROR LENS
CAT.3 - VLT 13%
OEY00013.834



DARK RED MATT
RED MIRROR LENS
CAT.2 - VLT 30%
OEY00013.831



ALMOND WHITE MATT
BROWNR LENS
CAT.2 - VLT 30%
OEY00013.828



HAVANA MATT
PETROL MIRROR LENS
CAT.2 - VLT 25%
OEY00013.829



CRYSTAL
TURQUOISE MIRROR LENS
CAT.3 - VLT 11%
OEY00013.835



DARK BLUE MATT
TURQUOISE MIRROR LENS
CAT.3 - VLT 11%
OEY00013.830



BLACK MATT
PINK MIRROR LENS
CAT.3 - VLT 11%
OEY00013.827



Related product

OPTICAL CLIP

OAC00009.210 - OAC00009.468



CAT. 3
8-18% VLT*



CAT. 2
18-43% VLT*



CAT. 1
43-80% VLT*



CAT. 0
80-100% VLT*

* VLT = VISIBLE LIGHT TRANSMISSION



TURQUOISE MIRROR
CAT.3 - VLT 11%
OLE00007.543



PINK MIRROR
CAT.3 - VLT 13%
OLE00007.531



GREEN MIRROR
CAT.2 - VLT 23%
OLE00007.530



BROWN
CAT.2 - VLT 30%
OLE00007.540



CLEAR
CAT.0 - VLT 90%
OLE00007.500



SMOKE
CAT.3 - VLT 11%
OLE00007.510



COPPER MIRROR
CAT.3 - VLT 13%
OLE00007.552



PETROL MIRROR
CAT.2 - VLT 25%
OLE00007.561



RED MIRROR
CAT.2 - VLT 30%
OLE00007.519



ALIBI features a sleek half-frame design tailored for both road and gravel cyclists. Its Zeiss® lens structure ensures unobstructed lower visibility and makes it especially suitable for smaller face sizes. Lightweight and streamlined, ALIBI is ideal for versatile cycling experiences.

Size and Fit
Regular - Large
Bridge Nose Pad available
Low Bridge Fit Nose Pad available

TECHNICAL FEATURES

- ROUNDED TEMPLES**

Reduced and rounded arms provide a secure, comfortable fit even on demanding rides, ending in a grooved section to ensure optimal grip.
- SOFT RUBBER NOSE PADS**

Provides all-day comfort and stability with minimal distraction.
- UNISEX HIGH-PERFORMANCE FIT**

Designed to adapt seamlessly to all face shapes, balancing functionality with refined, gender-neutral style.



BLACK MATT GOLD
GOLD MIRROR LENS
CAT.3 - VLT 17%
OEY00009.970



GREY MATT TURQUOISE
TURQUOISE MIRROR LENS
CAT.3 - VLT 11%
OEY00009.966



SAND MATT GOLD
GOLD MIRROR LENS
CAT.3 - VLT 17%
OEY00009.969



HARBOUR BLUE MATT COPPER
COPPER MIRROR LENS
CAT.2 - VLT 22%
OEY00009.968



PERSIAN GREEN MATT ORANGE
ORANGE MIRROR LENS
CAT.2 - VLT 35%
OEY00009.965



ORANGE MATT GREEN
GREEN MIRROR LENS
CAT.2 - VLT 23%
OEY00009.964



WHITE MATT RED
RED MIRROR LENS
CAT.2 - VLT 23%
OEY00009.847



DARK BLUE MATT PHOTOCHROMIC
PHOTOCHROMIC RED MIRROR LENS
CAT.0-3 - VLT 87-15%
OEY00009.967



WHITE MATT PHOTOCHROMIC
PHOTOCHROMIC FUCHSIA MIRROR LENS
CAT.1-3 - VLT 75-12%
OEY00009.963



BLACK MATT PHOTOCHROMIC
PHOTOCHROMIC GREEN MIRROR LENS
CAT.1-3 - VLT 67-13%
OEY00009.848

Related product

OPTICAL CLIP

OAC00009.210 - OAC00009.468



CAT. 3
8-18% VLT*



CAT. 2
18-43% VLT*



CAT. 1
43-80% VLT*



CAT. 0
80-100% VLT*

* VLT = VISIBLE LIGHT TRANSMISSION



TURQUOISE MIRROR
CAT.3 - VLT 11%
OLE00004.543



RED MIRROR
CAT.2 - VLT 23%
OLE00004.519



ORANGE MIRROR
CAT.2 - VLT 35%
OLE00004.546



PHOTOCHROMIC FUCHSIA MIRROR
CAT.1-3 - VLT 75-12%
OLE00004.554



CLEAR
CAT.0 - VLT 85%
OLE00004.500



GOLD MIRROR
CAT.3 - VLT 17%
OLE00004.518



GREEN MIRROR
CAT.2 - VLT 23%
OLE00004.530



COPPER MIRROR
CAT.2 - VLT 22%
OLE00004.552



PHOTOCHROMIC GREEN MIRROR
CAT.1-3 - VLT 67-13%
OLE00004.567



PHOTOCHROMIC RED MIRROR
CAT.0-3 - VLT 87-15%
OLE00004.553



DEMOS is designed for cyclists who demand adaptability across road, gravel, and cyclocross rides. Its panoramic single-lens frame offers superior visibility, while four ventilation ports help prevent fogging. The bold, ski-goggle-inspired design delivers exceptional coverage and standout style. Proudly made in Italy.

Size and Fit
Regular
Low Bridge Fit Nose Pad available

TECHNICAL FEATURES

ADJUSTABLE FOLDING NOSEPIECE

A two-position rubber nose pad allows for a customized fit. Includes an extra nose bridge as standard.

ANTI-SLIP TEMPLE INSERTS

MEGOL elastomer inserts offer improved grip and comfort, even during dynamic movement.

ZEISS® ANTI-REFLECTIVE LENS TECHNOLOGY

Enhances light transmission by eliminating surface reflections, improving contrast and reducing eye strain.



BLACK BLUE
BLUE SKY MIRROR LENS
CAT.3 - VLT 11%
OEY00005.687

LENS BY
ZEISS



BLUE
TURQUOISE MIRROR LENS
CAT.3 - VLT 11%
OEY00005.208

LENS BY
ZEISS



WHITE TURQUOISE
TURQUOISE MIRROR LENS
CAT.3 - VLT 11%
OEY00005.699

LENS BY
ZEISS



BLACK GREEN
GREEN MIRROR LENS
CAT.2 - VLT 23%
OEY00005.616

LENS BY
ZEISS



GLASS RED
RED MIRROR LENS
CAT.2 - VLT 23%
OEY00005.697

LENS BY
ZEISS



GREEN MATT ORANGE
ORANGE MIRROR LENS
CAT.2 - VLT 35%
OEY00005.946

LENS BY
ZEISS



WHITE BROWN
BROWN LENS
CAT.2 - VLT 23%
OEY00005.900

LENS BY
ZEISS



BLACK MATT RED
RED MIRROR LENS
CAT.2 - VLT 23%
OEY00005.918

LENS BY
ZEISS



BLACK ROSÈ
ROSÈ LENS
CAT.1 - VLT 58%
OEY00005.698

LENS BY
ZEISS



WHITE PHOTOCHROMIC
PHOTOCHROMIC PINK LENS
CAT.1-3 - VLT 69-12,5%
OEY00005.907



BLACK PHOTOCHROMIC
PHOTOCHROMIC FUCHSIA MIRROR LENS
CAT.1-3 - VLT 75-12%
OEY00005.971

Related product

OPTICAL CLIP

OAC00009.210 - OAC00009.468



CAT. 3
8-18% VLT*



CAT. 2
18-43% VLT*



CAT. 1
43-80% VLT*



CAT. 0
80-100% VLT*

* VLT = VISIBLE LIGHT TRANSMISSION



TURQUOISE MIRROR
CAT.3 - VLT 11%
OLE00003.543



BROWN
CAT.2 - VLT 23%
OLE00003.540



GREEN MIRROR
CAT.2 - VLT 23%
OLE00003.530



ROSÈ
CAT.1 - VLT 58%
OLE00003.539



PHOTOCHROMIC PINK
CAT.1-3 - VLT 69-12,5%
OLE00003.544



CLEAR
CAT.0 - VLT 85%
OLE00003.500



BLUE SKY
CAT.3 - VLT 11%
OLE00003.512



ORANGE MIRROR
CAT.2 - VLT 35%
OLE00003.546



RED MIRROR
CAT.2 - VLT 23%
OLE00003.519



PHOTOCHROMIC FUCHSIA MIRROR
CAT.1-3 - VLT 75-12%
OLE00003.554



SPECTRO sunglasses are engineered for high-speed performance in road cycling and triathlon. Their wraparound single-lens frame offers panoramic vision, supported by four ventilation ports for fog-free clarity. The bold, angular design and Zeiss® anti-reflective optics make SPECTRO the perfect balance of cutting-edge style and precision function.

Size and Fit
Regular
Low Bridge Fit Nose Pad available

TECHNICAL FEATURES

ADJUSTABLE FOLDING NOSEPIECE
Two-position rubber nose pad ensures a secure, tailored fit. Includes a spare nose bridge.

ANTI-SLIP TEMPLE INSERTS
MEGOL elastomer inserts improve grip and overall stability in motion.

ZEISS® ANTI-REFLECTIVE LENS TECHNOLOGY
Enhances light transmission by eliminating surface reflections, improving contrast and reducing eye strain.



BLACK BRONZE
SUPER BRONZE MIRROR LENS
CAT.3 - VLT 12%
OEY00004.600



WHITE SILVER
SUPER SILVER MIRROR LENS
CAT.3 - VLT 11%
OEY00004.695



BLACK TURQUOISE
TURQUOISE MIRROR LENS
CAT.3 - VLT 11%
OEY00004.696



BLACK RED
RED MIRROR LENS
CAT.2 - VLT 23%
OEY00004.659



WHITE GREEN
GREEN MIRROR LENS
CAT.2 - VLT 23%
OEY00004.694



BLACK MATT GREEN
GREEN MIRROR LENS
CAT.2 - VLT 23%
OEY00004.912



GREEN MATT ORANGE
ORANGE MIRROR LENS
CAT.2 - VLT 35%
OEY00004.946



BLACK PHOTOCHROMIC
PHOTOCHROMIC PINK LENS
CAT.1-3 - VLT 69-12,5%
OEY00004.906



WHITE PHOTOCHROMIC
PHOTOCHROMIC TURQUOISE MIRROR LENS
CAT.1-3 - VLT 71-15%
OEY00004.972

Related product

OPTICAL CLIP

OAC00009.210 - OAC00009.468




CAT. 3
8-18% VLT*


CAT. 2
18-43% VLT*


CAT. 1
43-80% VLT*


CAT. 0
80-100% VLT*

* VLT = VISIBLE LIGHT TRANSMISSION



TURQUOISE MIRROR
CAT.3 - VLT 11%
OLE00002.543



SUPER BRONZE MIRROR
CAT.3 - VLT 12%
OLE00002.529



RED MIRROR
CAT.2 - VLT 23%
OLE00002.519



ROSÈ
CAT.1 - VLT 58%
OLE00002.539



PHOTOCHROMIC PINK
CAT.1-3 - VLT 69-12,5%
OLE00002.544



CLEAR
CAT.0 - VLT 85%
OLE00002.500



SUPER SILVER MIRROR
CAT.3 - VLT 11%
OLE00002.542



GREEN MIRROR
CAT.2 - VLT 23%
OLE00002.530



ORANGE MIRROR
CAT.2 - VLT 35%
OLE00002.546



PHOTOCHROMIC TURQUOISE MIRROR
CAT.1-3 - VLT 71-15%
OLE00002.556

SIGNATURE EDITION

RED BULL - BORA - HANSGROHE



HYPE
RED MIRROR LENS
CAT.2 - VLT 30%
OEY00004.600

LENS BY
ZEISS



ALIBI
RED MIRROR LENS
CAT.2 - VLT 23%
OEY00004.695

LENS BY
ZEISS



DEMOS
TURQUOISE MIRROR LENS
CAT.3 - VLT 11%
OEY00004.696

LENS BY
ZEISS



SPECTRO
TURQUOISE MIRROR LENS
CAT.3 - VLT 11%
OEY00004.659

LENS BY
ZEISS

Credits: Red Bull Content Pool

KCO
eyewear




Red Bull
BORA
hansgrohe
PRO CYCLING



Wrap your eyes in color with Nebula — our new frameless sunglasses designed for athletes, adventurers, and life on the move. Weighing just 21 grams, Nebula’s lightweight frame delivers feather-light comfort and a secure, no-slip fit for every challenge. Available in six striking colorways, Nebula blends crystal-clear vision with bold style for cutting-edge performance.

Size and Fit
Regular
Low Bridge Fit Nose Pad available

TECHNICAL FEATURES

FEATHERWEIGHT CONSTRUCTION
At only 21 grams, NEBULA delivers exceptional comfort for long-duration activity.

VENTILATED NOSE BRIDGE
Interchangeable bridge with dual vents offers stable airflow and includes a low nose bridge fit option for varied face shapes.

ZEISS® NYLON TORIC LENS WITH ANTI-REFLECTIVE TECHNOLOGY
Enhances light transmission and contrast while reducing glare and eye fatigue.



TEAL MATT DARK TURQUOISE
DARK TURQUOISE MR. LENS
CAT.2 - VLT 20%
OEY00015.841



VANILLA MATT DARK GOLD
DARK GOLD MIRROR LENS
CAT.2 - VLT 23%
OEY00015.842



CHOCOLATE MATT ROSE GOLD
ROSE GOLD MIRROR LENS
CAT.3 - VLT 18%
OEY00015.843



IRIS MATT SUPER PINK
SUPER PINK MIRROR LENS
CAT.3 - VLT 15%
OEY00015.846



MIDNIGHT BLUE MATT PHOTOCHROMIC
PHOTOCHROMIC ROSE GOLD MR. LENS
CAT.1-3 - VLT 43-10%
OEY00015.844



BLACK GLASS PHOTOCHROMIC
PHOTOCHROMIC GRAPHITE MR. LENS
CAT.1-3 - VLT 73-14%
OEY00015.845

MULTI-SPORT

SUPERNOVA



SUPERNOVA is a frameless, ultra-lightweight performance sunglass made for cycling, running, and high-intensity training. It offers panoramic visibility, aerodynamic comfort, and strong protection from wind, light, and debris. The wraparound fit and Zeiss® toric lenses ensure top-tier clarity and comfort.

Size and Fit
Regular
Low Bridge Fit Nose Pad available

TECHNICAL FEATURES

FEATHERWEIGHT CONSTRUCTION
At only 21 grams, SUPERNOVA delivers exceptional comfort for long-duration activity.

VENTILATED NOSE BRIDGE
Interchangeable bridge with dual vents offers stable airflow and includes a low nose bridge fit option for varied face shapes.

ZEISS® NYLON TORIC LENS WITH ANTI-REFLECTIVE TECHNOLOGY
Enhances light transmission and contrast while reducing glare and eye fatigue.



WHITE TURQUOISE
TURQUOISE MIRROR LENS
CAT.3 - VLT 12%
OEY00007.699



BLACK MATT SILVER
SUPER SILVER MIRROR LENS
CAT.3 - VLT 11%
OEY00007.913



BLUE MATT TURQUOISE
TURQUOISE MIRROR LENS
CAT.3 - VLT 12%
OEY00007.910



WHITE RED
RED MIRROR LENS
CAT.2 - VLT 20%
OEY00007.908



YELLOW FLUO RED
RED MIRROR LENS
CAT.2 - VLT 20%
OEY00007.902



BLACK MATT GREEN
GREEN MIRROR LENS
CAT.2 - VLT 23%
OEY00007.912



BLACK MATT PHOTOCHROMIC
PHOTOCHROMIC PINK LENS
CAT.1-3 - VLT 73-11%
OEY00007.944



NOVA redefines trail running eyewear with its featherlight construction and technical design. Weighing just 21 grams, NOVA provides a secure, wraparound fit for minimal drag and maximum comfort. The Zeiss® nylon toric lens delivers color-true visibility and adapts well to varying terrain and light.

Size and Fit
Regular
Low Bridge Fit Nose Pad available

TECHNICAL FEATURES

ULTRA-LIGHTWEIGHT BUILD

Weighing just 21 grams, NOVA ensures minimal distraction with maximum performance.

VENTILATED NOSE BRIDGE

Swappable nose bridge with dual vents and a low bridge option included for customizable stability.

ZEISS® NYLON TORIC LENS WITH ANTI-REFLECTIVE TECHNOLOGY

Reduces reflections and enhances visual clarity, contrast, and comfort.



ACQUA MATT TURQUOISE
TURQUOISE MIRROR LENS
CAT.3 - VLT 12%
OEY00006.920



BLACK MATT FUCHSIA
FUCHSIA MIRROR LENS
CAT.3 - VLT 12%
OEY00006.919



SUNSET MATT GOLD
GOLD MIRROR LENS
CAT.3 - VLT 16%
OEY00006.922



OLIVE GREEN MATT ORANGE
ORANGE MIRROR LENS
CAT.2 - VLT 20%
OEY00006.921



BLACK MATT RED
RED MIRROR LENS
CAT.2 - VLT 20%
OEY00006.918



WHITE MATT PHOTOCHROMIC
PHOTOCHROMIC PINK LENS
CAT.1-3 - VLT 73-11,5%
OEY00006.923



COSMO blends lifestyle aesthetics with sports-grade performance. Featuring a distinctive and iconic silhouette, COSMO is equipped with Zeiss® polycarbonate lenses for superior visual clarity. Designed to perform while elevating everyday style.

Size and Fit
One Size

TECHNICAL FEATURES

NON-SLIP RUBBER CONTACT POINTS
Grippy nosepiece and temples provide a secure fit.

AVAILABLE IN 7 COLORWAYS
Choose from seven trendy frame-lens combinations tailored to light sensitivity and personal style.

ZEISS® POLARIZED LENS OPTIONS
Reduces glare from reflective surfaces. COSMO Black Matt includes polarized lenses for enhanced visibility in bright conditions.



AVIO MATT
SUPER BLUE MIRROR LENSES
CAT.3 - VLT 11%
OEY00008.928



BLACK MATT
POLARIZED LENSES
CAT.3 - VLT 11%
OEY00008.924



BLUSH
SUPER PINK MIRROR LENSES
CAT.3 - VLT 13%
OEY00008.930



OLIVE GREEN MATT
GREEN MIRROR LENSES
CAT.3 - VLT 13%
OEY00008.929



BLAZE MATT
RED MIRROR LENSES
CAT.2 - VLT 25%
OEY00008.927



CRYSTAL
VIOLET MIRROR LENSES
CAT.2 - VLT 21%
OEY00008.926



BLONDE MATT
CLASSIC GREEN LENSES
CAT.2 - VLT 24%
OEY00008.925





CALIFORNIA sunglasses combine standout style with advanced lens technology. Designed for fashion-forward lifestyles, they feature polarized Zeiss® lenses and protective coatings for enhanced durability and visual clarity.

Size and Fit
One Size

TECHNICAL FEATURES

DURABLE POLYCARBONATE FRAME

Lightweight and robust construction ensures lasting comfort.

ZEISS® POLARIZED AND COATED LENSES

Polarized to reduce glare and coated for improved strength and protection through multilayer and tri-flecion technologies.



BLACK/ANTHRACITE
POLARIZED LENSES
OEY00002.612



WHITE/ANTHRACITE
AMARANTHINE LENSES
OEY00002.629



TORTOISE BLUE
POLARIZED LENSES
OEY00002.655



TORTOISE CLASSIC
GOLD MIRROR LENSES
OEY00002.658



TORTOISE CLASSIC
POLARIZED LENSES
OEY00002.657





EDGE is a performance-first eyewear solution tailored for MTB riders. Developed with Zeiss® optics, EDGE offers enhanced color tuning and rugged durability to suit the demands of mountain terrain. It pairs style with functional innovation.

Size and Fit
One Size

TECHNICAL FEATURES

MTB-SPECIFIC LENS TECHNOLOGY
Developed with Zeiss® for peak clarity in varied trail and weather conditions.

SLOT-IN LENS CHANGE SYSTEM
Quick-change mechanism allows for seamless lens swaps year-round.

ADVANCED VENTILATION PORTS
Built-in airflow channels help maintain fog-free vision.



BLACK BLUE
BLUE MIRROR LENS
CAT.3 - VLT 16%
CGO00001.677

LENS BY
ZEISS



BLACK CLEAR
POLARIZED LENS
CAT.0 - VLT 91%
CGO00001.675

LENS BY
ZEISS



BLACK PINK
SUPER PINK MIRROR LENS
CAT.1 - VLT 70%
CGO00001.676

LENS BY
ZEISS



BLACK RED
GREEN MIRROR LENS
CAT.2 - VLT 26%
CGO00001.659

LENS BY
ZEISS



WHITE CLEAR
RED MIRROR LENS
CAT.0 - VLT 91%
CGO00001.678

LENS BY
ZEISS



WHITE RED
VIOLET MIRROR LENS
CAT.2 - VLT 26%
CGO00001.627

LENS BY
ZEISS

Related product

EDGE LENS PROTECTIVE FILM

OAC00002

SUNGLASSES

Accessories





BILLY

OAC00002

The BILLY is a sport performance eyewear mount for your bicycle, that offers a practical and secure place for your sunglasses when unused. It is a great eyewear accessory to utilize when going uphill and at low speeds and you can pedal without having to protect your eyes from foreign objects, foul weather, or sweat droplets. The BILLY is suitable for Road and Triathlon use.

Features

- Framed sunglasses compatible
- Practical and secure
- Quick to install and remove
- Lightweight (4 g)
- Suitable for Road and Triathlon use



OPTICAL CLIP

The KOO Optical Clip is a lightweight, practical accessory that allows you to fit ophthalmic lenses into your HYPE, ALIBI, SPECTRO, or DEMOS sunglasses. Designed for athletes who need prescription lenses, it offers a secure and comfortable fit without affecting performance or style. Easy to install and remove, the Optical Clip is the ideal solution for combining vision correction with high-performance eyewear.

Features

- Compatible with HYPE, ALIBI, SPECTRO, and DEMOS models
- Secure, practical design
- Quick and easy to install or remove
- Lightweight (1.8 g)
- Includes demo lenses for fitting



BLACK

OAC00009.210



CRYSTAL

OAC00009.468



HYPE



LENS BY
ZEISS

TURQUOISE MIRROR

VLT 11%

Filter Category 3

OLE00007.543



LENS BY
ZEISS

SMOKE

VLT 11%

Filter Category 3

OLE00007.510



LENS BY
ZEISS

PINK MIRROR

VLT 13%

Filter Category 3

OLE00007.531



LENS BY
ZEISS

COPPER MIRROR

VLT 13%

Filter Category 3

OLE00007.552



LENS BY
ZEISS

GREEN MIRROR

VLT 23%

Filter Category 2

OLE00007.530



LENS BY
ZEISS

PETROL MIRROR

VLT 25%

Filter Category 2

OLE00007.561



LENS BY
ZEISS

BROWN

VLT 30%

Filter Category 2

OLE00002.543



LENS BY
ZEISS

RED MIRROR

VLT 30%

Filter Category 2

OLE00007.519



LENS BY
ZEISS

CLEAR

VLT 90%

Filter Category 0

OLE00007.500

ALIBI



LENS BY
ZEISS

TURQUOISE MIRROR

VLT 11%

Filter Category 3

OLE00004.543



LENS BY
ZEISS

GOLD MIRROR

VLT 17%

Filter Category 3

OLE00004.518



LENS BY
ZEISS

COPPER MIRROR

VLT 22%

Filter Category 2

OLE00004.552



LENS BY
ZEISS

GREEN MIRROR

VLT 23%

Filter Category 2

OLE00004.530



LENS BY
ZEISS

RED MIRROR

VLT 23%

Filter Category 2

OLE00004.519



LENS BY
ZEISS

ORANGE MIRROR

VLT 35%

Filter Category 2

OLE00004.546



LENS BY
ZEISS

CLEAR

VLT 85%

Filter Category 0

OLE00004.500



LENS BY
ZEISS

PHOTOCHROMIC GREEN MIRROR

VLT 67-13%

Filter Category 1-3

OLE00004.567



LENS BY
ZEISS

PHOTOCHROMIC RED MIRROR

VLT 87-15%

Filter Category 0-3

OLE00004.553



LENS BY
ZEISS

PHOTOCHROMIC FUCHSIA MIRROR

VLT 75-12%

Filter Category 1-3

OLE00004.554

NOSE PADS



LENS BY
ZEISS

HYPE STANDARD NOSE PAD

OAC00014.210



LENS BY
ZEISS

HYPE LOW BRIDGE NOSE PAD

OAC00015.210

NOSE PADS



LENS BY
ZEISS

ALIBI BRIDGE NOSE PAD

OAC00011.210



LENS BY
ZEISS

ALIBI NOSE PAD

OAC00010.210



LENS BY
ZEISS

ALIBI ASIAN FIT NOSE PAD

OAC00012.210

DEMOS



LENS BY
ZEISS

TURQUOISE MIRROR

VLT 11%

Filter Category 3

OLE00003.543



LENS BY
ZEISS

BLUE SKY

VLT 11%

Filter Category 3

OLE00003.512



LENS BY
ZEISS

BROWN

VLT 23%

Filter Category 2

OLE00003.540



LENS BY
ZEISS

GREEN MIRROR

VLT 23%

Filter Category 2

OLE00003.530



LENS BY
ZEISS

ORANGE MIRROR

VLT 35%

Filter Category 2

OLE00003.546



LENS BY
ZEISS

RED MIRROR

VLT 23%

Filter Category 2

OLE00003.519



LENS BY
ZEISS

ROSÈ

VLT 58%

Filter Category 1

OLE00003.539



LENS BY
ZEISS

CLEAR

VLT 85%

Filter Category 0

OLE00003.500



LENS BY
ZEISS

PHOTOCHROMIC PINK MIRROR

VLT 69-12,5%

Filter Category 1-3

OLE00003.544



LENS BY
ZEISS

PHOTOCHROMIC FUCHSIA MIRROR

VLT 75-12%

Filter Category 1-3

OLE00003.554

SPECTRO



LENS BY
ZEISS

TURQUOISE MIRROR

VLT 11%

Filter Category 3

OLE00002.543



LENS BY
ZEISS

SUPER SILVER MIRROR

VLT 11%

Filter Category 3

OLE00002.542



LENS BY
ZEISS

SUPER BRONZE MIRROR

VLT 12%

Filter Category 3

OLE00002.529



LENS BY
ZEISS

GREEN MIRROR

VLT 23%

Filter Category 2

OLE00002.530



LENS BY
ZEISS

ORANGE MIRROR

VLT 35%

Filter Category 2

OLE00002.546



LENS BY
ZEISS

RED MIRROR

VLT 23%

Filter Category 2

OLE00002.519



LENS BY
ZEISS

ROSÈ

VLT 58%

Filter Category 1

OLE00002.539



LENS BY
ZEISS

CLEAR

VLT 85%

Filter Category 0

OLE00002.500



LENS BY
ZEISS

PHOTOCHROMIC PINK MIRROR

VLT 69-12,5%

Filter Category 1-3

OLE00002.544



LENS BY
ZEISS

PHOTOCHROMIC TURQUOISE MIRROR

VLT 71-15%

Filter Category 1-3

OLE00002.556

NOSE PADS



BRIDGE NOSE PAD

CAC00010.210



NOSE PAD

CAC00009.210



ASIAN FIT NOSE PAD

CAC00011.210

NOSE PADS



BRIDGE NOSE PAD

CAC00010.210



NOSE PAD

CAC00009.210



ASIAN FIT NOSE PAD

CAC00011.210

NEBULA



CLEAR ☁️
VLT %
Filter Category 0
OLE00008.500

SUPERNOVA



CLEAR ☁️
VLT 90%
Filter Category 0
OLE00006.500

EDGE



BLUE MIRROR ☀️
VLT 16%
Filter Category 3
CLE00003.523

RED MIRROR ☁️
VLT 26%
Filter Category 2
OLE00003.519

PINK MIRROR ☁️
VLT 70%
Filter Category 1
OLE00003.531

CLEAR ☁️
VLT 91%
Filter Category 0
OLE00003.500

NOVA



CLEAR ☁️
VLT 90%
Filter Category 0
OLE00005.500

LENS PROTECTIVE FILM



**EDGE LENS
PROTECTIVE FILM (5 PCS)**
OAC00006



BOX SET



Sales support

MERCHANDISING



KOO BLUE T-SHIRT MAN
XME00059



KOO BLUE T-SHIRT WOMAN
XME00060



KOO BLUE MESH CAP
XME00091



KOO CAT T-SHIRT MAN
XME00082



KOO CAT T-SHIRT WOMAN
XME00083



KOO NECK WARMER
XDI00101



KOO FLOOR DISPLAY BLUE/CAT
XDI00155

LXWXH 50X50X190 CM



KOO LOCKING DESK DISPLAY WHITE/BLUE
XDI00154

LXWXH 40X25X62 CM



KOO LOGO BLOCK WHITE
XDI00156

LXWXH 18X5X26,5 CM

POP



KOO OFFICIAL DEALER WINDOW STICKER
XDI00080

LXH 18X8 CM



KASK S.P.A.

Via Firenze 5, 24060 Chiuduno (BG) - ITALY

T. +39 035 4427497

info@kask.com - kask.com

©KASK2025

 KASK sport

 kask_sport

 Kask Sport

 Kask Cycling

 Kask_Sport

 KASK Sport

KOO Eyewear

Business division of KASK S.P.A.

Via Firenze 5, 24060 Chiuduno (BG) - ITALY

T. +39 035 4427497

info@kooworld.cc - kooworld.cc

 KOO Eyewear

 koo_world

 KOO world


DEDA CATALOGUE

2026



Celebrating Cycling:
Gravel, Road, MTB, Crono, Pista, Icon

Deda



Sommario contenuti

Table of contents

Sostenibilità in Deda Sustainability at Deda	02	Specifiche della forcella DCR DCR fork specifications	11	Deda bike fit. Manubri ROAD/GRAVEL Deda bike fit. ROAD/GRAVEL Handlebar	16-19
Deda Cycling Club e Tecnologia RFID Deda Cycling Club and RFID Technology	04-07	Serie sterzo DCR Headset DCR	12	Deda bike fit. Attacchi 82°/73° Deda bike fit. Stem 82°/73°	20
Posizionamento prodotti Products comparison chart	09	Serie sterzo S-DCR S-DCR headset	13	Deda bike fit. Attacchi 82°/70° Deda bike fit. Stem 82°/70°	21
Configuratore per passaggio cavi interni Configurator for internal cables routing	10	S-DCR Cover Kit S-DCR Cover Kit	15	Cerchi ROAD/GRAVEL ROAD/GRAVEL Rims	22-23



ROAD GRAVEL

→ 024

→ 134



CRONO

→ 176



MTB PISTA ICON

→ 164

→ 206

→ 214

Serie sterzo Headsets	222	Accessori Accessories	238
Nastri manubrio Handlebar tapes	232	Specifiche tecniche e parti di ricambio Technical chart and spare parts	246

SUSTAINABILITY PROGRAM

REDUCE
REUSE
RECYCLE

PACKAGING DA FONTI RESPONSABILI PACKAGING FROM RESPONSIBLE SOURCES	IMPRONTA DI CARBONIO CARBON FOOTPRINT	RICICLARE RECYCLING
Stiamo aumentando la quantità di packaging realizzato con certificazione FSC e FSC misto. L'obiettivo dell'azienda è di raggiungere il 100% di packaging certificato FSC entro il 2026. Il Forest Stewardship Council (FSC) è un'ONG internazionale senza scopo di lucro. L'FSC ha dato vita ad un sistema di certificazione forestale riconosciuto a livello internazionale. La certificazione ha come scopo la corretta gestione forestale e la tracciabilità dei prodotti derivati. Il logo di FSC garantisce che il prodotto è stato realizzato con materie prime derivanti da foreste correttamente gestite secondo i principi dei due principali standard: gestione forestale e catena di custodia. Scopri di più su fsc.org We are increasing the amount of mixed FSC and FSC certified packaging. The company's goal is to achieve 100% FSC certified packaging by 2026. The Forest Stewardship Council (FSC) is an international Non-Profit Organization established in 1993 that promotes responsible management of the world's forests. The FSC has created an internationally recognized forest certification system. The certification has as its purpose the correct forest management and the traceability of derived products. The FSC logo guarantees that the product has been made with raw materials deriving from forests correctly managed according to the principles of the main standards: forest management and chain of custody. Find more at fsc.org	Le principali sedi operative del gruppo Dedaindustrie, Deda Elementi e Dedacciai verranno dotate progressivamente di impianti fotovoltaici per un potenza totale installata di 175 kW. Una scelta coerente con la mission dell'azienda che da decenni sviluppa, produce e commercializza prodotti destinati non solo al ciclismo ma più in generale al mondo sportivo. È sempre più evidente come siano necessarie azioni importanti e significative sul fronte ecologico e dell'impatto ambientale associate al futuro dello sviluppo economico di ogni azienda. L'approvvigionamento energetico è infatti un tema di primaria importanza, per questo motivo è stato avviato un progetto che ha visto l'installazione di un impianto fotovoltaico di ultima generazione di 3.000 mq. L'impianto garantirà una produzione annuale di 190.000 kWh in grado di coprire il 65% del proprio fabbisogno. Si stima che in 25 anni l'azienda eviterà l'emissione di 1.151 tonnellate di CO₂. The headquarters of Dedaindustrie group, Deda Elementi and Dedacciai will soon expand their solar panel initiative by installing more across the factory buildings taking the total production of 175,000 kW per year. This decision aligns perfectly with the historic mission of the company to develop, manufacture and market products intended not only for cycling but for the sporting industry in general. It is increasingly evident as time goes on that significant and meaningful actions are necessary on an ecological front and on the environmental impact associated with the economic development of the Dedaindustrie group. Energy supply is a topic of high priority and for this reason a project was launched which saw the installation of 3,000 sqm latest generation solar panels. In doing so, the plant will guarantee an annual production of 190.000 kWh capable of covering 65% of its needs. By committing to this plan, it is estimated that in 25 years, the Dedaindustrie group will have cut down emissions of CO₂ by 1,151 tonnes.	Stiamo sostituendo progressivamente il packaging in plastica con carta a più basso impatto ecologico. Inoltre l'utilizzo di plastica sarà limitato all'utilizzo di materiale rigenerato. L'obiettivo dell'azienda è di ridurre del 50% l'utilizzo di plastica entro il 2026 e essere plastic-free nel 2030. We are progressively replacing plastic packaging with paper with a lower ecological impact. Furthermore, the use of plastic will be limited to the use of regenerated material. The company's goal is to reduce plastic use by 50% within 2026 and be plastic-free in 2030.

[fsc.org](https://www.fsc.org)

100% FSC



DEDA CYCLING CLUB

IT • Deda Cycling Club è la community riservata ai possessori dei prodotti premium Deda — uno spazio dove performance, innovazione e una passione per il ciclismo si incontrano. All'interno del Club, i membri hanno accesso ad attività esclusive, anteprime, oltre ad fare di un gruppo di appassionati che vivono il ciclismo con la stessa intensità. Che tu stia inseguendo nuovi record personali, esplorando strade inesplorate o semplicemente vivendo il ciclismo a 360°, il Deda Cycling Club è il posto giusto per te.

EN • Deda Cycling Club is a private community reserved exclusively for owners of Deda's premium products — a space where performance, innovation, and an enduring passion for cycling come together. Within this Club, members gain access to exclusive events, early product previews and a network of like-minded enthusiasts who live and breathe the sport. Whether you're chasing personal bests, exploring new roads, or simply celebrating the art of cycling, the Deda Cycling Club is your home for elevating every ride.


VANTAGGI PER I MEMBRI MEMBER BENEFITS

1	2	3	4
ESTENSIONE DELLA GARANZIA EXTENDED WARRANTY	POLIZZA INCIDENTI CRASH POLICY	VERIFICA DELL'AUTENTICITÀ AUTHENTICITY VERIFICATION	INIZIATIVE SPECIALI SPECIAL INITIATIVES
IT • Goditi la tranquillità di una garanzia di 4 anni, anziché i 2 anni standard. EN • Enjoy peace of mind with a 4-year warranty, instead of the standard 2 years.	IT • Gli imprevisti possono capitare. Ottieni uno sconto del 50% su un prodotto sostitutivo entro i primi 2 anni. EN • Accidents happen. Get a 50% discount on a replacement within the first 2 years.	IT • Conferma che il tuo prodotto Deda sia 100% originale. EN • Confirm your product is 100% original Deda.	IT • Partecipa ad eventi esclusivi e ottieni i vantaggi riservati alla community. EN • Take part in exclusive events and enjoy the benefits reserved for the community.

COME REGISTRARSI HOW TO REGISTER

IT • I prodotti premium Deda sono dotati di un esclusivo tag RFID. Utilizzando uno smartphone con tecnologia NFC, gli utenti possono connettersi istantaneamente a una pagina web sicura pensata per una registrazione semplice e veloce al Deda Cycling Club. Questa interazione wireless collega il prodotto fisico a una piattaforma digitale.
La tecnologia RFID è attualmente presente su alcuni dei prodotti di alta gamma di Deda, nello specifico i manubri in carbonio Alanera RS e Omnium, e le ruote in carbonio RS4, SL5, SL7 e Hero RS. Ogni prodotto dotato di tag rappresenta non solo il massimo in termini di prestazioni e design, ma anche una porta d'accesso a un mondo esclusivo di vantaggi.
Una volta attivato, il proprietario del prodotto accede a contenuti personalizzati, supporto tecnico, promozioni esclusive e attività riservate ai membri del Club.

EN • Deda's premium products are equipped with a unique RFID tag seamlessly integrated into each component. Using any NFC-enabled smartphone, cyclists can instantly connect to a secure web page designed for effortless registration to the Deda Cycling Club. This wireless interaction bridges the physical product with a digital platform.
This cutting-edge RFID technology is currently featured on a selection of Deda's most advanced components, in particular the Alanera RS and Omnium carbon handlebars, as well as the RS4, SL5, SL7, and Hero RS carbon wheels. Each tagged product not only represents peak performance and design, but also serves as a gateway to an exclusive world of benefits.
Upon activation, owners unlock access to tailored content, technical support, special promotions, and club-only experiences.



6

Tecnologia RFID

RFID Technology


Verifica dell'originalità ed estensione della garanzia.

Alcuni prodotti d'alta gamma come i manubri Alanera RS e Omnium e le ruote RS4, SL5, SL7 e HERO RS sono dotati di un RFID univoco che funziona con qualsiasi smartphone utilizzando la tecnologia NFC. La tecnologia wireless NFC consente la connessione ad una pagina web sicura per la registrazione del prodotto.


Originality verification and warranty extension.

Some high-end products such as the Alanera RS and Omnium handlebars and the RS4, SL5, SL7, and HERO RS wheels are equipped with a unique RFID that works with any smartphone using NFC technology. The wireless NFC technology enables connection to a secure web page for product registration.

ALANERA RS • OMNIUM



RS4 • SL5 • SL7 • HERO RS



01

IT • Cerca il tag RFID presente sul tuo prodotto Deda.
EN • Find the RFID tag on your Deda product.

02

IT • Scansiona il tag RFID avvicinandoti col tuo smartphone.
EN • Scan the RFID tag approaching it with your smartphone.

03

IT • Seleziona nel menu il tuo prodotto. Successivamente seleziona le voci "Estendi la garanzia" e "Verifica l'originalità".
EN • Select your product from the menu. Then, select the options "Extend the warranty" and "Check originality."

04

IT • Eseguita l'operazione riceverai una mail col certificato riportante diverse informazioni sul tuo prodotto.
EN • Once the operation is completed, you will receive an email with the certificate with relevant info.





Posizionamento prodotti

Products comparison chart

ROAD	Compatibilità Manubrio Handlebar Compatibility		CAMPAGNOLO™	SHIMANO™	SRAM™
	DCR (Internal cable routing)	S-DCR (Semi-internal cable routing)			
Alanera RS	●	●	Super Record	Dura-Ace	RED
Vinci	●	●	Super Record	Dura-Ace	RED
Superleggera RS	-	●	Super Record	Dura-Ace	RED
Superzero RS Carbon	●	●	Super Record	Dura-Ace	RED
Superzero RS Alloy	●	●	Record/Chorus	Ultegra	Force
Zero100	-	●	Chorus	Ultegra	Force
Zero2 DCR	●	●	Chorus/Centaur	Ultegra/105	Rival
Zero2	-	●	Chorus/Centaur	Ultegra/105	Rival
Zero1	-	●	Centaur	105/Tiagra	Apex
Zero*	-	●	-	Sora/Claris	Apex

* Prodotto disponibile solo per OEM / Available product for OEM only


GRAVEL	Compatibilità Manubrio Handlebar Compatibility		CAMPAGNOLO™	SHIMANO™	SRAM™
	DCR (Internal cable routing)	S-DCR (Semi-internal cable routing)			
Superzero Gravel Carbon	●	●	EKAR	GRX 820	RED/Force
Superzero Gravel Alloy	●	●	EKAR/GT	GRX 820/610	RED/Force
Gravel 100	-	●	EKAR/GT	GRX 820/610	Force/Rival
Gravel 100 OEM*	-	●	-	GRX 610/400	Rival/Apex
Gera Carbon	●	●	EKAR/GT	GRX 820	Force
Gera Alloy	●	●	EKAR/GT	GRX 820/610	Force/Rival





* Prodotto disponibile solo per OEM / Available product for OEM only

MTB			
	SHIMANO™	SRAM™	
Cross	XTR/XT	XX1/X01	
Peak	SLX/DEORE	GX/NX	

Configuratore Deda per passaggio cavi interni

Deda Configurator for internal cables routing

DCR SYSTEM		Bike Configuration	Hydraulic Brake System		Caliper Brake System	
 Vinci Cockpit	Prodotti/Products		Cambio meccanico/ Mechanical Shifting	Cambio elettronico/ Electric Shifting	Cambio meccanico/ Mechanical Shifting	Cambio elettronico/ Electric Shifting
					 Cavo freno anteriore esterno/ External front brake cable	 Cavo freno anteriore esterno/ External front brake cable
	Manubri/ Handlebar	Alanera RS	—	●	● *	●
		Vinci	●	●	●	●
		Superzero Carbon/Alloy	●	●	●	●
		Gera Carbon/Alloy	●	●	●	●
		Zero 2 DCR	●	●	●	●
	Attacchi/ Stem	Vinci	●	●	●	●
		Superbox	● *	●	● *	●
			* Solo per forcella D-Shape / Only for D-Shape fork type			

S-DCR SYSTEM		Bike Configuration	Hydraulic Brake System		Caliper Brake System	
			Cambio meccanico/ Mechanical Shifting	Cambio elettronico/ Electric Shifting	Cambio meccanico/ Mechanical Shifting	Cambio elettronico/ Electric Shifting
Superbox  S-DCR Headset  S-DCR Cover kit 	Manubri/ Handlebar	Prodotti/Products			 Cavo freno anteriore esterno/ External front brake cable	 Cavo freno anteriore esterno/ External front brake cable
		Superleggera RS	●	●	●	●
		Superzero Carbon/Alloy	●	●	●	●
		Vinci	●	●	●	●
		Gera Carbon/Alloy	●	●	●	●
	Manubri/ Handlebar	Zero 100	●	●	●	●
		Zero 2	●	●	●	●
		Zero 1	●	●	●	●
		Zero	●	●	●	●
	Attacchi/ Stem	Superbox, Superleggero RS, Superzero RS, Zero100, Zero2, Zero1, Zero, Cross, Peak	●	●	●	●
	 Brake Cable  Shifting Cable  Shifting Electric Wire					



Specifiche della forcella DCR

DCR fork specifications

IT • Il sistema DCR richiede la presenza di un foro di ingresso per il cavo freno anteriore posizionato sul canotto forcella. Viene raccomandato un diametro foro di 6 mm con un angolo di 20° per guidare il cavo durante l'assemblaggio.


EN • Deda-DCR System requires an entry a hole for the front brake cable located at the fork steerer. It is recommended a minimum diameter of 6mm with 20° hole angle in order to guide the cable routing during the assembly.

Vinci DCR System nella configurazione con quattro cavi interni.
Vinci DCR System with four internal cables configuration.



Serie sterzo DCR

Headset DCR



IT • Serie sterzo integrata per sistema DCR (Deda internal cable routing) compatibile con l'attacco Vinci, Alanera RS e Superbox. Progettato per un'integrazione completa dei cavi attraverso i cuscinetti sterzo. Il sistema DCR funziona con forcelle standard coniche (1-1/8" - 1.5") e richiede un tubo sterzo telaio con cuscinetto superiore da 52 mm (1.5"). Il design dell'anello di compressione prevede un'apertura che permette l'integrazione dei cavi nell'interspazio tra cuscinetto e forcella. Il topcover DCR per Alanera RS, Vinci e Superbox è incluso con il prodotto.


EN • Integrated headset for DCR (Deda internal cable routing) system and compatible with Vinci, Alanera RS and Superbox stem. It allows the full integration of the cables through the headset bearing. The DCR system works with a standard tapered fork steerer (1-1/8" - 1.5") and requires a 52mm (1.5") upper headset bearing od. The special compression ring design leaves room for the cables to fit the gap in between the headset bearing and the fork. The DCR topcover for Alanera RS, Vinci and Superbox is included in the kit sold with the product.

Modello serie sterzo: Integrata 1.5" - 1.5"	Headset model: Integrated 1.5" - 1.5"
Tipo di cuscinetti: A contatto angolare (ACB) in acciaio cromo	Bearings type: Angular contact bearing; chrome steel
Misura cuscinetti: • Superiore 51,9×40×8 mm • Inferiore 51,9×40×8 mm	Bearings size: • Upper 51,9×40×8 mm • Lower 51,9×40×8 mm
Angolo di contatto: • Superiore: 45°×45° • Inferiore: 45°×45° o 36°×45°	Contact angle: • Upper: 45°×45° • Lower: 45°×45° or 36°×45°
Tubo sterzo telaio: Ø 56.0 mm	Headtube: Ø 56.0 mm
Cannotto forcella: Conica 1 1/8" (28.60 mm) - 1.5" (38.10 mm)	Fork steerer: Tapered 1 1/8" (28.6 mm) - 1.5" (38.10 mm)
Calotta superiore: Ø 56 mm	Top cover: Ø 56 mm
Cono di base: Ø 39.8 mm alluminio. (Incluso solo nella versione 45°×45°)	Crown race: Ø 39.8 mm aluminum. (Only for 45°×45° version)
Altezza serie sterzo: 9.6 mm (8.8 + 0.8)	Stack height: 9.6mm (8.8 + 0.8)
Peso: 80 g	Weight: 80 g
Note: Compatibile solo con telai con tubo sterzo Ø 56 mm per cuscinetti da 1.5" (superiore e inferiore). Il topcover DCR per Alanera, Vinci e Superbox è incluso con il prodotto.	Notes: Compatible with Ø 56 mm frame headtube designed for 1.5" bearings (upper & lower). The DCR topcover for Alanera, Vinci and Superbox is included in the kit sold with the product.


↓ Description	↓ Part Code	↓ EAN13 Code	↓ OEM Part Code	↓ EAN13 OEM Code
DCR headset, 1.5"- 1.5", upper 45°×45°, lower 45°×45°, ACB	HDDCR	8052783485903	HDDCRX	8052783485910
DCR headset, 1.5"- 1.5", upper 45°×45°, lower 36°×45°, ACB	HDDCR-36	8055774364119	HDDCR-36X	8055774364126

Serie sterzo S-DCR

S-DCR Headset



S-DCR Headset



IT • S-DCR è un modello di serie sterzo integrata per sistema DCR (Deda internal cable routing) che permette il passaggio cavi direttamente nel topcover. Questa soluzione rende qualsiasi attacco Deda compatibile con un telaio DCR, una soluzione rapida e intelligente per la maggior parte dei marchi di biciclette. Permette la piena integrazione dei cavi, come la serie sterzo DCR, ma lasciando una parte dei cavi visibile sotto l'attacco manubrio. Il sistema funziona con forcelle standard coniche (1-1/8" - 1.5") e richiede un tubo sterzo telaio con cuscinetto superiore da 52 mm (1.5"). Il design dell'anello di compressione prevede un'apertura che permette l'integrazione dei cavi nell'interspazio tra cuscinetto e forcella. La serie sterzo S-DCR è compatibile anche con i distanziali Deda HSS per una migliore integrazione.


EN • S-DCR model is an integrated headset compatible with DCR system (Deda internal cable routing) that allows the direct cable routing into the topcover. This solution makes any Deda stems fitting a DCR frame, a quick and smart solution for most of bicycle brands. It allows the full integration of the cables, like the DCR headset, but leaving a portion of the cables visible under the stem. The system works with a standard tapered fork steerer (1-1/8" - 1.5") and requires a 52mm (1.5") upper headset bearing od. The special compression ring design leaves room for the cables to fit the gap in between the headset bearing and the fork. The S-DCR headset is also compatible with Deda HSS spacers for a better integration.

Modello serie sterzo:
Integrata 1.5" - 1.5"
Tipo di cuscinetti:
A contatto angolare (ACB)
in acciaio cromo
Misura cuscinetti:
• Superiore 51,9×40×8 mm
• Inferiore 51,9×40×8 mm
Angolo di contatto:
45°×45°
Tubo sterzo telaio:
Ø 56.0 mm
Cannotto forcella:
Conica 1 1/8" (28.60 mm) - 1.5" (38.10 mm)
Calotta superiore:
Ø 56 mm
Cono di base:
Ø 39.8 mm alluminio
Altezza serie sterzo:
16.2 mm
Peso:
90 g
Note:
Compatibile con il passaggio di 4 cavi;
gli spessori DEDA HSS sono
raccomandati per la serie sterzo S-DCR.

Headset model:
Integrated 1.5" - 1.5"
Bearings type:
Angular contact bearing;
chrome steel
Bearings size:
• Upper 51,9×40×8 mm
• Lower 51,9×40×8 mm
Contact angle:
45°×45°
Headtube:
Ø 56.0 mm
Fork steerer:
Tapered 1 1/8" (28.6 mm) - 1.5" (38.10 mm)
Top cover:
Ø 56 mm
Crown race:
Ø 39.8 mm aluminum
Stack height:
16.2 mm
Weight:
90 g
Note:
Compatible with 4 cables routing;
DEDA HSS spacers are recommended
for S-DCR headset.

↓ Description	↓ Part Code	↓ EAN13 Code	↓ OEM Part Code	↓ EAN13 OEM Code
S-DCR headset, 1.5"- 1.5", upper 45°×45°, lower 36°×45°, ACB	HDS-DCR	8055774360074	HDS-DCRX	8055774360081





IT • Il kit S-DCR cover è un'ulteriore applicazione del sistema DCR (Deda internal cable routing). Questa soluzione rende la maggior parte degli attacchi Deda compatibili con un telaio DCR, una soluzione rapida e intelligente per la maggior parte dei marchi di biciclette. Permette la piena integrazione dei cavi nel telaio, come la serie sterzo DCR, ma lasciando una parte dei cavi visibile sotto l'attacco manubrio. Il sistema funziona con forcelle standard coniche (1-1/8" - 1.5") e richiede un tubo sterzo telaio con cuscinetto superiore da 52 mm (1.5"). Il design dell'anello di compressione prevede un'apertura che permette l'integrazione dei cavi nell'interspazio tra cuscinetto e forcella. Il kit S-DCR cover è disponibile con topcover da 56mm per telai standard DCR o con topcover da 46 mm per telai con forcella D-shape.

EN • S-DCR cover kit is a further application of DCR system (Deda internal cable routing). This solution makes most of Deda stems compatible with a DCR frame, a quick and smart solution for most of bicycle brands. It allows the full integration of the cables into the frame, like the DCR headset, but leaving a portion of the cables visible under the stem. The system works with a standard tapered fork steerer (1-1/8" - 1.5") and requires a 52 mm (1.5") upper headset bearing od. The special compression ring design leaves room for the cables to fit the gap in between the headset bearing and the fork. S-DCR cover kit is available with 56 mm topcover for standard DCR frames or with 46 mm topcover for frames featuring a D-shape fork type.

Modello serie sterzo:
Integrata 1.5" - 1.5"
Tubo sterzo telaio:
Ø 56.0 mm
Calotta superiore:
Disponibile per Ø 56 mm o 46 mm (per forcelle D-shape)
Compatibilità attacco manubrio:
Superleggero, Superzero, Zero100, Zero2, Zero1, Zero, Cross, Peak
Peso:
48 g

Headset model:
Integrated 1.5" - 1.5"
Headtube:
Ø 56.0 mm
Top cover:
Available Ø 56 mm or 46 mm (for D-shape fork type)
Stem compatibility:
Superleggero, Superzero, Zero100, Zero2, Zero1, Zero, Cross, Peak
Weight:
48 g







↓ Description	↓ OEM Part Code	↓ EAN13 Code
S-DCR Cover kit, includes cover stem (V1), spacers (1×20;1×10), topcover 46 mm	SDCRCOVERKIT-46NX	8055774367660
S-DCR Cover kit, includes cover stem (V1), spacers (1×20;1×10), topcover 56 mm	SDCRCOVERKIT-56NX	8055774367677

Deda bike fit. Manubri Road

Deda bike fit. Road Handlebar

IT • Il manubrio è uno dei tre principali punti di contatto con la bici e controlla anche il modo in cui la bici si comporta. Svolge anche un ruolo importante in quanto determina la transizione tra la parte superiore, le leve o la posizione bassa e influisce sulla capacità di utilizzare efficacemente la bicicletta. Durante una corsa in pianura, in salita o in discesa, il comfort e una buona postura sono di vitale importanza. In Deda puoi trovare manubri per soddisfare le esigenze di tutti i tipi di ciclisti.

EN • The handlebar is one of the three major contact points with the bike and it also controls how the bike handles. It plays also an important role as it determines the transition between the top, hoods or drop position, and affects the capability of using effectively the bicycle. On a flat ride, uphill or descent, comfort and good posture are of vital importance. At Deda you can find handlebars to meet the needs of all types of cyclists.

RHM-EVO  → Alanera RS, Superzero RS Carbon, Superzero RS Alloy, Zero 2 DCR IT • Profondità ridotta / Maggior comfort nella presa bassa / Transizione veloce da leve a manubrio. Uso: racing e endurance EN • Compact drop / More comfort on the low position / Fast transition levers to drop. Use: road racing and endurance	RHM  → Superleggera RS, Superleggera, Vinci, Superzero Alloy, Zero 100, Zero 2, Zero 1, Zero, Piegia (Ø26) IT • Comfort / Profondità e altezza compatta / Transizione veloce da leve a manubrio. Uso: racing e endurance EN • Comfort / Compact reach and drop / Fast transition levers to drops. Use: road racing and endurance	SUPER SHALLOW  → Vinci Shallow IT • Posizione ravvicinata delle leve / Più comfort / Facilità di presa. Uso: racing & endurance EN • Shifter closer position / More comfort / Perfect grip. Use: road racing & endurance
SHALLOW  → Zero 100 Shallow, Speciale (Ø26) IT • Posizione più bassa / Comfort / Facilità di presa. Uso: racing e endurance EN • Lower position / Comfort / Adjustability. Use: road racing and endurance	DEEP  → Zero100 Deep IT • Posizione bassa estrema molto profonda, ideale per braccia molto lunghe. Uso: pista e racing EN • Extreme lower position, longest reach, suitable for rider with longer torso/arms. Use: track and road racing	ANATOMIC  → Zero100 Anatomic IT • Curva ergonomica / Posizioni fisse delle mani. Uso: sportivo e racing EN • Ergonomic drops / Precise hand positions. Use: sportive & road racing






Deda bike fit. Manubri Gravel

Deda bike fit. Gravel Handlebar

IT • La gamma Gravel Deda è una linea di prodotti espressamente progettati per ciclisti che vogliono essere liberi di pedalare ovunque vogliano. Per la progettazione di questi prodotti abbiamo tenuto in considerazione che le bici gravel sono fatte per affrontare condizioni molto varie da normali strade bianche a terreni molto duri e veloci. In Deda puoi trovare manubri di varie forme, una gamma di drop, reach, larghezze e materiali per soddisfare le esigenze di tutti i tipi di ciclisti.

EN • The Deda Gravel range is a line of products especially designed for cyclists that want to be able to ride wherever they want. When we have designed these products, we kept in mind that gravel bikes are made to face a wide range of conditions from regular white roads to hard and fast terrains. At Deda you can find gravel handlebars of various shapes, a range of drops, reach, widths and materials to meet the needs of all types of cyclists.

→ **Superzero Gravel Carbon**






EOS
Speed

IT • Posizione ravvicinata delle leve / Maggior comfort in presa bassa / Ottimo controllo su terreni impegnativi (Angolo apertura 16°).

EN • Closer position of brake levers / More comfort on the low position / More stability on challenging terrains (16 degrees flare angle).

→ **Superzero Gravel Alloy**






RHM-EVO

IT • Profondità ridotta / Maggior comfort nella presa bassa / Transizione veloce da leve a manubrio. Ottimo controllo su terreni impegnativi (Angolo apertura 16°).

EN • Compact drop / More comfort on the low position / Fast transition levers to drop. Great stability on challenging terrains (16 degrees flare angle).

→ **Gravel100**




RHM

IT • Stessa presa RHM manubri da corsa / Ottimo controllo su terreni impegnativi (Angolo apertura 12°. Angolo esterno 2°)

EN • Regular RHM shape of road handlebars / Great stability on challenging terrains (12 degrees flare angle. 2 degrees outswEEP angle)

EOS Endurance


→ Gera Carbon



IT • Multiple opzioni per la posizione delle mani / Leve in posizione super ravvicinata / Estremo comfort in presa bassa / Ottimo controllo su terreni impegnativi (Angolo esterno 16°).

EN • Multiple hands positions / Super close position of brake levers / Superior comfort on the low position / More stability on challenging terrains (16 degrees outswEEP angle).

→ Gera Alloy



IT • Multiple opzioni per la posizione delle mani / Leve in posizione super ravvicinata / Estremo comfort in presa bassa / Estremo controllo su terreni impegnativi (Angolo apertura 24°).







EN • Multiple hands positions / Super close position of brake levers / Superior comfort on the low position / Extreme stability on challenging terrains (24 degrees flare angle).

Deda bike fit. Attacchi

Deda bike fit. Stem

82°/73°

IT • L'importanza di un attacco adatto alle tue esigenze. Tutti gli attacchi Deda sono realizzati in alluminio, dall'alta gamma in 7050 e 2014 alla più comune lega 6061. La nostra filosofia è progettare e realizzare prodotti utilizzando i migliori materiali in termini di resistenza e leggerezza. Per gli attacchi quel materiale è ancora l'alluminio. Il comfort del ciclista dipende dalla lunghezza e dall'angolazione dell'attacco. In Deda puoi trovare attacchi di varie lunghezze e angoli. Recentemente lo stile di guida sulla bicicletta e la posizione sono cambiati molto, infatti, offriamo attacchi con molte opzioni di angolo come 82°, 73° e 70°.


**90****100****110****120****130****140**

Deda bike fit. Attacchi


Deda bike fit. Stem

82°/70°


EN • The importance of a bicycle stem that fits your needs. All Deda stems are made in aluminium, from high-end 7050 and 2014 to the most common 6061 alloy series. Our philosophy is to design and manufacture products by using the best materials in terms of strength and lightness. For bicycle stems that material is still the aluminium. The cyclist's comfort depends on the stem length and angle. At Deda you can find bicycle stems of various lengths and angles. Recently the riding style on the bicycle and position has changed a lot, in fact, we offer stems with many angle options such as 82°, 73° and 70°.




90




100




110



120



130








140


Cerchi Road

Road Rims

Cerchi road per freni a disco. Tubeless ready
Road rims disc brake. Tubeless ready

RS4	
RS3	
SL7	
SL5	
HERO RS	

Cerchi road per freni a disco. Tubolare
Road disc brake. Tubular


SL3	

Cerchi Gravel


Gravel Rims

Cerchi gravel per freni a disco. Tubeless ready
Gravel rims disc brake. Tubeless ready

GERA CARBON



GERA ALLOY



ROAD

Ruote/Wheels	26-57	Superzero RS	96
NEW SL5	26-31	Superzero RS Carbon → Manubrio/Handlebar	98
NEW SL7	32-37	Superzero RS → Attacco/Stem	101
Tecnologia Mozzi Allroad/ Allroad Hub Technology	39	Superzero RS Alloy → Manubrio/Handlebar	102
Nuovo cerchio da 23C/ The new 23C rim	40	Superzero	
Tecnologia RFID/ RFID Technology	41	Superzero Alloy DCR → Manubrio/Handlebar	104
NEW HERO RS	42-47	Superzero → Attacco/Stem	106
RS4	48	Zero100	108
RS3	50	Zero100 RHM → Manubrio/Handlebar	110
SL3	52	Zero100 Shallow → Manubrio/Handlebar	111
Disc Brake Rotor	54	Zero100 Deep → Manubrio/Handlebar	112
Accessori ruote/Wheels accessories	56	Zero100 Anatomic → Manubrio/Handlebar	113
Alanera RS → Manubrio/Handlebar	58-71	Zero100 → Attacco/Stem	114
RS Seatpost		Zero100 Team 70° → Attacco/Stem	115
RS Seatpost 0 mm → Reggisella/Seatpost	72	Zero100 12 mm → Reggisella/Seatpost	116
NEW RS Seatpost 12 mm → Reggisella/Seatpost	72	Zero100 0 mm → Reggisella/Seatpost	117
RS Seatpost 25 mm → Reggisella/Seatpost	72	Zero2	118
Vinci	74	Zero2 DCR → Manubrio/Handlebar	120
Vinci RHM → Manubrio/Handlebar	76	Zero2 → Manubrio/Handlebar	121
Vinci Shallow → Manubrio/Handlebar	77	Zero2 → Attacco/Stem	122
Vinci → Attacco/Stem	78	Zero2 → Reggisella/Seatpost	123
Accessori Vinci/Vinci accessories	80	Zero1	124
Superbox V2 → Attacco/Stem	82	Zero1 → Manubrio/Handlebar	126
Accessori Superbox/Superbox accessories	85-86	Zero1 → Attacco/Stem	127
Superleggera RS	88	Zero1 → Reggisella/Seatpost	128
Superleggera RS → Manubrio/Handlebar	90	Zero	
Superleggero RS → Attacco/Stem	91	Zero → Manubrio/Handlebar	130
Superleggera	92	Zero → Attacco/Stem	131
Superleggera → Manubrio/Handlebar	94	Zero 17° → Attacco/Stem	132
Superleggero → Attacco/Stem	95	Zero → Reggisella/Seatpost	133



SL5


Ride on Air

IT • Progettata per ciclisti che richiedono performance, durata e velocità, la ruota in carbonio SL5 trova il perfetto equilibrio tra efficienza aerodinamica e versatilità.

EN • Engineered for riders who demand precision, durability, and speed, the SL5 carbon wheelset strikes the perfect balance between aerodynamic efficiency and everyday usability.







**For me, the bike means freedom; my way of life.
Thanks to the bike, I try to inspire other women,
especially girls who can look up to a woman
as a inspiration on these days.**

ANE SANTESTEBAN. LABORAL KUTXA

SL5

UCI Approved Tubeless Ready


 Road  Gravel




IT • Progettata per ciclisti che richiedono performance, durata e velocità, la ruota in carbonio SL5 trova il perfetto equilibrio tra efficienza aerodinamica e versatilità. Con un'altezza del cerchio di 50 mm e una larghezza interna di 23 mm, la SL5 garantisce un supporto eccezionale del pneumatico e stabilità, sia che si scelga una configurazione clincher o tubeless. Realizzata in fibra di carbonio ad alto modulo UD e 3K, la SL5 assicura rigidità straordinaria e una trasmissione di potenza reattiva, mantenendo al contempo un peso contenuto di soli 1.390 g per coppia. Dotata di nuovi mozzi "Allroad", cuscinetti in acciaio e un robusto sistema di ingaggio a doppio cricchetto da 40 denti, la SL5 garantisce alto scorrimento e una trasmissione delle potenza rapida e efficiente. EN • Engineered for riders who demand precision, durability, and speed, the SL5 carbon wheelset strikes the perfect balance between aerodynamic efficiency and everyday usability. Featuring a 50 mm rim height and a 23 mm internal width, the SL5 delivers exceptional tire support and stability, whether you choose clincher or tubeless setups. Made in high-modulus UD & 3K carbo fiber, the SL5 ensures outstanding stiffness and responsive power transfer, all while maintaining a lightweight profile at just 1,390 g per pair. Equipped with new "Allroad" hubs, steel bearings, and a robust 40-tooth dual-ratchet engagement system, the SL5 guarantees smooth rolling and efficient power trasmission.	Materiale: Fibra di carbonio ad alto modulo, struttura combinata UD e 3K Altezza del cerchio: 50 mm Larghezza del cerchio: • 28 mm esterna • 23 mm interna (ETRTO 622×23C) Raggi: 24 raggi, anteriore e posteriore; neri Nipples: Nipples autobloccanti ABS®, in alluminio, lunghezza 15 mm, neri Mozzo: • Corpo mozzo in alluminio AL7075, asse anteriore da 17 mm, posteriore da 15 mm, cuscinetti in acciaio • Sistema a 2 cricchetti da 40 denti (40T) Fissaggio disco freno: Shimano Center Lock Compatibilità perno passante: • Anteriore 12×100 mm • Posteriore 12×142 mm Corpetto ruota libera: • Shimano, SRAM XDR, Campagnolo N3W Accessori inclusi: Nastro per cerchio tubeless, valvole tubeless, ghiera di bloccaggio Center Lock, lubrificante per cricchetti. Compatibilità pneumatici: Copertoncino (clincher) o tubeless-ready Peso: 1.390 g	Material: High modulus carbon fiber, UD and 3K combined structure Rim height: 50 mm Rim width: • 28 mm external • 23 mm internal (ETRTO 622×23C) Spokes: 24 spoke, front and rear; black Nipples: Self-locking ABS® nipples, aluminum, 15 mm length, black Hub: • AL7075 hub body, 17 mm front axle, 15 mm rear axle, steel bearings • 40T 2-ratchet Disc brake rotor: Shimano Center Lock Thru-axle compatibility: • Front 12×100 mm • Rear 12×142 mm Freehub: • Shimano, Sram XDR, Campagnolo N3W Accessories included: Tubeless rim tape, tubeless valves, Center Lock lockring, freehub ratchets lubricant. Tire compatibility: Clincher or tubeless-ready Weight: 1.390 g
---	---	--



SL5 + RFID Technology







1 • Washer per l'alloggiamento della molla/
Washer for spring housing

2 • Molla cilindrica/Cylindrical spring

3 • Cricchetto interno/Inner ratchet


4 • Cricchetto esterno/Outer ratchet

↓ Description	↓ Deda Part Code	↓ EAN13 Code
SL5 DB, Wheels, Carbon, Tubeless-ready, 50 mm, 23C, Shimano	WDS5DB-SHI	8055774369893
SL5 DB, Wheels, Carbon, Tubeless-ready, 50 mm, 23C, Sram XDR	WDS5DB-XDR	8055774369909
SL5 DB, Wheel front, Carbon, Tubeless-ready, 50 mm, 23C	WDS5DB-F	8055774369916
SL5 DB, Wheel rear, Carbon, Tubeless-ready, 50 mm, 23C, Shimano	WDS5DB-RSHI	8055774369923
SL5 DB, Wheel rear, Carbon, Tubeless-ready, 50 mm, 23C, Sram XDR	WDS5DB-RXDR	8055774369930

SL7

Ride on Air





Sprinting, for me, is about nano-second decision making with the briefest glimpse in your peripheral vision. It's instinct, speed and ultimately the single-minded desire to finish first. SAM BENNET. DECATHLON AG2R LA MONDIALE TEAM



SL7

UCI Approved

Tubeless Ready

 Road



IT • La nuova ruota SL7 in carbonio è l'emblema della performance. Con un'altezza del cerchio di 70 mm e una larghezza interna di 23 mm, la SL7 offre il perfetto equilibrio tra vantaggio aerodinamico e stabilità ad alte velocità. Realizzata in fibra di carbonio ad alto modulo con una trama combinata UD e 3K, la SL7 garantisce rigidità e trasferimento di potenza a livello elite, mantenendo al contempo un'ottima sensibilità di guida. Il profilo del cerchio è ottimizzato per fendere l'aria, che tu stia inseguendo una fuga o correndo contro il tempo. Al cuore della SL7 c'è il nuovo mozzo "Allroad" di Deda, con cuscinetti in acciaio e un preciso sistema di ingaggio a 2 cricchetti da 40 denti, per una risposta immediata. Compatibile con rotori Shimano Center Lock e perni passanti moderni 12×100 mm / 12×142 mm, la SL7 è pronta per qualsiasi bici da strada con freni a disco.

EN • With a 70 mm rim depth and 23 mm internal width, the SL7 strikes the perfect balance between aerodynamic advantage and high-speed stability. Crafted from high-modulus carbon fiber with a combined UD and 3K, the SL7 delivers elite-level stiffness and power transfer while maintaining excellent ride feel. The rim profile is optimized to slice through the air—whether you're chasing a breakaway or racing against the clock. At the heart of the SL7 is Deda's new "Allroad" hub, featuring steel bearings and a precise 40-tooth, 2-pawl engagement system for instant response. Compatible with Shimano Center Lock rotors and modern 12×100 mm / 12×142 mm thru-axes, the SL7 is ready for any disc brake road bike.

Materiale:

Fibra di carbonio ad alto modulo, struttura combinata UD e 3K

Altezza del cerchio:

70 mm

Larghezza del cerchio:

- 28 mm esterna
- 23 mm interna (ETRTO 622×23C)

Raggi:

24 raggi, anteriore e posteriore, neri

Nipples:

Nipples autobloccanti ABS®, in alluminio, lunghezza 15 mm, neri

Mozzo:

- Corpo mozzo in alluminio AL7075, asse anteriore da 17 mm, posteriore da 15 mm, cuscinetti in acciaio
- Sistema a 2 cricchetti da 40 denti (40T)

Fissaggio disco freno:

Shimano Center Lock

Compatibilità perno passante:

- Anteriore: 12×100 mm
- Posteriore: 12×142 mm

Corpetto ruota libera:

- Shimano, Sram XDR, Campagnolo N3W

Accessori inclusi:

Nastro tubeless per cerchio, valvole tubeless, ghiera di bloccaggio Center Lock, lubrificante per i cricchetti.

Compatibilità pneumatici:

Copertoncino (clincher) o tubeless-ready

Peso:

1.470 g

Material:

High modulus carbon fiber, UD and 3K combined structure

Rim height:

70 mm

Rim width:

- 28 mm external
- 23 mm internal (ETRTO 622×23C)

Spokes:

24 spoke, front and rear; black

Nipples:

Self-locking abs® nipples, aluminum, 15 mm length, black

Hub:

- AL7075 hub body, 17 mm front axle, 15 mm rear axle, steel bearings
- 40T 2-ratchet

Disc brake rotor:

Shimano Center Lock

Thru-axle compatibility:

- Front 12×100 mm
- Rear 12×142 mm

Freehub:

- Shimano, Sram XDR, Campagnolo N3W

Accessories included:

Tubeless rim tape, tubeless valves, Center Lock lockring, freehub ratchets lubricant.

Tire compatibility:




Clincher or tubeless-ready

Weight:

1.470 g




SL7 + RFID Technology



- 1 • Washer per l'alloggiamento della molla/
Washer for spring housing
- 2 • Molla cilindrica/Cylindrical spring
- 3 • Cricchetto interno/Inner ratchet
- 4 • Cricchetto esterno/Outer ratchet


↓ Description	↓ Deda Part Code	↓ EAN13 Code
SL7 DB, Wheels, Carbon, Tubeless-ready, 70 mm, 23C, Shimano	WDS7DB-SHI	8055774369879
SL7 DB, Wheels, Carbon, Tubeless-ready, 70 mm, 23C, Sram XDR	WDS7DB-XDR	8055774369886
SL7 DB, Wheel front, Carbon, Tubeless-ready, 70 mm, 23C	WDS7DB-F	8055774369947
SL7 DB, Wheel rear, Carbon, Tubeless-ready, 70 mm, 23C, Shimano	WDS7DB-RSHI	8055774369954
SL7 DB, Wheel rear, Carbon, Tubeless-ready, 70 mm, 23C, Sram XDR	WDS7DB-RXDR	8055774369961




Tecnologia Mozzi Allroad

Allroad Hub Technology


Mozzi ALLROAD L'evoluzione dei mozzi RS di Deda I nuovi mozzi Allroad nascono dall'esperienza dei mozzi RS, ma introducono importanti novità in termini di prestazioni e design. Grazie alle flange ribassate, il corpo mozzo è più compatto e aerodinamico, contribuendo a una minore resistenza all'aria e a una maggiore efficienza durante la pedalata. La struttura alleggerita garantisce una riduzione di peso senza comprometterne la robustezza. Il risultato è un mozzo affidabile, scorrevole e pronto ad affrontare ogni tipo di percorso, dall'asfalto al gravel più tecnico. I mozzi Allroad sono pensati per i ciclisti che cercano versatilità, durata e performance, in una soluzione all'avanguardia per le ruote moderne.	ALLROAD Hubs The Evolution of Deda's RS Hubs The new Allroad hubs build on the experience of Deda's RS hubs, introducing key innovations in both performance and design. With lower flanges, the hub body is more compact and aerodynamic, reducing air resistance and improving pedaling efficiency. The lightweight structure ensures a significant weight reduction without compromising strength. The result is a reliable, smooth-running hub ready to tackle any type of terrain, from road to demanding gravel tracks. Allroad hubs are designed for cyclists seeking versatility, durability, and performance, an advanced solution for modern wheels.	
--	--	---

Ratchet libero Ratchet not engaged 	Ratchet innestato Ratchet engaged 	I nuovi mozzi Allroad sono dotati di un sistema a doppio ratchet da 40 denti, per l'innesto della ruota libera. Il ratchet più piccolo si trova nel corpo ruota libera mentre quello più grande si trova all'interno della flangia mozzo. L'angolo di ingaggio è dimezzato rispetto alla generazione precedente, offrendo una risposta immediata alla pedalata. La molla cilindrica assicura maggiore stabilità e costanza nel funzionamento del meccanismo. Inoltre, l'aggiunta di un washer dedicato al supporto della molla riduce ulteriormente gli attriti interni, migliorando la scorrevolezza e l'affidabilità nel tempo.	The new Allroad hubs are equipped with a dual 40-tooth ratchet system for the freewheel engagement. The smaller ratchet is located inside the freehub body, while the larger one is integrated into the hub flange. The engagement angle is halved compared to the previous generation, delivering a quicker response to each pedal stroke. The cylindrical spring ensures greater stability and consistent performance of the mechanism. Additionally, the introduction of a dedicated washer supporting the spring further reduces internal friction, enhancing smoothness and long-term reliability.
--	---	--	--



Nuovo cerchio da 23C

The new 23C rim



IT • Il nuovo cerchio da 23C è progettato per accogliere coperture a partire da 28 mm, migliorando l'aerodinamica complessiva del sistema ruota-pneumatico. I nippli esterni semplificano le operazioni di manutenzione e centratura, rendendo gli interventi rapidi e accessibili. Il sistema ABS® impedisce lo svitamento dei nippli e dei raggi, assicurando stabilità e affidabilità nel tempo. Inoltre, un sottile strato in kevlar e PTFE è stato applicato nella zona di contatto tra nipplo e cerchio: questo migliora la precisione nella regolazione dei nippli e ottimizza l'accoppiamento, riducendo l'attrito e l'usura nel tempo.

Ruota libera disponibile per:

→ Shimano
→ Sram XDR
→ Campagnolo
→ Campagnolo N3W

EN • The new 23C rim is designed to accommodate tires starting from 28 mm, improving the overall aerodynamics of the wheel-tire system. External nipples simplify maintenance and truing operations, making adjustments quick and accessible. The ABS® system prevents loosening of nipples and spokes, ensuring long-lasting stability and reliability. Additionally, a thin PTFE and Kevlar layer has been applied in the contact area between nipple and rim: this enhances nipple adjustment precision and optimizes the fit, reducing friction and wear over time.

Freehub available for:

→ Shimano
→ Sram XDR
→ Campagnolo
→ Campagnolo N3W

Tecnologia RFID


RFID Technology

Verifica dell'originalità ed estensione della garanzia.

SL5, SL7 e HERO RS sono dotate di un RFID univoco che funziona con qualsiasi smartphone utilizzando la tecnologia NFC. La tecnologia wireless NFC consente la connessione ad una pagina web sicura per la registrazione del prodotto.

Originality verification and warranty extension.

SL5, SL7 and HERO RS come with a unique RFID which works with any smartphone using the NFC technology. The NFC wireless technology allows the connection to a secure landing page for product registration.



01

IT • Cerca il tag RFID presente sul cerchio della ruota.

EN • Find the RFID tag on wheel rim.

02

IT • Scansiona il tag RFID avvicinandoti col tuo smartphone.

EN • Scan the RFID tag approaching it with your smartphone.

03

IT • Seleziona nel menu il tuo prodotto. Successivamente seleziona le voci “Estendi la garanzia” e “Verifica l’originalità”.

EN • Select your product from the menu. Then, select the options “Extend the warranty” and “Check originality.”

04

IT • Eseguita l'operazione riceverai una mail col certificato riportante diverse informazioni sul tuo prodotto.

EN • Once the operation is completed, you will receive an email with the certificate with relevant info.

HERO RS

Ride on Air

IT • Progettata per i ciclisti che aspirano alla performance,

Hero RS è una ruota lenticolare che unisce innovazione, efficienza e leggerezza. Realizzata in fibra di carbonio UD ad alto modulo con costruzione cava, offre il perfetto equilibrio tra rigidità laterale e assorbimento verticale, per una guida aggressiva e un controllo assoluto.

EN • Engineered for cyclists who chase the performance,

the Hero RS rear wheel is a fusion of innovation, efficiency, and lightweight performance. Built with high modulus UD carbon fiber in a hollow-core construction, the Hero RS delivers the perfect balance of lateral stiffness and vertical compliance for aggressive riding and ultimate control.





There's something magical about the rhythm of the road. Some days it's smooth, some days it's brutal — but somehow I always feel at home on my bike. MAGNUS CORT NIELSEN. UNO-X MOBILITY



HERO RS


 Road



IT • Progettata per i ciclisti che aspirano alla performance, Hero RS è una ruota lenticolare che unisce innovazione, efficienza e leggerezza. Realizzata in fibra di carbonio UD ad alto modulo con costruzione cava, offre il perfetto equilibrio tra rigidità laterale e assorbimento verticale, per una guida aggressiva e un controllo assoluto. Grazie a una larghezza interna di 21 mm, si abbina perfettamente a pneumatici moderni più larghi, sia tubeless che copertoncino, garantendo aderenza superiore e scorrevolezza ottimale su strada e sterrato. Il profilo aerodinamico da 28 mm esterni riduce la resistenza all'aria senza compromettere la stabilità. Al centro della Hero RS troviamo un mozzo montato su cuscinetti in acciaio con un sistema a doppio cricchetto da 40 denti che assicura un innesto rapido e affidabile ad ogni colpo di pedale.	Materiale: Struttura cava, fibra di carbonio UD ad alto modulo Finitura: Carbonio UD Larghezza del cerchio: • 28 mm esterna • 21 mm interna (ETRTO 622×21C) Mozzo: • Corpo mozzo in AL7075, asse da 15 mm, cuscinetti in acciaio • Sistema a 2 cricchetti da 40 denti Attacco per disco freno: Shimano Center Lock Compatibilità per perno passante: • Posteriore 12×142 mm Corpetto ruota libera: • Shimano, Sram XDR, Campagnolo N3W Accessori inclusi: Valvole tubeless, ghiera di bloccaggio Center Lock, lubrificante per i cricchetti del corpetto Compatibilità pneumatici: Clincher o tubeless-ready Peso: 970 g	Material: Hollow construction, high modulus UD carbon fiber Finish: Carbon UD Rim width: • 28 mm external • 21 mm internal (ETRTO 622×21C) Hub: • AL7075 hub body, 15 mm axle, steel bearings • 40T 2-ratchet Disc brake rotor: Shimano Center Lock Thru-axle compatibility: • Rear 12×142 mm Freehub: • Shimano, Sram XDR, Campagnolo N3W Accessories included: Tubeless valves, Center Lock lockring, freehub ratchets lubricant. Tire compatibility: Clincher or tubeless-ready Weight: 970 g
---	--	--



HERO RS + RFID Technology



↓ Description	↓ Deda Part Code	↓ EAN13 Code
HERO RS DB, Rear disc wheel, Carbon, Tubeless-ready, Shimano	WDHERORSDB-SHI	8059493280064
HERO RS DB, Rear disc wheel, Carbon, Tubeless-ready, Sram XDR	WDHERORSDB-XDR	8059493280088

RS4


UCI Approved

Tubeless Ready

 Road



IT • La nuova RS4DB definisce un nuovo standard per prestazioni e leggerezza di un set di ruote tubeless per freni a disco. Le ruote presentano un profilo del cerchio di 38 mm e una larghezza di 26 mm (19 mm interna) progettate per essere veloci e leggere su qualsiasi percorso. Il cerchio full carbon è stampato con una tecnologia che permette la distribuzione differenziata dello spessore. Il cerchio è rinforzato nella zona del nipplo e ha uno spessore ridotto fuori da questa zona. Questo porta un importante risparmio di peso sulla parte esterna per ridurre l'inerzia della ruota. I mozzi RS sono più aerodinamici e leggeri rispetto alla precedente generazione, per un risparmio totale di 80g. Il mozzo posteriore è dotato di un sistema a 2-ratchet per l'innesto della ruota libera. Un ratchet più piccolo si trova nel corpo ruota libera mentre il più grande si trova all'interno della flangia del mozzo per una migliore trasmissione della forza del pedale. Il design dei mozzi migliora notevolmente la scorrevolezza delle ruote per una velocità superiore. Il cerchio è costruito con la tecnologia tubeless ready per essere compatibile con pneumatici copertoncino o tubeless. I nippoli interni migliorano l'aerodinamica, mentre il sistema ABS® autobloccante impedisce l'allentamento dei nippoli e dei raggi. Disponibile per cassette Shimano, Sram XDR, Campagnolo, Campagnolo EKAR 13 V.	Materiale: Struttura combinata in fibre di carbonio ad alto modulo UD e 3K con distribuzione differenziata dello spessore Altezza cerchio: 38 mm Larghezza cerchio: • Esterna 26 mm • Interna 19 mm (ETRTO 622×19C) Raggi: 24 raggi, anteriore e posteriore, colore nero Nippoli: Interni in alluminio hexa 5.5 mm, lunghezza 10 mm, self-locking abs® Mozzi: Corpo in alluminio 7075, asse ant. 17 mm, asse post. 15 mm, 20T ratchets, cuscinetti ceramici Rotore del freno a disco: Shimano center lock Compatibilità perno: • Anteriore 12×100 mm • Posteriore 12×142 mm Compatibilità cassetta: Shimano, Sram XDR, Campagnolo, Campagnolo EKAR 13 V Accessori inclusi: Borsa portaruote, nastro e valvole tubeless, ghiera center-lock, lubrificante corpetto ruota libera. Compatibilità pneumatici: Copertoncino o tubeless Peso: 1.340 g	Material: High modulus carbon fiber, ud and 3K combined structure with a differentiated distribution of the thickness Rim height: 38 mm Rim width: • 26 mm external • 19 mm internal (ETRTO 622×19C) Spokes: 24 spoke, front and rear; black Nipples: Internal alloy hexa 5.5 mm, 10 mm length, self-locking abs® Hub: AL7075 hub body, 17 mm front axle, 15 mm rear axle, 20T ratchets, ceramic bearings Disc brake rotor: Shimano center lock Thru-axle compatibility: • Front 12×100 mm • Rear 12×142 mm Freehub: Shimano, Sram XDR, Campagnolo, Campagnolo EKAR 13 SP Accessories included: Tubeless rim tape, tubeless valves, center-lock lockring, wheels bag, freehub ratchets lubricant. Tire compatibility: Clincher or tubeless-Ready Weight: 1.340 g
EN • The new RS4DB defines a new standard for performance and lightness of a tubeless disc brake wheelset. Wheels feature a 38mm rim profile and a 26 mm width (19mm internal) designed to be fast and light on any course. The full carbon rim is molded with a technology that allows the differentiated distribution of the thickness. The rim is reinforced in the nipple area and has reduced thickness out of the nipple area. This bring an important weight saving on the external part to reduce the inertia of the wheel. RS hubs are more aero and lighter compared to the previous generation, for a total weight saving of 80g. The rear hub features a 2-ratchet system for the freehub engagement. A smaller ratchet is located in the freehub body while the bigger is located inside the hub flange for a better pedal's force transmitting. The hubs design considerably improves the wheels smoothness for superior speed. The rim is built with the tubeless-ready technology to be compatible with clincher and tubeless tires. The internal nipples improve aerodynamics, while the self-locking ABS® system prevents the loosening of the nipples and spokes. Available for Shimano, Sram XDR, Campagnolo, Campagnolo EKAR 13 SP.		



↓ Description	↓ Deda Part Code	↓ EAN13 Code
RS4 DB, wheels, carbon, Tubeless-ready, 38mm, 19C, Shimano	WDRS4DB-SHI	8052783489000
RS4 DB, wheels, carbon, Tubeless-ready, 38mm, 19C, Campy	WDRS4DB-CA	8052783489017
RS4 DB, wheels, carbon, Tubeless-ready, 38mm, 19C, Sram XDR	WDRS4DB-XDR	8052783489024
RS4 DB, wheels, carbon, Tubeless-ready, 38mm, 19C, Campy N3W	WDRS4DB-N3W	8055774362481
RS4 DB, front wheel, carbon, Tubeless-ready, 38mm	WDRS4DB-F	8052783489031
RS4 DB, rear wheel, carbon, Tubeless-ready, 38mm, 19C, Shimano	WDRS4DB-RSHI	8052783489048
RS4 DB, rear wheel, carbon, Tubeless-ready, 38mm, 19C, Campy	WDRS4DB-RCA	8052783489055
RS4 DB, rear wheel, carbon, Tubeless-ready, 38mm, 19C, Sram XDR	WDRS4DB-RXDR	8052783489062
RS4 DB, rear wheel, carbon, Tubeless-ready, 38mm, 19C, Campy N3W	WDRS4DB-RN3W	8055774362498


RS3

UCI Approved

Tubeless Ready

 Road

IT • Nuove RS3 in alluminio più leggere e performanti grazie all'upgrade con mozzi di derivazione RS. Sviluppate con i più esigenti teams e triatleti professionisti, le ruote sono perfette in gara quanto nelle fasi di allenamento. Cerchio in alluminio a giunto saldato da 30 mm costruito con la tecnologia tubeless-ready per essere compatibile con pneumatici tipo copertoncino e tubeless. I mozzi RS, qui equipaggiati in versione con cuscinetti acciaio, garantiscono una maggiore scorrevolezza e migliore trasmissione della forza del pedale. Disponibili in finitura POB (Polish on black).	Materiale: Alluminio 6061, saldato Altezza cerchio: 30 mm Larghezza cerchio: • Esterna 23 mm • Interna 19 mm (ETRTO 622×19C) Raggi: 24 raggi, anteriore e posteriore, colore nero Nippli: Nipplo autobloccante abs®, alluminio, 15 mm, colore nero Mozzi: Corpo in alluminio 7075, asse ant. 17 mm, asse post. 15 mm, 20T ratchets, cuscinetti acciaio Rotore del freno a disco: Shimano center lock Compatibilità perno: • Anteriore 12×100 mm • Posteriore 12×142 mm Compatibilità cassetta: Shimano, Sram XDR, Campagnolo Accessori inclusi: Nastro e valvole tubeless, ghiera center-lock, lubrificante corpetto ruota libera. Compatibilità pneumatici: Copertoncino o tubeless; minima larghezza raccomandata 25 mm Peso: 1.640 g	Material: Alloy 6061, welded Rim height: 30 mm Rim width: • 23 mm external • 19 mm internal (ETRTO 622×19C) Spokes: 24 spoke, front and rear; black Nipples: Self-locking abs® nipples, aluminum, 15 mm length, black Hub: AL7075 hub body, 17 mm front axle, 15 mm rear axle, 20T ratchets, steel bearings Disc brake rotor: Shimano center lock Thru-axle compatibility: • Front 12×100 mm • Rear 12×142 mm Freehub: Shimano, Sram XDR, Campagnolo Accessories included: Tubeless rim tape, tubeless valves, center-lock lockring, freehub ratchets lubricant. Tire compatibility: Clincher or tubeless tire; minimum recommended size 25 mm Weight: 1.640 g
--	---	--



↓ Description	↓ Deda Part Code	↓ EAN13 Code
RS3 DB, wheels, aluminium, Tubeless-ready, 30mm, 19C, Shimano	WDRS3DBAL-SHI	8055774362146
RS3 DB, wheels, aluminium, Tubeless-ready, 30mm, 19C, Campy	WDRS3DBAL-CA	8055774362139
RS3 DB, wheels, aluminium, Tubeless-ready, 30mm, 19C, Sram XDR	WDRS3DBAL-XDR	8055774362153
RS3 DB, front wheel, aluminium, Tubeless-ready, 38mm	WDRS3DBAL-F	8055774362160
RS3 DB, rear wheel, aluminium, Tubeless-ready, 38mm, Shimano	WDRS3DBAL-RSHI	8055774362184
RS3 DB, rear wheel, aluminium, Tubeless-ready, 38mm, Campy	WDRS3DBAL-RCA	8055774362177
RS3 DB, rear wheel, aluminium, Tubeless-ready, 38mm, Sram XDR	WDRS3DBAL-RXDR	8055774362191

SL3

UCI Approved




Road



Gravel




IT • Le nuove ruote SL3 tubolari per disc brake ancora più leggere e performanti grazie all'upgrade con mozzi di derivazione RS. Peso completo del set poco sopra i 1.200 grammi. Le ruote presentano un profilo del cerchio di 38 mm e una larghezza di 26 mm progettate per un miglior supporto al tubolare migliorando allo stesso tempo stabilità e guidabilità. La raggiatura a 24 raggi si traduce in alta rigidità. I mozzi RS, qui equipaggiati in versione con cuscinetti acciaio, garantiscono una maggiore scorrevolezza e migliore trasmissione della forza del pedale. È la scelta perfetta anche su qualsiasi tipo di percorso, anche su strade bianche. Disponibili in finitura Team.	Materiale: Struttura combinata in fibre di carbonio ad alto modulo UD e 3K Altezza cerchio: 38 mm Larghezza cerchio: 26 mm esterno Raggi: 24 raggi, anteriore e posteriore; neri Nippli: Nipplo autobloccante abs®, alluminio, 15 mm, colore nero Mozzi: Corpo in alluminio 7075, asse ant. 17 mm, asse post. 15 mm, 20T ratchets, cuscinetti acciaio Rotore freno a disco: Shimano center lock Compatibilità perno: • Anteriore 12×100 mm • Posteriore 12×142 mm Compatibilità cassetta: Shimano, Sram XDR, Campagnolo, Campagnolo EKAR 13V Accessori inclusi: Ghiera center-lock, lubrificante corpetto ruota libera. Compatibilità pneumatici: Solo per tubolare; minima larghezza raccomandata 25 mm Peso: 1.300 g	Material: High modulus carbon fiber, UD & 3K combined structure Rim height: 38 mm Rim width: 26 mm external Spokes: 24 spoke, front and rear; black Nipples: Self-locking abs® nipples, aluminum, 15 mm length, black Hub: AL7075 hub body, 17 mm front axle, 15 mm rear axle, 20T ratchets, steel bearings. Disc brake rotor: Shimano center lock Thru-axle compatibility: • Front 12×100 mm • Rear 12×142 mm Freehub: Shimano, Sram XDR, Campagnolo, Campagnolo EKAR 13 SP Accessories included: Center-lock lockring, freehub ratchets lubricant. Tire compatibility: Tubular only; minimum recommended size 25 mm Weight: 1.300 g
--	--	---



↓ Description	↓ Deda Part Code	↓ EAN13 Code
SL3 TDB Carbon Tubular Wheelset, 38 mm, TEAM finish, Shimano	WDS3TDB-SHI-TEAM	8055774364805
SL3 TDB Carbon Tubular Wheelset, 38 mm, TEAM finish, Campagnolo	WDS3TDB-CA-TEAM	8055774364812
SL3 TDB Carbon Tubular Wheelset, 38 mm, TEAM finish, Campy N3W 13SP	WDS3TDB-N3W-TEAM	8055774364829
SL3 TDB Carbon Tubular Wheelset, 38 mm, TEAM finish, Sram XDR	WDS3TDB-XDR-TEAM	8055774364836
SL3 TDB Carbon Tubular Front Wheel, 38 mm, TEAM finish	WDS3TDB-F-TEAM	8055774364843
SL3 TDB Carbon Tubular Rear Wheel, 38 mm, TEAM finish, Shimano	WDS3TDB-RSHI-TEAM	8055774364850
SL3 TDB Carbon Tubular Rear Wheel, 38 mm, TEAM finish, Campagnolo	WDS3TDB-RCA-TEAM	8055774364867
SL3 TDB Carbon Tubular Rear Wheel, 38 mm, TEAM finish, Campy N3W 13SP	WDS3TDB-RN3W-TEAM	8055774364874
SL3 TDB Carbon Tubular Rear Wheel, 38 mm, TEAM finish, Sram XDR	WDS3TDB-RXDR-TEAM	8055774364881

DB140 & DB160 DISC BRAKE ROTOR

 Road  Gravel



IT • Il nuovo rotore Deda Disc Brake è una scelta eccellente per chi cerca prestazioni elevate sia su strada che su terreni ghiaiosi. La combinazione di materiali di alta qualità, come l'acciaio inossidabile per il disco esterno e l'alluminio per lo spider, garantiscono durata e leggerezza. Bordi arrotondati e i rivetti flottanti con rondelle elastiche coniche, consentono performance di frenata e dissipazione del calore, cruciali soprattutto in situazioni di guida impegnative.

EN • High-performance rotor suitable for road and gravel riding. With its stainless steel outer disc and aluminum spider construction, along with features like rounded edges, floating rivets and conical spring washers, new Deda Disc Brake rotor is designed for optimal braking performance, durability, and heat dissipation.

Materiale:
Costruzione in 2 pezzi
• Disco esterno in acciaio inossidabile (SUS-410 dal Giappone)
• Ragno in alluminio 7075
Rotore:
Design con bordi arrotondati 5 rivetti flottanti con rondelle elastiche coniche
Spessore del disco:
1,8 mm (limite massimo di usura 1,6 mm)
Compatibilità mozzo:
Shimano center lock
Taglie:
Ø 140 e Ø 160 mm
Peso:
• 110 g (140 mm)
• 130 g (160 mm)
Note: raccomandato per uso con pastiglie freno organiche.

Material:
2-piece construction
• Stainless steel outer disc (Japan SUS-410)
• 7075 aluminum spider
Rotor:
Rounded edge design 5 floating rivets with conical spring washers
Disc thickness:
1.8 mm (max wear limit 1.6 mm)
Hub compatibility:
Shimano center lock
Sizes:
Ø 140 and Ø 160 mm
Weight:
• 110 g (140 mm)
• 130 g (160 mm)
Notes: recommended to use with organic brake pads.

↓ Description	↓ Deda Part Code	↓ EAN13 Code
DB140, disc brake rotor, Ø 140 mm, flottante, pista steel, spider aluminium	WD-DB140	8055774365017
DB160, disc brake rotor, Ø 160 mm, flottante, pista steel, spider aluminium	WD-DB160	8055774365024

Caratteristiche principali

Main features

Analisi FEM

• Nello sviluppo dei dischi è stata largamente utilizzata l'analisi FEM (Finite Element Method) per ricercare e determinare la forma più efficiente, che minimizzasse il peso del disco garantendo le massimi prestazioni di frenata.

FEM analysis

• In the development of the disc rotor, FEM analysis (Finite Element Method) was extensively used to search for the most efficient shape that would minimise the weight of the disc while ensuring maximum braking performance.

Vantaggi del disco flottante:



Il disco flottante è realizzato in due pezzi, pista frenante e ragno, offrendo diversi vantaggi rispetto ad un tradizionale disco a pezzo unico:

- 1 • Migliore risposta al calore
- 2 • Maggiore potenza frenante
- 3 • Migliore dissipazione del calore

Floating disc advantages:

The floating disc 2-piece construction offers several advantages over traditional one-piece disc rotors:

- 1 • Better Response to Heat
- 2 • Greater Braking Power
- 3 • Improved Heat Dissipation



Accessori ruote

Wheels accessories

Lubrificante ruota libera Freehub ratchets lubricant	Nastro tubeless Tubeless tape	Ghiera center-lock Center-lock locking	Valvole tubeless Tubeless Valves
			
IT • Grasso lubrificante ruota libera per sistema Ratchet.	IT • Rotolo di nastro tubeless da 11 metri. Disponibile in larghezza 21 e 25 mm.	IT • Ghiera in alluminio per chiusura disco con mozzi center lock. Adatto a perni passanti da 12 e 15 mm.	IT • Valvole tubeless ultraleggere in alluminio con cuore removibile. Disponibili in lunghezza 60 e 80 mm.
EN • Freehub lubricant grease for Ratchet system.	EN • 11 Meters tubeless tape roll. Available in 21 or 25 mm length.	EN • Center-lock locking for disc brake hubs. Suitable for 12 and 15 mm thru axle.	EN • Ultralight tubeless valves with removable valve core. Available in 60 and 80 mm length.

Borsa porta ruote
Wheels bag



IT • Borsa porta ruote (per 1 set) in nylon con imbottiture interne per un trasporto sicuro.

EN • Wheels bag protection (for 1 set) for a safe transport, includes special padding.

Valigetta ricambi ruote
Wheels spare parts box



IT • Valigetta di ricambi ruote destinata a negozi e distributori. Completa di tutti i ricambi per una efficiente manutenzione e rapida sostituzione. Include raggi, cuscinetti, perni, corpetti ruota libera per ogni modello di ruota Deda. Due versioni, per ruote rim brake e disc brake.

EN • Wheels spare parts box is the perfect tool for dealers and distributors. The box includes all spare parts for an efficient service and fast replacement of spokes, bearings, axles, freehub bodies and more. Available in two versions, for rim brake and disc brake.

↓ Description	↓ Deda Part Code	↓ EAN13 Code
Deda Freehub Ratchets Lubricant	WDRATCHET-LUB	8055774361682
Wheels bag, for 1 set	WD43N	8059265683888
Wheels spare parts box – RS and SL series	DWSPBOXRSDB	8055774360043
Kit tubeless tape, 25 mm, roll 11 m, black	WDT25	8052783487884
Kit tubeless tape, 21 mm, roll 11 m, black	WDT21	8052783487792
Lockring for center-lock, Thru Axle 12 & 15 mm	WDLOCKRING	8052783487815
Kit tubeless valve, 60 mm, 1 kit=2 pcs, includes tool key	WDTV1	8052783487839
Kit tubeless valve, 80 mm, 1 kit=2 pcs, includes tool key	WDTV2	8052783487846





ALANERA RS

IT • Alanera RS rappresenta l'apice della tecnologia applicata ai manubri integrati per bici da corsa e gravel, offrendo una combinazione di aerodinamica, comfort e compatibilità con accessori d'alta gamma. Nata dalla solida eredità del primo manubrio integrato vincitore del Tour de France, Alanera RS è pronta a ridefinire i limiti delle prestazioni nel ciclismo moderno.

EN • Alanera RS represents a pinnacle in handlebar technology, combining aerodynamics, comfort and compatibility with cutting-edge accessories to meet the demands of professional cyclists and enthusiasts alike. Born from the legacy of the first integrated handlebars to triumph at the Tour de France, the Alanera RS pushes the boundaries even further.










Integrated Top Cap (No gap)



Deda

Developed and tested
in Milano Wind Tunnel

MM 570 - Road Wind Mountain



Forma:
RHM-EVO

Materiale:
Monoscocca carbonio fibra UD / 3K

Canotto forcella:
11/8" (28,6 mm)

Altezza morsetto:
43,5 mm

Angolo:
82°

Reach:
75 mm

Drop:
120 mm

Flare:
6° (+2,5 cm)

Hardware:
Titanio, PVD nero

Misure:
Vedi pagina taglie

Peso:
340 g (110×42)

Accessori inclusi:
Top cap aerodinamico, spessori serie sterzo e top cover DCR per tubo sterzo da 56 mm e 46 mm. Supporto portacomputer compatibile con Garmin®, Wahoo®, Bryton® e GoPro®.

Note:
Compatibile solo per passaggio cavi completamente interno (2 cavi freno e cavo cambio elettrico).

Shape:
RHM-EVO

Material:
Monocoque construction UD / 3K carbon fiber

Fork steerer:
1 1/8" (28,6 mm)

Clamp Height:
43,5 mm

Angle:
82°

Reach:
75 mm

Drop:
120 mm

Flare:
6° (+2,5 cm)

Hardware:
Titanium, black PVD

Sizes:
See sizes page

Weight:
340 g (110×42)

Included accessories:
Aero topcap, headset spacers and DCR topcover for headtube 56 mm & 46 mm. Computer bike mount for Garmin, Wahoo, Bryton & GoPro.

Notes:
Compatible only with full internal cable routing (2 brake cables & electric shifting wire).

↓ Description	↓ Deda Part Code	↓ EAN13 Code	↓ Deda OEM Part Code	↓ EAN13 OEM Part Code
Alanera RS integrated handlebar, 80×38, RHM-EVO, 6° flare, 82°	ALARS080X38	8055774367370	ALARS080X38X	8055774367387
Alanera RS Integrated Handlebar, 80×40, RHM-EVO, 6° flare, 82°	ALARS080X40	8055774365147	ALARS080X40X	8055774365154
Alanera RS Integrated Handlebar, 80×42, RHM-EVO, 6° flare, 82°	ALARS080X42	8055774365277	ALARS080X42X	8055774365284
Alanera RS integrated handlebar, 80×44, RHM-EVO, 6° flare, 82°	ALARS080X44	8055774365413	ALARS080X44X	8055774365420
Alanera RS integrated handlebar, 90×38, RHM-EVO, 6° flare, 82°	ALARS090X38	8055774367394	ALARS090X38X	8055774367400
Alanera RS Integrated Handlebar, 90×40, RHM-EVO, 6° flare, 82°	ALARS090X40	8055774365161	ALARS090X40X	8055774365178
Alanera RS Integrated Handlebar, 90×42, RHM-EVO, 6° flare, 82°	ALARS090X42	8055774365291	ALARS090X42X	8055774365307
Alanera RS Integrated Handlebar, 90×44, RHM-EVO, 6° flare, 82°	ALARS090X44	8055774365437	ALARS090X44X	8055774365444
Alanera RS integrated handlebar, 100×38, RHM-EVO, 6° flare, 82°	ALARS100X38	8055774367417	ALARS100X38X	8055774367424
Alanera RS Integrated Handlebar, 100×40, RHM-EVO, 6° flare, 82°	ALARS100X40	8055774365192	ALARS100X40X	8055774365185
Alanera RS Integrated Handlebar, 100×42, RHM-EVO, 6° flare, 82°	ALARS100X42	8055774365314	ALARS100X42X	8055774365321
Alanera RS Integrated Handlebar, 100×44, RHM-EVO, 6° flare, 82°	ALARS100X44	8055774365451	ALARS100X44X	8055774365468
Alanera RS integrated handlebar, 110×38, RHM-EVO, 6° flare, 82°	ALARS110X38	8055774367448	ALARS110X38X	8055774367431
Alanera RS Integrated Handlebar, 110×40, RHM-EVO, 6° flare, 82°	ALARS110X40	8055774365208	ALARS110X40X	8055774365215
Alanera RS Integrated Handlebar, 110×42, RHM-EVO, 6° flare, 82°	ALARS110X42	8055774365338	ALARS110X42X	8055774365345
Alanera RS Integrated Handlebar, 110×44, RHM-EVO, 6° flare, 82°	ALARS110X44	8055774365475	ALARS110X44X	8055774365482
Alanera RS integrated handlebar, 120×38, RHM-EVO, 6° flare, 82°	ALARS120X38	8055774367455	ALARS120X38X	8055774367462
Alanera RS Integrated Handlebar, 120×40, RHM-EVO, 6° flare, 82°	ALARS120X40	8055774365222	ALARS120X40X	8055774365239
Alanera RS Integrated Handlebar, 120×42, RHM-EVO, 6° flare, 82°	ALARS120X42	8055774365352	ALARS120X42X	8055774365369
Alanera RS Integrated Handlebar, 120×44, RHM-EVO, 6° flare, 82°	ALARS120X44	8055774365499	ALARS120X44X	8055774365505
Alanera RS integrated handlebar, 130×38, RHM-EVO, 6° flare, 82°	ALARS130X38	8055774367479	ALARS130X38X	8055774367486
Alanera RS Integrated Handlebar, 130×40, RHM-EVO, 6° flare, 82°	ALARS130X40	8055774365246	ALARS130X40X	8055774365253
Alanera RS Integrated Handlebar, 130×42, RHM-EVO, 6° flare, 82°	ALARS130X42	8055774365376	ALARS130X42X	8055774365383
Alanera RS Integrated Handlebar, 130×44, RHM-EVO, 6° flare, 82°	ALARS130X44	8055774365512	ALARS130X44X	8055774365529
Alanera RS integrated handlebar, 140×38, RHM-EVO, 6° flare, 82°	ALARS140X38	8055774367493	ALARS140X38X	8055774367509
Alanera RS Integrated Handlebar, 140×40, RHM-EVO, 6° flare, 82°	ALARS140X40	8055774365550	ALARS140X40X	8055774365260
Alanera RS Integrated Handlebar, 140×42, RHM-EVO, 6° flare, 82°	ALARS140X42	8055774365390	ALARS140X42X	8055774365406
Alanera RS Integrated Handlebar, 140×44, RHM-EVO, 6° flare, 82°	ALARS140X44	8055774365536	ALARS140X44X	8055774365543

Alanera RS Taglie

Alanera RS Sizes

Larghezza • La larghezza dell'Alanera RS, come per tutti i manubri Deda, si misura dal bordo esterno della sezione morsetto leva al bordo esterno dell'altra sezione morsetto leva.


Width • Alanera RS, like all Deda bars, is measured from the outside edge of one hood to the outside edge of the other hood.

Lunghezza • La lunghezza del manubrio Alanera RS è misurata come da schema seguente. Se sostituite un attacco Deda con angolo 82° con una curva Alanera RS, mantenendo la stessa lunghezza dell'attacco, non noterete una differenza significativa nella posizione di guida. Questo perché Alanera RS è progettata per replicare le geometrie e le misurazioni degli attacchi Deda tradizionali, garantendo una transizione senza variazioni notevoli nella postura in sella.

Length • The stem length of the Alanera RS is determined as shown in the image below. If you replace a Deda stem with an 82° angle with an Alanera RS stem of the same length, you will not notice a significant difference in your racing position. This is because the geometry of the Alanera RS is designed to maintain a similar fit and position, even when switching from a traditional stem to the integrated setup.

WO	W1	Lunghezza attacco (LO) Stem Ext. (LO)	Su ordinazione On demand
38	40,5	80 • 90 • 100 • 110 mm	120 • 130 • 140 mm
40	42,5	80 • 90 • 100 • 110 mm	120 • 130 • 140 mm
42	44,5	90 • 100 • 110 • 120 • 130 mm	80 • 140 mm
44	46,5	100 • 110 • 120 • 130 mm	80 • 90 • 140 mm

WO/W1 Misurata esterno-esterno WO/W1 Measured outside-outside





Alanera RS Computer Mount

Alanera RS Computer Mount



Materiale: Alluminio 6061, anodizzato nero Inserti: • Garmin® o Wahoo® • Bryton® • GoPro® Peso: 36 g Compatibilità: Garmin® (serie 1000, 800 & 500), Wahoo® (Elemnt Bolt, Roam & Ace), Bryton® e GoPro® camera/luce Nota: Compatibile solo con Alanera RS Peso massimo consentito: 350 g (es. 150 g computer + 200 g luce)	Material: 6061 aluminum, black anodized Replaceable inserts: • Garmin® or Wahoo® • Bryton® • GoPro® Weight: 36 g Compatibility: Garmin® (1000, 800 & 500 series), Wahoo® (Elemnt Bolt, Roam & Ace), Bryton® and GoPro® camera/light system Notes: Compatible with Alanera RS only Max load: 350 g (i.e. 150 g computer + 200 g light).
--	--



↓ Description	↓ Deda Part Code	↓ EAN13 Code
Computer mount ALANERA RS, aluminium 6061, per Garmin®, Wahoo®, Bryton®, GoPro®	ALAMOUNTRS	8055774366045

Alanera RS VS Alanera

Alanera RS VS Alanera



IT • Alanera RS rappresenta un'evoluzione della precedente geometria, ottimizzata e affinata per prestazioni e comfort ancora maggiori.

Vantaggi

- Ergonomia migliorata nella parte superiore e forma RHM-EVO
- La sezione trasversale superiore presenta un design più aerodinamico

Forma RHM-EVO

Con un drop più compatto di 120 mm, i ciclisti possono mantenere una posizione bassa per periodi più lunghi, migliorando il comfort e l'aerodinamica.

EN • Alanera RS represents an evolution of the previous geometry, optimized and refined for even greater performance and comfort.

Advantages:

- Improved ergonomics at the top & RHM-EVO shape
- Top cross-section features a more aero design

RHM-EVO Shape



With a 120 mm more compact drop, riders can maintain a low position for longer time, enhancing comfort and aerodynamics.

AERODINAMICA OTTIMIZZATA CON SIMULAZIONE CFD


Deda e la sua divisione Servizio Corse hanno unito le forze con un'eccellenza italiana come il Politecnico di Milano e i tecnici della Galleria del Vento - Laboratorio di Aerodinamica, per offrire ai ciclisti che scelgono Deda la garanzia di utilizzare i migliori prodotti possibili, sviluppati e testati approfonditamente in galleria del vento per massimizzare comfort e aerodinamica.

AERODYNAMICS OPTIMIZED WITH CFD SIMULATION

Deda and its Servizio Corse division joined forces with an Italian excellence such as the Politecnico di Milano University and the technicians of its Wind Tunnel -Aerodynamics Laboratory to offer cyclists who choose Deda the assurance that they are using the best possible products, developed and extensively tested in the wind tunnel to maximize comfort and aerodynamics.



Speed	Alanera Watt	Alanera RS Watt	Watt saving
35,0	8,2	5,8	- 2,4
40,0	13,1	9,2	- 3,9
45,0	18,0	12,5	- 5,5
50,0	26,1	17,3	- 8,7
55,0	34,1	22,2	- 11,9
60,0	44,9	29,4	- 15,5
65,0	55,6	36,5	- 19,1



Adattatori Alanera RS

Topcover Alanera RS

IT • Per diversi marchi di biciclette sono stati sviluppati adattatori specifici per Alanera RS. L'elenco più aggiornato e completo dei modelli di bicicletta compatibili con il sistema DCR è disponibile nell'area DCR Tech di dedaelementi.com



EN • For several bicycle brands, specific adapters for Alanera RS has been developed. The most updated and complete list of bicycle model compatible with DCR system is available on the DCR Tech area of dedaelementi.com




↓ Colnago (V5RS)	↓ Ridley (Noha, Kanzo, Fenix)	↓ Specialized (Tarmac SL8)	↓ Trek (Madone, Emonda)
			

↓ Description	↓ Deda Part Code	↓ EAN13 Code
ARC8 (Escapee) spacer adapter for Alanera RS and Superbox V2	HDRS-ARC	8055774366397
BIANCHI (Specialissima) topcover adapter for Alanera RS and Superbox V2	HDRS-BIAN	8055774367103
BIANCHI (Specialissima-Impulso RC/Pro/Comp) topcover adapter for Alanera RS and Superbox V2	HDRS-BIAN1	8055774366403
BMC (Teammachine, Roadmachine, Kaius, URS) topcover adapter for Alanera RS and Superbox V2	HDRS-BMC	8055774366410
BOTTECCHIA (Aerospace) topcover adapter for Alanera RS and Superbox V2	HDRS-BOT	8055774366427
BOTTECCHIA (Emme 5) topcover adapter for Alanera RS and Superbox V2	HDRS-BOT1	8055774368889
BASSO (Palta, Astra) topcover adapter for Alanera RS and Superbox V2	HDRS-BSS	8055774366434
BASSO (Diamante, Diamante SV) topcover adapter for Alanera RS and Superbox V2	HDRS-BSS1	8055774368957
CANNONDALE (SuperSix) spacer adapter for Alanera RS and Superbox V2	HDRS-CANN	8055774366441
CANNONDALE (SystemSix) spacer adapter for Alanera RS and Superbox V2	HDRS-CANN1	8055774366458
CANNONDALE (SuperSix 2023 & LAB71) spacer adapter for Alanera RS	HDRS-CANN2	8055774366465
CERVÉLO (Caledonia 5) topcover adapter for Alanera RS and Superbox V2	HDRS-CERV	8055774367684
CERVÉLO (R5, Aspero 5 & Soloist) topcover adapter for Alanera RS and Superbox V2	HDRS-CERV1	8055774366472
CHAPTER2 (TOA) spacer adapter for Alanera RS and Superbox V2	HDRS-CH	8055774367837
COLNAGO (C68, V4RS) topcover adapter for Alanera RS and Superbox V2	HDRS-COLN	8055774366489
COLNAGO (C64, V3RS) topcover adapter for Alanera RS and Superbox V2	HDRS-COLN2	8055774367097
COLNAGO (V5RS) topcover adapter for Alanera RS and Superbox V2	HDRS-COLN3	8059493280545
CUBE (Agree) topcover adapter for Alanera RS and Superbox V2	HDRS-CUBE	8055774366496
DE ROSA (70°) topcover adapter for Alanera RS and Superbox V2	HDRS-DR	8055774366502
DE ROSA (Merak) topcover adapter for Alanera RS and Superbox V2	HDRS-DR1	8055774366519
FACTOR (Ostro Vam, O2 Vam) topcover adapter for Alanera RS and Superbox V2	HDRS-FACT	8055774366526
FACTOR (Ostro Vam 2024) topcover adapter for Alanera RS and Superbox V2	HDRS-FACT2	8055774368216
FOCUS (Izalco Max) topcover adapter for Alanera RS and Superbox V2	HDRS-FOCUS	8055774368902
LAPIERRE (Aircode DRS) topcover adapter for Alanera RS and Superbox V2	HDRS-LAP	8055774367844
LOOK (795 Blade RS) topcover adapter for Alanera RS and Superbox V2	HDRS-LOOK	8059493280651
LOOK (765 Optimum, 785 Huez) topcover adapter for Alanera RS and Superbox V2	HDRS-LOOK1	8059493280668
MEGAMO (Raise) topcover adapter for Alanera RS and Superbox V2	HDRS-MEGA	8055774366533
MMR (Adrenaline Aero) topcover adapter for Alanera RS and Superbox V2	HDRS-MMR	8055774366540
OLMO (4.0) & MENDIZ (F12) topcover adapter for Alanera RS and Superbox V2	HDRS-OLMO	8055774366557
ORBEA (Orca OMX, Aero OMX, Terra OMR) spacer adapter for Alanera RS and Superbox V2	HDRS-ORB	8055774361033
PINARELLO (Dogma F, F12) topcover adapter for Alanera RS and Superbox V2	HDRS-PINA	8055774366564
RIBBLE (Ultra-Race, Endurance SL, Allroad SL) spacer adapter for Alanera RS and Superbox V2	HDRS-RIBL	8059493280361
RIDLEY (Noah, Kanzo Fast, Fenix) topcover adapter for Alanera RS and Superbox V2	HDRS-RIDL	8055774366755
RIDLEY (Falcn) topcover adapter for Alanera RS and Superbox V2	HDRS-RIDL1	8055774366762
RIDLEY (Astr RS, X-Night RS, E-Grfn, Falcn) topcover for Alanera RS and Superbox V2	HDRS-RIDL2	8059493280538
RIDLEY (Grifn, Grifn RS, Kanzo Adventure) topcover adapter for Alanera RS and Superbox V2	HDRS-RIDL3	8055774367080
RIDLEY (NOAH 3.0) topcover adapter for Alanera RS and Superbox V2	HDRS-RIDL-NOAH3	8055774367646
ROSE (Backroad FF) topcover adapter for Alanera RS and Superbox V2	HDRS-ROSE	8055774368933
ROSE (Backroad CF, Reveal, Xlite) topcover adapter for Alanera RS and Superbox V2	HDRS-ROSE1	8055774368940
SPECIALIZED (Venge) spacer adapter for Alanera RS	HDRS-SPEC	8055774367363
SPECIALIZED (Tarmac SL7) spacer adapter for Alanera RS and Superbox V2	HDRS-SPEC1-SL7	8055774367264
SPECIALIZED (Tarmac SL8) topcover adapter for Alanera RS and Superbox V2	HDRS-SPEC1	8055774366571
SPECIALIZED (Allez Sprint 2024) topcover adapter for Alanera RS and Superbox V2	HDRS-SPEC2	8055774367752
TREK (Trek Madone SL Gen.6, Emonda SLR) spacer adapter for Alanera RS and Superbox V2	HDRS-TREK	8055774366588
TREK (Madone Gen. 8 2024) topcover adapter for Alanera RS and Superbox V2	HDRS-TREK1	8055774367769
TREK (Madone SL & SLR Gen. 7) topcover adapter for Alanera RS and Superbox V2	HDRS-TREK2	8059493280521
VANRYSEL (RCR) topcover adapter for Alanera RS and Superbox V2	HDRS-VR	8055774366595
WILIER (0 SLR, Cento10, Filante, Garda) topcover adapter for Alanera RS and Superbox V2	HDRS-WI	8055774366601


Caratteristiche Tecniche

Tech Features

Passaggio completo dei cavi interni DCR • Compatibile solo con passaggio cavi interno e solo cambio elettrico. • Spazio massimo per 3 cavi (2 freni idraulici + 1 cavo elettrico). Facile montaggio • Finestra da 13,5×8 mm per aiutare i meccanici durante l'installazione del cavo. • Costruzione monoscocca, nessun residuo di colla.	DCR full internal cable routing • Compatible only with internal cable routing and electric shifting only. • Max room for 3 cables (2 hydraulic brakes + 1 electric wire). Easier assembly • 13.5×8 mm open window to assist mechanics during cable installation. • Full monocoque construction, no residual of glue.
--	--



Cover delle viti integrata • La cover delle viti è in TPU ed è utilizzata per nascondere la testa della vite. • Ogni Alanera RS viene consegnata con una cover più una extra di ricambio.	Integrated screw cover • The screw cover is made of TPU and is used to hide the screw head. • Each Alanera RS is delivered with one cover plus an extra one as a spare.
--	--



ATTENZIONE : Tagliare la forcella a un massimo di 5 mm sopra il bordo dello sterzo. Si prega di leggere attentamente il manuale di montaggio dell'Alanera RS.	Warning: Cut the fork to a maximum of 5 mm above the edge of the stem. Please read the Alanera RS assembly manual carefully.
--	---

RS SEATPOST

 Road
  Gravel
  MTB



IT • Nuovo reggisella RS disponibile adesso anche con arretramento 12mm. Dal peso ultraleggero di soli 175 grammi, il reggisella RS presenta un sistema di serraggio minimale a una sola vite per un montaggio facile e veloce. Insieme alla versione con arretramento 0 e 25 mm risulta la scelta perfetta per qualsiasi bici premium.

EN • New RS seatpost now also available with 12mm seatpost setback. Weighing an ultralight 175 grams, the RS seatpost features a minimalist 1-bolt clamping system for quick and easy assembly. Together with the 0 and 25 mm setback options it is the perfect choice for any premium bike.



Compatibile col kit montaggio luci al reggisella, Staffa. Vedi dedaelementi.com.
Compatible with Staffa seatpost lights mount kit. See dedaelementi.com.



Materiale:
Carbonio monoscocca UD

Meccanica:
Alluminio CNC

- AFM: viteria in titanio PVD nera
- OEM: viteria in acciaio

Lunghezza:
350 • 400 mm

Diametro:
Ø 27,2 • 31,6 mm

Arretramento:
0 • 12 • 25 mm

Peso:

- AFM 175 g (Ø 27,2 mm)
- OEM 205 g (Ø 27,2 mm)

Finitura:
POB (Polish on black)

Note:
Compatibile con selle con telaio in carbonio ovale max Ø 7×9,5 mm.
Compatibile con adattatori Deda per batteria interna DI2.

Material:
UD Full Carbon construction

Hardware:
CNC alloy plates

- AFM: Titanium PVD black screws
- OEM: Steel screws

Length:
350 • 400 mm

Diameter:
Ø 27,2 • 31,6 mm

Setback:
0 • 12 • 25 mm

Weight:

- AFM 175 g (Ø 27,2 mm)
- OEM 205 g (Ø 27,2 mm)



Finish:
POB (Polish on black)

Notes:
Compatible with a max Ø 7×9,5 mm oval-shaped rail.
Fits Deda adapter for DI2 internal battery.

↓ Description	↓ Part Code	↓ EAN13 Code	↓ OEM Part Code	↓ EAN13 OEM Code
RS 0, seatpost, carbon, Ø 27.2 × 350 mm, setback 0 mm, POB, bolts titanium PVD	RSSP-Z-27	8055774366694	RSSP-Z-27X	8055774366700
RS 0, OEM, seatpost, carbon, Ø 27.2 × 350 mm, setback 0 mm, POB finish, steel screws	-	-	RSSP-Z-27-OEM	8055774361064
RS 0, seatpost, carbon, Ø 31.6 × 350 mm, setback 0 mm, POB, bolts titanium PVD	RSSP-Z-31	8055774366717	RSSP-Z-31X	8055774366724
RS 0, seatpost, carbon, Ø 27.2 × 400 mm, setback 0 mm, POB finish, PVD titanium screws	RSSP-Z-27-400	8055774367691	RSSP-Z-27-400X	8055774367707
RS 0, OEM, seatpost, carbon, Ø 27.2 × 400 mm, setback 0 mm, POB finish, steel screws	-	-	RSSP-Z-27-400-OEM	8055774367714
NEW RS 12, carbon seatpost Ø 27. × 350 mm, setback 12 mm, POB finish, PVD titanium screws	RSSP-12-27	8055774368049	RSSP-12-27X	8055774368056
NEW RS 12, OEM, carbon seatpost Ø 27.2 × 350 mm, setback 12 mm, POB finish, steel screws	-	-	RSSP-12-27-OEM	8055774368087
NEW RS 12, carbon seatpost Ø 27.2 × 400 mm, setback 12 mm, POB finish, PVD titanium screws	RSSP-12-27-400	8055774368063	RSSP-12-27-400X	8055774368070
RS 25, seatpost, carbon, Ø 27.2 × 350 mm, setback 25 mm, POB, bolts titanium PVD	RSSP-27	8055774366618	RSSP-27X	8055774366625
RS 25, OEM, seatpost, carbon, Ø 27.2 × 350 mm, setback 25 mm, POB, bolts steel	-	-	RSSP-27-OEM	8055774366632
RS 25, seatpost, carbon, Ø 27.2 × 400mm, setback 25 mm, POB, bolts titanium PVD	RSSP-27-400	8055774366670	RSSP-27-400X	8055774366687
RS 25, OEM, seatpost, carbon, Ø 27.2 × 400 mm, setback 25 mm, POB finish, steel screws	-	-	RSSP-27-400-OEM	8055774366977
RS 25, seatpost, carbon, Ø 31.6 × 350mm, setback 25 mm, POB, bolts titanium PVD	RSSP-31	8055774366656	RSSP-31X	8055774366663
RS 25, OEM, seatpost, carbon, Ø 31.6 × 350 mm, setback 25 mm, POB, bolts steel	-	-	RSSP-31-OEM	8055774366649







IT • Manubrio Vinci, progettato senza compromessi per una pura integrazione con l'attacco. Sistema DCR (Deda Internal Cable Routing) per la ricerca della massima aerodinamicità con i passaggi dei cavi all'interno del manubrio. Vinci combina idealmente la moderna filosofia di biciclette da corsa progettate per essere aerodinamiche, leggere e rigide. Questo approccio tecnico è evidente sia nel profilo che nella sezione trasversale del manubrio. Progettato per ridurre al minimo la resistenza e fornire un'impugnatura ergonomica per ogni stile di guida. Il manubrio è caratterizzato dalla forma rhm per una presa ineguagliabile. Il manubrio è dotato di due carenature removibili per il montaggio delle prolunghe Superzero TT o di supporti porta computer. Compatibile anche con le estensioni Fastblack e Parabolica utilizzando almeno 1 spessore sopra il morsetto. Disponibile in finitura polish on black (POB).

EN •Vinci handlebar, designed without compromises for a perfect integration with stem. DCR (Deda Internal Cable Routing) system allows the fully internal cables routing inside the handlebar. Vinci ideally matches the modern philosophy of racing bikes designed to be aero apart from being light and stiff. This technical approach is evident on the bar aero profile and cross section that have been designed to minimize the drag and provide an ergonomic grip for any riding style. The handlebar features also the modern rhm shape for an incomparable grip on the drops. The handlebar features two removable foils to be compatible with Superzero TT clip-on or any computer mount. Also compatible with Fastblack and Parabolica extensions by using at least 1 spacer above the clamp. Available in polish on black (POB) finish.



Forma curva:
RHM Rapid Hand Movement
Materiale:
Carbonio UD
Ø Manubrio:
31,7 mm
Profondità:
75 mm
Altezza:
130 mm
Misure:
40 • 42 • 44 • 46 cm (esterno - esterno)
Peso:
260 g (42 cm)
Finitura:
POB (Polish on black)
Carenature:
Nylon, viti incluse (1 set, 2 pz).
Cod. VCNFOILS
Note:
Compatibile con passaggio cavi interno (fino a 4 cavi).

Shape:
RHM Rapid Hand movement
Material:
Ud carbon fiber
Ø Handlebar:
31,7 mm
Reach:
75 mm
Drop:
130 mm
Sizes:
40 • 42 • 44 • 46 cm (outside-outside)
Weight:
260 g (42 cm)
Finish:
POB (Polish on black)
Foils:
Nylon, including screws (1 set, 2 pcs).
Cod. VCNFOILS
Note:
Compatible with full internal cables routing (up to 4 cables).

↓ Description	↓ Part Code	↓ EAN13 Code	↓ OEM Part Code	↓ EAN13 OEM Code
VINCI, handlebar, carbon, Ø 31.7, 40 cm, RHM, POB	VNPOB40	8052783486283	VNPOB40X	8052783486276
VINCI, handlebar, carbon, Ø 31.7, 42 cm, RHM, POB	VNPOB42	8052783486306	VNPOB42X	8052783486290
VINCI, handlebar, carbon, Ø 31.7, 44 cm, RHM, POB	VNPOB44	8052783486320	VNPOB44X	8052783486313
VINCI, handlebar, carbon, Ø 31.7, 46 cm, RHM, POB	VNPOB46	8052783486344	VNPOB46X	8052783486337



Road



IT • Manubrio Vinci carbonio nella forma shallow o rotonda all'italiana. Sviluppata dal nostro Servizio Corse unitamente ai lavori dei meccanici e corridori professionisti. La curva classica per definizione, la forma Shallow o Italiana ha scritto la storia di questo fantastico sport. La nuova forma Super Shallow è l'evoluzione di quella classica, sviluppata per ottimizzare il comfort e minimizzare lo sforzo durante gli sprint. Disponibile in 3 taglie, 40, 42 e 44.

EN • Vinci carbon handlebar in the Shallow or Italian shape. Developed by Deda Servizio Corse together with Team mechanics and riders. The classic handlebar by definition, Shallow or Italian shape has written the story of this fantastic sport. Super Shallow shape is the evolution of classic one, to optimize comfort and minimize the effort during sprints. Available in 3 sizes, 40, 42 and 44.

Forma curva: Super Shallow	Shape: Super Shallow
Materiale: Monoscocca carbonio unidirezionale	Material: Ud carbon construction
Ø manubrio: 31,7 mm	Ø Handlebar: 31,7 mm
Profondità: 75 mm	Reach: 75 mm
Altezza: 125 mm	Drop: 125 mm
Misure: 40 • 42 • 44 cm (esterno-esterno)	Sizes: 40 • 42 • 44 cm (outside-to-outside)
Peso: 260 g (42 cm)	Weight: 260 g (42 cm)
Finitura: POB (Polish on black)	Finish: POB (Polish on black)
Carenature: Nylon, viti incluse (1 set, 2 pz). Cod. VCNFOILS	Foils: Nylon, including screws (1 set, 2 pcs). Cod. VCNFOILS
Note: Compatibile sistema DCR per passaggi cavi interni (fino a 4 cavi)	Note: Compatible with full internal cables routing (up to 4 cables)

↓ Description	↓ Deda Part Code	↓ EAN13 Code
VINCI SHALLOW, handlebar, carbon, Ø 31.7, 40 cm, RHM, POB	VNSHALLOWPOB40	8052783488164
VINCI SHALLOW, handlebar, carbon, Ø 31.7, 42 cm, RHM, POB	VNSHALLOWPOB42	8052783488171
VINCI SHALLOW, handlebar, carbon, Ø 31.7, 44 cm, RHM, POB	VNSHALLOWPOB44	8052783488188


Catalogue 2026



DCR (Deda Internal Cable Routing)


Il sistema permette l'integrazione completa dei cavi all'interno del manubrio (fino a quattro cavi).

The system allows the full integration of the cables inside the handlebar (up to four cables).




Passaggio cavi interno

Internal cables routing



Passaggio cavi esterno

External cables routing



IT • L'attacco Vinci è il primo attacco Deda progettato per un'integrazione completa dei cavi insieme ai manubri Deda con sistema DCR (Deda Internal Cable Routing). Vinci è l'attacco più versatile nel mercato in quanto può essere montato con cannotto forcella tradizionale da 1-1/8" oppure da 1-1/4". Il sistema DCR funziona con forcelle tradizionali da 1-1/8" ma richiede un tubo sterzo telaio con cuscinetto superiore da 52 mm (1.5"). L'attacco ha una apertura posizionata nella parte inferiore che permette l'integrazione dei cavi nell'interspazio tra cuscinetto e forcella. Completa il design dell'attacco Vinci una serie di spessori con dei canali per il passaggio dei cavi. Gli spessori sono progettati per essere apribili senza dover smontare alcun cavo dal telaio per una facile regolazione dell'altezza di sterzo. L'innovativo processo di forgiatura 3D dell'attacco con la forma piatta garantisce una migliore aerodinamicità. La linea completa di accessori include un coperchietto aero integrato, gli spessori sterzo e l'adattatore in alluminio per forcelle da 1-1/8". Disponibile in finitura POB (Polish on black). EN • The Vinci stem is the first Deda stem designed to allow a fully integrated cable routing when assembled with Deda handlebars featuring the DCR system (Deda internal cable routing). Vinci is the most polyvalent stem on the market being compatible with traditional 1-1/8" fork steerer as well as 1-1/4". The DCR system works with a standard tapered steerer with 1-1/8" upper diameter, but requires a 52mm (1.5") upper headset bearing od. The stem leaves room at the back for the cables to fit the gap in between the headset bearing and the fork. The Vinci stem system features special spacers that provide the channels for the housing cables. Spacers are designed with slits that let them pull open, they can be added or removed to get the fit right without having to remove all cables. The innovative 3D forging technology and the flat design result in a better aero performance. The aero integrated topcap, headset spacers and alloy sleeve adapter for 1-1/8" fork steerer complete the line of accessories included. Available in POB (Polish on black) finish.	Materiale: Alluminio 2014 Viteria: Acciaio, nera Angolo: 73° Ø Manubrio: 31,7 mm Canotto Forcella: 1 1/4" (31,75mm), adattatore incluso per 1 1/8" Altezza attacco: 40 mm (incluso il primo spessore obbligatorio) Misure: 90 • 100 • 110 • 120 • 130 • 140 mm Peso: 260 g (110 mm) Finitura: POB (Polish on black) Accessori inclusi: Coperchietto aero, spessori e topcover tubo sterzo da 46 e 56 mm. Altri accessori: Supporto compatibile con Garmin® (serie 500, 800 & 1000), Wahoo® (Elemnt Bolt, Roam & Ace), Bryton® e Gopro®. Topcover tubo sterzo da 52 mm (forcella 1 1/4"). Note: Compatibile con passaggio cavi interni (fino a 4 cavi).	material: Alloy 2014 Screws: Steel, black Angle: 73° Ø Handlebar: 31,7 mm Fork steerer: 1 1/4" (31,75mm), adapter included for 1 1/8" Clamp Height: 40 mm (including the first compulsory spacer) Sizes: 90 • 100 • 110 • 120 • 130 • 140 mm Weight: 260 g (110 mm) Finish: POB (Polish on black) Included accessories: Aero topcap, headset spacers and topcover for headtube 56 and 46 mm. Other accessories: A special mount compatible with Garmin® (500, 800 & 1000 series), Wahoo® (Elemnt Bolt, Roam & Ace), Bryton® and Gopro®. Topcover for 52 mm headtube (1 1/4" fork). Notes: Compatible with full internal cables routing (up to 4 cables).
---	--	--

Altri accessori: Vinci porta computer
Other accessories: Vinci computer mount



Vedi pagina Accessori Vinci.
See page Vinci accessories.

↓ Description	↓ Part Code	↓ EAN13 Code
VINCI, stem, aluminium 2014, 90 mm, 73°, POB, bolts steel	VNPOB090	8052783486108
VINCI, stem, aluminium 2014, 100 mm, 73°, POB, bolts steel	VNPOB100	8052783486115
VINCI, stem, aluminium 2014, 110 mm, 73°, POB, bolts steel	VNPOB110	8052783486122
VINCI, stem, aluminium 2014, 120 mm, 73°, POB, bolts steel	VNPOB120	8052783486139
VINCI, stem, aluminium 2014, 130 mm, 73°, POB, bolts steel	VNPOB130	8052783486146
VINCI, stem, aluminium 2014, 140 mm, 73°, POB, bolts steel	VNPOB140	8052783486153

Accessori Vinci

Vinci accessories



Vinci porta computer • Computer mount è progettato per l'attacco Vinci. Vinci computer mount include 3 diversi inserti compatibili con Garmin® (Serie 500, 800 e 1000), Bryton®, Wahoo® (Elemnt Bolt, Roam & Ace) oltre all'aggancio GoPro®. Realizzato in nylon rinforzato in fibra di vetro. Peso: 82 gr.

Peso massimo consentito: 350 g (es. 150 g computer + 200 g luce).



Vinci computer mount • Computer mount specifically designed to fit Vinci stem. Vinci computer mount includes with inserts to fit Garmin® (500, 800 and 1000 series), Bryton®, Wahoo® (Elemnt Bolt, Roam & Ace) and a specific GoPro® alloy mount. Made in nylon glass fibre reinforced. Weight: 82 gr.

Max load: 350 g (i.e. 150 g computer + 200 g light).

↓ Description	↓ Deda Part Code	↓ EAN13 Code
VINCI Computer mount , nylon, per Garmin®, Wahoo®, Bryton®, GoPro®	VCNMOUNT	8052783486603

Adattatori Vinci • Per alcuni marchi di biciclette sono stati sviluppati specifici adattatori per Vinci. La lista più aggiornata e completa dei modelli di bici compatibili è disponibile sotto la sezione DCR Tech del sito dedaelementi.com

Topcover Vinci • For several bicycle brands, specific adapters for Vinci has been developed. The most updated and complete list of bicycle model compatible with DCR system is available on the DCR Tech area of dedaelementi.com



↓ Description	↓ Deda Part Code	↓ EAN13 Code
BIANCHI (Specialissima). Top cover adapter for Vinci DCR	HDVCNTCBIAN	8052783489635
BMC (Teammachine, Roadmachine, Kaius, URS) adapter for Vinci DCR	HDVCNTCBMC	8055774364171
BOTTECCHIA (Aerospace) top cover adapter for Vinci DCR	HDVCNTCBOT	8055774361521
CANNONDALE (SuperSix Evo). Top cover adapter for Vinci DCR	HDVCNTCCANN	8052783487662
CANNONDALE (SystemSix). Top cover adapter for Vinci DCR	HDVCNTCCANN1	8052783489734
CERVÉLO (Caledonia 5) top cover adapter for Vinci DCR	HDVCNTCCERV	8055774361491
CERVÉLO (R5, Aspero 5 & Soloist) top cover adapter for Vinci DCR	HDVCNTCCERV1	8055774362429
COLNAGO (C64, V3RS). Top cover adapter for Vinci DCR	HDVCNTCCOLN	8052783487655
DE ROSA (70°) top cover adapter for Vinci DCR	HDVCNTCDR	8055774364218
DE ROSA (Merak) top cover adapter for Vinci DCR	HDVCNTCDR1	8055774364607
GIANT (Propel MY2023) spacer adapter for Vinci DCR	HDVCNTCGIANT	8055774364195
MMR (Adrenaline Aero) top spacer adapter for Vinci DCR	HDVCNTCMMR	8055774363273
OLMO (4.0) & MENDIZ (F12) Top cover adapter for Vinci DCR	HDVCNTCOLMO	8052783487693
ORBEA (Orca OMX, Orca Aero OMX, Terra) top spacer adapter for Vinci DCR	HDVCNTCORB	8055774363174
PINARELLO (Dogma F, F12) top cover adapter for Vinci DCR	HDVCNTCPINA	8055774361460
RIDLEY (Noah Fast, Kanzo Fast, Fenix) – EDDY MERCKx (525). Top cover adapter for Vinci DCR	HDVCNTCRIDL	8052783487679
SCOTT (Scott Addict RC). Top cover adapter for Vinci DCR	HDVCNTCSCOTT	8055774364454
SPECIALIZED (Tarmac SL7, SL8). Top cover adapter for Vinci DCR	HDVCNTCSPEC1	8052783488584
SPECIALIZED (Venge). Top cover adapter for Vinci DCR	HDVCNTCSPEC	8052783488287
TREK (Emonda, Madone). Top cover adapter for Vinci DCR	HDVCNTCTREK	8052783488256
WILIER (O SLR, Filante, Cento10). Top cover adapter for Vinci DCR	HDVCNTCWILI	8052783488232



SUPERBOX V2



Road




Gravel



MTB



Aero Topcap

Finitura POB
POB Finish

Foro di uscita
cavo freno
idraulico/
Exit hole for
hydraulic
housing brake
cable

Asola
passaggio
cavo cambio
elettronico/
Electronic
shifting cable
routing

DCR • Passaggio cavi interno. 2 cavi

DCR • Integrated cable routing. 2 cables




S-DCR • Passaggio cavi semi-integrato. 4 cavi

S-DCR • Semi-integrated cable routing. 4 cables




IT • Progettato per rispondere alle esigenze del ciclismo moderno, l'attacco manubrio Superbox V2 rappresenta un nuovo punto di riferimento nei sistemi integrati. Ora aggiornato con il sistema di spessori RS, lo stesso utilizzato sull'Alanera RS, questa versione offre la massima versatilità per la gestione dei cavi interni, garantendo un'estetica pulita e prestazioni elevate. Dotato di viti premium con trattamento superficiale GST che assicurano un'eccellente resistenza alla corrosione e ai graffi, supporta tutte le configurazioni di instradamento dei cavi: completamente interno (DCR), semi-interno (S-DCR), diretto ed esterno, adattandosi facilmente a qualsiasi combinazione di telaio e manubrio. Compatibile con tubi sterzo superiori da 46 mm (1-1/8") e 56 mm (1.5"), si adatta perfettamente a bici da strada, gravel e mountain bike. Gli spessori RS con aperture posteriori e il tappo della serie sterzo in nylon consentono una regolazione rapida e interventi di manutenzione facili, senza scollegare cavi idraulici o elettronici.	Materiale: Alluminio 6061 Viteria: Acciaio, nera (Rivestita GST) Angolo: 82° Ø Manubrio: 31,7 mm Cannotto forcella: 1 1/8" (28,6 mm) Altezza attacco: 32 mm (47 mm con la cover) Misure: 60 • 70 • 80 • 90 • 100 • 110 120 • 130 • 140 • 150 • 160 mm Peso: 175 g (110 mm) Finitura: POB (Polish on black) Accessori inclusi: Topcap, spessori e topcover sterzo da 46 e 56 mm, inserto D-clip. Anello di compressione DCR. Note: Il sistema del passaggio cavi interno (DCR) è compatibile solo con gruppi elettronici (fino a 2 cavi); il sistema semi-integrato (S-DCR) è compatibile con qualsiasi bici e configurazione di gruppo (fino a 4 cavi).	Materiale: Alloy 6061 Screws: Steel, black (GST-coated) Angle: 82° Ø Handlebar: 31,7 mm Fork Steerer: 1 1/8" (28,6 mm) Clamp Height: 32 mm (47 mm with cover) Sizes: 60 • 70 • 80 • 90 • 100 • 110 120 • 130 • 140 • 150 • 160 mm Weight: 175 g (110 mm) Finish: POB (Polish on black) Included accessories: Integrated topcap, headset spacers and topcover for headtube 56 and 46 mm, D-clip insert. DCR compression ring Notes: The internal cable routing (DCR) fits electronic groupset only (up to 2 cables), the semi-integrated cable routing (S-DCR) fits any bike and groupset configuration (up to 4 cables).
---	---	--




↓ Description	↓ Part Code	↓ EAN13 Code	↓ OEM Part Code	↓ EAN13 OEM Code
SUPERBOX V2, stem, 60 mm, POB finish, Alloy 6061, 82°, GST steel screws	SBOX-V2-060	8055774368599	SBOX-V2-060X	8055774368605
SUPERBOX V2, stem, 70 mm, POB finish, Alloy 6061, 82°, GST steel screws	SBOX-V2-070	8055774368612	SBOX-V2-070X	8055774368629
SUPERBOX V2, stem, 80 mm, POB finish, Alloy 6061, 82°, GST steel screws	SBOX-V2-080	8055774368636	SBOX-V2-080X	8055774368643
SUPERBOX V2, stem, 90 mm, POB finish, Alloy 6061, 82°, GST steel screws	SBOX-V2-090	8055774368650	SBOX-V2-090X	8055774368667
SUPERBOX V2, stem, 100 mm, POB finish, Alloy 6061, 82°, GST steel screws	SBOX-V2-100	8055774368674	SBOX-V2-100X	8055774368681
SUPERBOX V2, stem, 110 mm, POB finish, Alloy 6061, 82°, GST steel screws	SBOX-V2-110	8055774368698	SBOX-V2-110X	8055774368704
SUPERBOX V2, stem, 120 mm, POB finish, Alloy 6061, 82°, GST steel screws	SBOX-V2-120	8055774368711	SBOX-V2-120X	8055774368728
SUPERBOX V2, stem, 130 mm, POB finish, Alloy 6061, 82°, GST steel screws	SBOX-V2-130	8055774368735	SBOX-V2-130X	8055774368742
SUPERBOX V2, stem, 140 mm, POB finish, Alloy 6061, 82°, GST steel screws	SBOX-V2-140	8055774368759	SBOX-V2-140X	8055774368766
SUPERBOX V2, stem, 150 mm, POB finish, Alloy 6061, 82°, GST steel screws	SBOX-V2-150	8055774368773	SBOX-V2-150X	8055774368780
SUPERBOX V2, stem, 160 mm, POB finish, Alloy 6061, 82°, GST steel screws	SBOX-V2-160	8055774368797	SBOX-V2-160X	8055774368803

Superbox One Stem Four Ways


DCR • Passaggio cavi interno. 2 cavi
DCR • Integrated cable routing. 2 cables




S-DCR • Passaggio cavi semi-integrato. 4 cavi
S-DCR • Semi-integrated cable routing. 4 cables



Diretto • Passaggio cavi con serie sterzo S-DCR. 4 cavi
Direct • Internal cable routing with S-DCR headset. 4 cables




Esterna • Passaggio cavi tradizionale
External • Traditional cable routing




DCR Configuration

Integrazione completa dei cavi all'interno del manubrio, solo per gruppi idraulici/elettronici.
 System allows the full integration of the cables inside the handlebar, for hydraulic/electronic groups only.



S-DCR (Deda Internal Cable Routing)

Passaggio cavi semi-integrato, fino a quattro cavi.
 Semi-integrated cable routing, up to four cables.




Accessori Superbox

Superbox accessories

Nuovo computer mount per l'attacco Superbox • Il porta computer è disponibile come accessorio e include 3 diversi inserti per Garmin® (serie 500, 800, 1000), Bryton®, Wahoo® (Elemnt Bolt, Roam & Ace) oltre all'aggancio GoPro®. Il porta computer richiede l'utilizzo del nuovo frontalino montato di serie sul Superbox DCR ed è anche disponibile come ricambio (codice FCSBX-DCR) per chi avesse acquistato il precedente modello di Superbox. Realizzato in nylon rinforzato in fibra di vetro. Peso: 35 g

New Superbox computer mount • The computer mount is available as accessory and includes 3 different inserts to fit Garmin® (500, 800, 1000 series), Bryton®, Wahoo® (Elemnt Bolt, Roam & Ace) and a specific GoPro® mount. The mount requires the new faceplate of Superbox DCR and it is available also as spare part (part code FCSBX-DCR) to retro-fit the previous Superbox stem version. Made in nylon glass fibre reinforced. Weight: 35 g

Peso massimo consentito: 350 g (es. 150 g computer + 200 g luce).
Max load: 350 g (i.e. 150 g computer + 200 g light).



Compatibilità attacchi manubrio col supporto Superbox mount
Superbox mount stems compatibility

↓ Attacco manubrio Stem	↓ Compatibilità supporto Mount compatibility	↓ Richiesta del nuovo frontalino New faceplate required	↓ Incluso con l'attacco manubrio Included with stem
SUPERBOX V2	Y	N	Y
SUPERBOX DCR	Y	N	Y
SUPERBOX	Y	Y	N(*) Code: FCSBX-DCR
SUPERZERO RS	Y	Y	N(*) Code: FCSZ-MOUNT
SUPERZERO	Y	Y	N(*) Code: FCSZ-MOUNT

Adattatori Superbox V2

Topcover Superbox V2

IT • Per diversi marchi di biciclette sono stati sviluppati adattatori specifici per l'attacco Superbox V2. L'elenco più aggiornato e completo dei modelli di bicicletta compatibili con il sistema DCR è disponibile nell'area DCR Tech di dedaelementi.com



EN • For several bicycle brands, specific adapters for Superbox V2 stem have been developed. The most updated and complete list of bicycle model compatible with DCR system is available on the DCR Tech area of dedaelementi.com



↓ Colnago (V5RS)



↓ Ridley (Noha, Kanzo, Fenix)



↓ Specialized (Tarmac SL8)



↓ Trek (Madone, Emonda)



↓ Description	↓ Deda Part Code	↓ EAN13 Code
ARC8 (Escapee) spacer adapter for Alanera RS and Superbox V2	HDRS-ARC	8055774366397
BIANCHI (Specialissima) topcover adapter for Alanera RS and Superbox V2	HDRS-BIAN	8055774367103
BIANCHI (Specialissima-Impulso RC/Pro/Comp) topcover adapter for Alanera RS and Superbox V2	HDRS-BIAN1	8055774366403
BMC (Teammachine, Roadmachine, Kaius, URS) topcover adapter for Alanera RS and Superbox V2	HDRS-BMC	8055774366410
BOTTECCHIA (Aerospace) topcover adapter for Alanera RS and Superbox V2	HDRS-BOT	8055774366427
BOTTECCHIA (Emme 5) topcover adapter for Alanera RS and Superbox V2	HDRS-BOT1	8055774368889
BASSO (Palta, Astra) topcover adapter for Alanera RS and Superbox V2	HDRS-BSS	8055774366434
BASSO (Diamante, Diamante SV) topcover adapter for Alanera RS and Superbox V2	HDRS-BSS1	8055774368957
CANNONDALE (SuperSix) spacer adapter for Alanera RS and Superbox V2	HDRS-CANN	8055774366441
CANNONDALE (SystemSix) spacer adapter for Alanera RS and Superbox V2	HDRS-CANN1	8055774366458
CERVÉLO (Caledonia 5) topcover adapter for Alanera RS and Superbox V2	HDRS-CERV	8055774367684
CERVÉLO (R5, Aspero 5 & Soloist) topcover adapter for Alanera RS and Superbox V2	HDRS-CERV1	8055774366472
CHAPTER2 (TOA) spacer adapter for Alanera RS and Superbox V2	HDRS-CH	8055774367837
COLNAGO (C68, V4RS) topcover adapter for Alanera RS and Superbox V2	HDRS-COLN	8055774366489
COLNAGO (C64, V3RS) topcover adapter for Alanera RS and Superbox V2	HDRS-COLN2	8055774367097
COLNAGO (V5RS) topcover adapter for Alanera RS and Superbox V2	HDRS-COLN3	8059493280545
CUBE (Agree) topcover adapter for Alanera RS and Superbox V2	HDRS-CUBE	8055774366496
DE ROSA (70°) topcover adapter for Alanera RS and Superbox V2	HDRS-DR	8055774366502
DE ROSA (Merak) topcover adapter for Alanera RS and Superbox V2	HDRS-DR1	8055774366519
FACTOR (Ostro Vam, O2 Vam) topcover adapter for Alanera RS and Superbox V2	HDRS-FACT	8055774366526
FACTOR (Ostro Vam 2024) topcover adapter for Alanera RS and Superbox V2	HDRS-FACT2	8055774368216
FOCUS (Izalco Max) topcover adapter for Alanera RS and Superbox V2	HDRS-FOCUS	8055774368902
LAPIERRE (Aircode DRS) topcover adapter for Alanera RS and Superbox V2	HDRS-LAP	8055774367844
LOOK (795 Blade RS) topcover adapter for Alanera RS and Superbox V2	HDRS-LOOK	8059493280651
LOOK (765 Optimum, 785 Huez) topcover adapter for Alanera RS and Superbox V2	HDRS-LOOK1	8059493280668
MEGAMO (Raise) topcover adapter for Alanera RS and Superbox V2	HDRS-MEGA	8055774366533
MMR (Adrenaline Aero) topcover adapter for Alanera RS and Superbox V2	HDRS-MMR	8055774366540
OLMO (4.0) & MENDIZ (F12) topcover adapter for Alanera RS and Superbox V2	HDRS-OLMO	8055774366557
ORBEA (Orca OMX, Aero OMX, Terra OMR) spacer adapter for Alanera RS and Superbox V2	HDRS-ORB	8055774361033
PINARELLO (Dogma F, F12) topcover adapter for Alanera RS and Superbox V2	HDRS-PINA	8055774366564
RIBBLE (Ultra-Race, Endurance SL, Allroad SL) spacer adapter for Alanera RS and Superbox V2	HDRS-RIBL	8059493280361
RIDLEY (Noah, Kanzo Fast, Fenix) topcover adapter for Alanera RS and Superbox V2	HDRS-RIDL	8055774366755
RIDLEY (Falcn) topcover adapter for Alanera RS and Superbox V2	HDRS-RIDL1	8055774366762
RIDLEY (Astr RS,X-Night RS,E-Grfn,Falcn) topcover for Alanera RS and Superbox V2	HDRS-RIDL2	8059493280538
RIDLEY (Grifn, Grifn RS, Kanzo Adventure) topcover adapter for Alanera RS and Superbox V2	HDRS-RIDL3	8055774367080
RIDLEY (NOAH 3.0) topcover adapter for Alanera RS and Superbox V2	HDRS-RIDL-NOAH3	8055774367646
ROSE (Backroad FF) topcover adapter for Alanera RS and Superbox V2	HDRS-ROSE	8055774368933
ROSE (Backroad CF, Reveal, Xlite) topcover adapter for Alanera RS and Superbox V2	HDRS-ROSE1	8055774368940
SPECIALIZED (Tarmac SL7) spacer adapter for Alanera RS and Superbox V2	HDRS-SPEC1-SL7	8055774367264
SPECIALIZED (Tarmac SL8) topcover adapter for Alanera RS and Superbox V2	HDRS-SPEC1	8055774366571
SPECIALIZED (Allez Sprint 2024) topcover adapter for Alanera RS and Superbox V2	HDRS-SPEC2	8055774367752
TREK (Trek Madone SL Gen.6, Emonda SLR) spacer adapter for Alanera RS and Superbox V2	HDRS-TREK	8055774366588
TREK (Madone Gen. 8 2024) topcover adapter for Alanera RS and Superbox V2	HDRS-TREK1	8055774367769
TREK (Madone SL & SLR Gen. 7) topcover adapter for Alanera RS and Superbox V2	HDRS-TREK2	8059493280521
VANRYSEL (RCR) topcover adapter for Alanera RS and Superbox V2	HDRS-VR	8055774366595
WILIER (0 SLR, Cento10, Filante, Garda) topcover adapter for Alanera RS and Superbox V2	HDRS-WI	8055774366601





SUPERLEGGERA RS




IT • La serie Superleggera RS rappresenta la produzione più innovativa e tecnologica di Deda. L'utilizzo dei migliori materiali e processi tecnologici per offrire il kit attacco e manubrio più leggero al mondo. L'estrema leggerezza è il vero valore di questa serie utilizzando forme minimali e funzionali. Un esclusiva e elegante finitura interamente conferisce un tocco di stile unico e inconfondibile.

EN • The Superleggera RS series represents the most innovative and technological production from Deda. The application of the best materials and advanced manufacturing process to deliver the lightest kit stem & handlebar in the world. The extreme lightness is the key value of this series, achieved thanks to a minimal and functional design. An exclusive and elegant finish gives the RS series a unique stylish touch.

SUPERLEGGGERA RS



Finitura POB
POB Finish



IT • La famosa curva in carbonio Superleggera nell'esclusiva versione RS. Prodotta con la rivoluzionaria fibra di carbonio HR40 e una speciale resina che permette di compattare lo spessore e di ridurre ogni grammo in eccesso. In combinazione con il nuovo attacco Superleggero RS risulta un kit dal peso imbattibile.	Forma curva: RHM Rapid Hand Movement Materiale: Carbonio HR40 Diametro manubrio: 31,7 mm Profondità: 75 mm Altezza: 130 mm Misure: 42 • 44 • 46 cm (esterno - esterno) Peso: 180 g (42 cm) Finitura: Grafiche nero lucido (POB)	Shape: RHM Rapid Hand Movement Material: Carbon HR40 Diameter handlebar: 31,7 mm Reach: 75 mm Drop: 130 mm Sizes: 42 • 44 • 46 cm (outside to outside) Weight: 180 g (42 cm) finish: Polish on black graphics (POB)
---	---	---

↓ Description	↓ Deda Part Code	↓ EAN13 Code
SUPERLEGGGERA RS, handlebar, carbon, Ø 31.7, 42 cm, RHM	SL31RS42	8059265686506
SUPERLEGGGERA RS, handlebar, carbon, Ø 31.7, 44 cm, RHM	SL31RS44	8059265686513
SUPERLEGGGERA RS, handlebar, carbon, Ø 31.7, 46 cm, RHM	SL31RS46	8059265686520

SUPERLEGGERO RS



Deda Tool Zipcase. Incluso con attacco Superleggero RS
Deda Tool Zipcase. Included with Superleggero RS stem

IT • L'attacco Deda più leggero in lega 7050 nell'esclusiva finitura RS combinata alla tecnologia Duracer®. Duracer® è uno speciale rivestimento ceramico che garantisce un'estrema durezza superficiale e migliora considerevolmente la performance a fatica. Questo permette di rimuovere materiale da alcune zone specifiche dell'attacco. Speciali viti titanio e un frontalino ridisegnato portano il peso al limite estremo dei 100g.	Materiale: Alluminio 7050 Viteria: Titanio PVD Nera Angolo: 82° Diametro Manubrio: 31,7 mm Cannotto Forcella: 1 1/8" (28,6mm) Altezza attacco: 36 mm Misure: 90 • 100 • 110 • 120 • 130 mm Peso: 100 g (110 mm) Finitura: Duracer®, grafiche nero lucido Note: Raccomandato solo per montaggio con curve manubrio Deda in carbonio	Material: Alloy 7050 Screws: Titanium black PVD Angle: 82° Ø Handlebar: 31,7 mm Fork steerer: 1 1/8" (28,6mm) Clamp Height: 36 mm Sizes: 90 • 100 • 110 • 120 • 130 mm Weight: 100 g (110 mm) Finish: Duracer®, Polish on black graphics Notes: Recommended mounting with Deda carbon handlebars only
---	---	--

↓ Description	↓ Deda Part Code	↓ EAN13 Code
SUPERLEGGERO RS, stem, aluminium 7050, 90 mm, 82°, bolts titanium PVD	ASLRS090	8059265686452
SUPERLEGGERO RS, stem, aluminium 7050, 100 mm, 82°, bolts titanium PVD	ASLRS100	8059265686469
SUPERLEGGERO RS, stem, aluminium 7050, 110 mm, 82°, bolts titanium PVD	ASLRS110	8059265686476
SUPERLEGGERO RS, stem, aluminium 7050, 120 mm, 82°, bolts titanium PVD	ASLRS120	8059265686483
SUPERLEGGERO RS, stem, aluminium 7050, 130 mm, 82°, bolts titanium PVD	ASLRS130	8059265686490






SUPERLEGGERA

**IT • La leggendaria Superleggera
è il manubrio più leggero al mondo
utilizzato dai Professionisti.
Un design unico in puro stile Deda.**

**EN • The legendary Superleggera
is the lightest handlebar used
by Professional riders.
A unique design in pure Deda style.**

SUPERLEGGGERA



IT • Esclusiva grafica per l'iconico manubrio Superleggera Deda. La leggerezza alla guida. Realizzata con la rivoluzionaria fibra di carbonio unidirezionale HR40 e una speciale resina combinati insieme permettono di compattare lo spessore e di conseguenza il peso di questo manubrio garantendo le prestazioni tecniche più elevate. Curva RHM (Rapid Hand Movement) a geometria variabile per una presa perfetta e confortevole. Disponibile nella finitura Team e POB (Polish on black).

EN • Exclusive graphic design for the iconic Superleggera Deda handlebar. Lightness at the helm. Made of HR40 carbon fiber and an exclusive resin with unidirectional layup. Super compact composite and reduced weight to ensure the highest technical performance. RHM shape (Rapid Hand Movement) for the best grip and comfort. Available in Team and POB (Polish on black) finish.

Forma curva:
RHM Rapid Hand Movement
Materiale:
Monoscocca Carbonio HR40
Ø Manubrio:
31,7 mm
Profondità:
75 mm
Altezza:
130 mm
Misure:
42 • 44 • 46 cm (esterno - esterno)
Peso:
185 g (42 cm)
Finitura:
Team e POB (Polish on black)

Shape:
RHM Rapid Hand Movement
Material:
HR40 Full Carbon Costruction
Ø Handlebar:
31,7 mm
Reach:
75 mm
Drop:
130 mm
Sizes:
42 • 44 • 46 cm (outside to outside)
Weight:
185 g (42 cm)
Finish:
Team and POB (Polish on black)

↓ Description	↓ Deda Part Code	↓ EAN13 Code
Superleggera, Handlebar, Carbon, Ø 31.7, 42 cm, RHM, TEAM	SLHBTEAM42	8052783483312
Superleggera, Handlebar, Carbon, Ø 31.7, 44 cm, RHM, TEAM	SLHBTEAM44	8052783483336
Superleggera, Handlebar, Carbon, Ø 31.7, 46 cm, RHM, TEAM	SLHBTEAM46	8052783483350
Superleggera, Handlebar, Carbon, Ø 31.7, 42 cm, RHM, POB	SLHBPOB42	8052783483374
Superleggera, Handlebar, Carbon, Ø 31.7, 44 cm, RHM, POB	SLHBPOB44	8052783483398
Superleggera, Handlebar, Carbon, Ø 31.7, 46 cm, RHM, POB	SLHBPOB46	8052783483411

SUPERLEGGERO



Finitura POB
POB Finish



Finitura TEAM
TEAM Finish

IT • L'attacco Superleggero ha un esclusiva grafica. Design senza compromessi. E' l'attacco più leggero al mondo utilizzato dai corridori professionisti. Attacco forgiato 3D in lega 7050 con viti titanio nere con trattamento PVD. Disponibile nella finitura Team e POB (Polish on black).	Materiale: alluminio 7050 Viteria: Titanio PVD nera Angolo: 82°	Material: Alloy 7050 Screws: Titanium PVD black Angle: 82°
EN • The Superleggero stem has an exclusive graphic design. The lightest production stem used by professional riders. Alloy 7050 3D forged aluminum stem with PVD black titanium screws. Available in Team and POB (Polish on black) finish.	Ø manubrio: 31,7 mm Cannotto Forcella: 1 1/8" (28,6 mm) Altezza attacco: 36 mm Misure: 80 • 90 • 100 • 110 • 120 • 130 • 140 mm Peso: 115 g (110 mm) Finitura: Team e POB (Polish on black) Note: Raccomandato solo per montaggio con manubri Deda in carbonio	Ø handlebar: 31,7 mm fork Steerer: 1 1/8" (28,6 mm) Clamp height: 36 mm Sizes: 80 • 90 • 100 • 110 • 120 • 130 • 140 mm Weight: 115 g (110 mm) finish: Team and POB (Polish on black) Notes: Recommended mounting with Deda carbon handlebars only

↓ Description	↓ Deda Part Code	↓ EAN13 Code
SUPERLEGGERO, stem, aluminium 7050, 80 mm, 82°, TEAM, bolts titanium PVD	SLSTTEAM080	8052783483077
SUPERLEGGERO, stem, aluminium 7050, 90 mm, 82°, TEAM, bolts titanium PVD	SLSTTEAM090	8052783483183
SUPERLEGGERO, stem, aluminium 7050, 100 mm, 82°, TEAM, bolts titanium PVD	SLSTTEAM100	8052783483190
SUPERLEGGERO, stem, aluminium 7050, 110 mm, 82°, TEAM, bolts titanium PVD	SLSTTEAM110	8052783483206
SUPERLEGGERO, stem, aluminium 7050, 120 mm, 82°, TEAM, bolts titanium PVD	SLSTTEAM120	8052783483213
SUPERLEGGERO, stem, aluminium 7050, 130 mm, 82°, TEAM, bolts titanium PVD	SLSTTEAM130	8052783483213
SUPERLEGGERO, stem, aluminium 7050, 140 mm, 82°, TEAM, bolts titanium PVD	SLSTTEAM140	8052783483237
SUPERLEGGERO, stem, aluminium 7050, 80 mm, 82°, POB, bolts titanium PVD	SLSTPOB080	8052783483244
SUPERLEGGERO, stem, aluminium 7050, 90 mm, 82°, POB, bolts titanium PVD	SLSTPOB090	8052783483251
SUPERLEGGERO, stem, aluminium 7050, 100 mm, 82°, POB, bolts titanium PVD	SLSTPOB100	8052783483268
SUPERLEGGERO, stem, aluminium 7050, 110 mm, 82°, POB, bolts titanium PVD	SLSTPOB110	8052783483275
SUPERLEGGERO, stem, aluminium 7050, 120 mm, 82°, POB, bolts titanium PVD	SLSTPOB120	8052783483282
SUPERLEGGERO, stem, aluminium 7050, 130 mm, 82°, POB, bolts titanium PVD	SLSTPOB130	8052783483299
SUPERLEGGERO, stem, aluminium 7050, 140 mm, 82°, POB, bolts titanium PVD	SLSTPOB140	8052783483305





SUPERZERO RS




SUPERZERO RS Carbon

 Road  Gravel



Finitura POB
POB Finish



IT • Il manubrio Superzero nell'esclusiva versione RS. Più aerodinamico, leggero e rigido. È stato progettato per ridurre al minimo la resistenza all'aria e fornire un'impugnatura più ergonomica e confortevole. Il manubrio è caratterizzato dalla nuova forma RHM-EVO, l'evoluzione della geometria attuale con drop più compatto a 120 mm. Questo permette di tenere molto più a lungo la posizione in presa bassa con un aumento del comfort. Il sistema DCR (Deda internal cable routing) permette la piena integrazione dei cavi all'interno del manubrio con qualsiasi telaio compatibile, ma è compatibile anche con il passaggio cavi semi-interno. Foro centrale di uscita più grande per facilitare il montaggio dei cavi interni. Disponibile in 4 taglie, dalla 40 alla 46 misurate esterno-esterno.

EN • The Superzero handlebar with the exclusive RS version. More aerodynamic, lighter and stiffer. It has been designed to minimize air resistance and provide a more ergonomic and comfortable position. The handlebar features the new RHM-EVO shape, the evolution of the current geometry with 120 mm more compact drop. This allows you to keep the low position much longer with an increase in comfort. The DCR (Deda internal cable routing) system allows the full integration of the cables inside the handlebar with any compatible frame, but it is also compatible with a semi-internal cable routing. Bigger central exit hole to facilitate the assembly of internal cables. Available in 4 sizes, from 40 to 46 measured outside to outside.

Forma:
RHM-EVO
Materiale:
Fibra di carbonio unidirezionale
Ø manubrio:
31,7 mm
Profondità:
75 mm
Altezza:
120 mm
Larghezza:
40 • 42 • 44 • 46 cm
Peso:
235 g (42 cm)
Finitura:
POB (Polish on black)
Note:
Compatibile con sistema DCR fino a 4 cavi; compatibile con tutte le prolunghe Deda.

Shape:
RHM-EVO
Material:
UD carbon fiber
Ø handlebar:
31,7 mm
Reach:
75 mm
Drop:
120 mm
Width:
40 • 42 • 44 • 46 cm
Weight:
235 g (42 cm)
Finish:
POB (Polish on black)
Note:
Compatible with DCR system up to 4 cables; compatible with all Deda extensions.

↓ Description	↓ Part Code	↓ EAN13 Code	↓ OEM Part Code	↓ EAN13 OEM Code
SUPERZERO RS, handlebar, carbon, Ø 31.7, 40 cm, RHM-EVO, POB	SZRSBH40	8055774360418	SZRSBH40X	8055774364928
SUPERZERO RS, handlebar, carbon, Ø 31.7, 42 cm, RHM-EVO, POB	SZRSBH42	8055774360425	SZRSBH42X	8055774364935
SUPERZERO RS, handlebar, carbon, Ø 31.7, 44 cm, RHM-EVO, POB	SZRSBH44	8055774360432	SZRSBH44X	8055774364942
SUPERZERO RS, handlebar, carbon, Ø 31.7, 46 cm, RHM-EVO, POB	SZRSBH46	8055774360449	SZRSBH46X	8055774364959

Confronto Superzero RS Carbon/Superzero

Superzero RS Carbon/Superzero comparison

Superzero RS

400 / 420 / 440 / 460

83

DCR System

Vantaggi:

- Più aerodinamico
- Più leggero
- Più ergonomico

Advantages:

- More aero
- Lighter
- Better ergonomoy

75

Superzero 130

Superzero RS 120

44

24

Superzero RS

42

29


Superzero

Road

● Superzero

● Superzero RS

Catalogue 2026



SUPERZERO RS



Aero Topcap



D-Clip



Computer mount per gli attacchi Superzero RS e Superzero.
New Superbox computer mount for Superzero RS and Superzero stems.

IT • L'attacco Superzero nell'esclusiva finitura RS. La finitura dell'attacco ricalca quella del nuovo manubrio RS. Superzero è realizzato in alluminio 2014 con un innovativo processo di forgiatura 3D per ottenere un design completamente piatto. Rispetto alla versione standard l'attacco monta di serie speciali viti titanio con finitura nera PVD. In combinazione con il manubrio lo rende il kit aero più leggero sul mercato. Il porta computer è disponibile come accessorio e include 3 diversi inserti per Garmin (serie 500, 800, 1000), Bryton, Wahoo oltre all'aggancio GoPro. Il porta computer richiede l'utilizzo del nuovo frontalino disponibile come ricambio (codice FCSZ-MOUNT) per gli attacchi Superzero RS e Superzero.

EN • The Superzero stem in the exclusive RS finish. The stem finish perfectly matches the new Superzero RS handlebar. Superzero is made of 2014 aluminium series using an innovative 3D forging process to get a completely flat design. Compared to the standard version, the stem features special titanium screws with black PVD finish. The combination with the handlebar delivers the lightest aero kit on the market. The computer mount is available as accessory and includes 3 different inserts to fit Garmin (500, 800, 1000 series), Bryton, Wahoo and a specific GoPro mount. The mount requires the new Superzero RS and Superzero stem faceplate available as spare part (part code FCSZ-MOUNT).

Materiale:
Alluminio 2014
Viti:
Titanio, finitura PVD nera
Angolo:
82°
Ø manubrio:
31,7 mm
Cannotto forcella:
1 1/8" (28,6mm)
Altezza attacco:
36 mm
Misure:
90 • 100 • 110 • 120 • 130 mm
Peso:
140 g (110 mm)
Finitura:
POB (Polish on black)
Accessori inclusi:
Topcap con vite alluminio

Material:
Alloy 2014
Screws:
Titanium, black pvd finish
Angle:
82°
Ø handlebar:
31,7 mm
Fork steerer:
1 1/8" (28,6mm)
Clamp height:
36 mm
Sizes:
90 • 100 • 110 • 120 • 130 mm
Weight:
140 g (110 mm)
Finish:
POB (Polish on black)
Included accessories:
Aero topcap with alloy screw

↓ Description	↓ Deda Part Code	↓ EAN13 Code
SUPERZERO RS, stem, aluminium 2014, 90 mm, 82°, POB, bolts titanium PVD	SZRSST090	8055774360517
SUPERZERO RS, stem, aluminium 2014, 100 mm, 82°, POB, bolts titanium PVD	SZRSST100	8055774360524
SUPERZERO RS, stem, aluminium 2014, 110 mm, 82°, POB, bolts titanium PVD	SZRSST110	8055774360531
SUPERZERO RS, stem, aluminium 2014, 120 mm, 82°, POB, bolts titanium PVD	SZRSST120	8055774360548
SUPERZERO RS, stem, aluminium 2014, 130 mm, 82°, POB, bolts titanium PVD	SZRSST130	8055774360555

SUPERZERO RS Alloy



IT • Il manubrio Superzero RS Alloy rappresenta una soluzione performante per i ciclisti che cercano comfort, aerodinamica e un design all'avanguardia. L'angolo di apertura di 6° garantisce maggiore stabilità, anche su terreni più difficili. La forma RHM-EVO (Reach: 75 mm; Drop: 120 mm) offre una posizione comoda e una transizione rapida tra le leve dei freni e la presa bassa. Il sistema DCR (Deda Internal Cable Routing) consente la completa integrazione dei cavi all'interno del manubrio, compatibile con telai predisposti. Disponibile in cinque larghezze (36, 38, 40, 42, 44 cm), in finitura POB (Polish on black).

EN • The Superzero RS Alloy is an ideal choice for road cyclists seeking a balance of performance, style, and precision engineering. The 6° flare delivers improved stability, even on challenging terrain. The RHM-EVO Shape (Reach: 75 mm; Drop: 120 mm) ensures a comfortable riding position and seamless transitions between brake levers and the lower grip. The DCR system (Deda Internal Cable Routing) enables full cable integration within the handlebar, provided the frame supports this feature. Available in five widths (36, 38, 40, 42, 44 cm), in Polish on Black (POB) finish.



Forma curva:
RHM-EVO
Materiale:
Alluminio 7050
Ø Manubrio:
31,7 mm
Profondità:
75 mm
Altezza:
120 mm
Angolo Apertura:
6° (+ 2,5 cm)
Angolo esterno:
0°
Larghezza:
36 • 38 • 40 • 42 • 44 cm
(esterno-esterno)
Larghezza totale:
38,5 • 40,5 • 42,5 • 44,5 • 46,5 cm
(esterno-esterno)
Peso:
285 g (42 cm)
Finitura:
POB (Polish on black)
Note:
Compatibile DCR fino a 4 cavi; area centrale di 100 mm per il montaggio di accessori e prolunghe Deda (JET, Fast Pro e Parabolica Pro)

Shape:
RHM-EVO
Material:
Alloy 7050
Ø Handlebar:
31,7 mm
Reach:
75 mm
Drop:
120 mm
Flare:
6° (+ 2,5 cm)
Outsweep:
0°
Width:
36 • 38 • 40 • 42 • 44 cm
(outside - outside)
Full width:
38,5 • 40,5 • 42,5 • 44,5 • 46,5 cm
(outside - outside)
Weight:
285 g (42 cm)
Finish:
POB (Polish on black)
Notes:
DCR compatible up to 4 cables; 100mm clamp area for mounting accessories and Deda clip-on bars (JET, Fast Pro and Parabolica Pro)

↓ Description	↓ Part Code	↓ EAN13 Code	↓ OEM Part Code	↓ EAN13 OEM Code
SUPERZERO RS Alloy Handlebar, RHM-EVO, 36 cm, AL7050, POB finish, 6° flare	SZRSHBAL-36	8055774367967	SZRSHBAL-36X	8055774367974
SUPERZERO RS Alloy Handlebar, RHM-EVO, 38 cm, AL7050, POB finish, 6° flare	SZRSHBAL-38	8055774367981	SZRSHBAL-38X	8055774367998
SUPERZERO RS Alloy Handlebar, RHM-EVO, 40 cm, AL7050, POB finish, 6° flare	SZRSHBAL-40	8055774367943	SZRSHBAL-40X	8055774367950
SUPERZERO RS Alloy Handlebar, RHM-EVO, 42 cm, AL7050, POB finish, 6° flare	SZRSHBAL-42	8055774368001	SZRSHBAL-42X	8055774368018
SUPERZERO RS Alloy Handlebar, RHM-EVO, 44 cm, AL7050, POB finish, 6° flare	SZRSHBAL-44	8055774368025	SZRSHBAL-44X	8055774368032

Confronto Superzero RS Alloy/Superzero Alloy

Superzero RS Alloy/Superzero Alloy comparison



SUPERZERO Alloy DCR



IT • La versione in alluminio del manubrio Superzero è prodotta con la lega 7050 di altissima gamma utilizzando un processo innovativo di formatura meccanica che permette di ottenere l'esatta forma della versione in carbonio. Il profilo aero e la sezione trasversale sono state disegnate per minimizzare la resistenza all'aria e per offrire allo stesso tempo una presa ergonomica per ogni stile di guida. Compatibile con passaggio cavi interno (sistema DCR) e montaggio cavi esterni. Il manubrio è caratterizzato dalla forma RHM per una presa ineguagliabile.	Forma curva: RHM Rapid Hand Movement Materiale: Alluminio 7050 Ø Manubrio: 31,7 mm Profondità: 75 mm Altezza: 130 mm Misure: 40 • 42 • 44 • 46 cm (esterno - esterno) Peso: 305 g (42 cm) Finitura: POB (Polish on Black) Note: Compatibile con passaggio cavi interno (fino a 4 cavi) e montaggio cavi esterni	Shape: RHM Rapid Hand movement Material: 7050 Aluminum Series Ø Handlebar: 31,7 mm Reach: 75 mm Drop: 130 mm Sizes: 40 • 42 • 44 • 46 cm (outside to outside) Weight: 305 g (42 cm) Finish: POB (Polish on black) Notes: Compatible with full internal cables routing (up to 4 cables) and external cable routing
--	---	---

↓ Description	↓ Part Code	↓ EAN13 Code	↓ OEM Part Code	↓ EAN13 OEM Code
SUPERZERO DCR, handlebar, aluminium 7050, Ø 31.7, 40 cm, RHM, POB	ASZPOBN40V1	8052783484425	ASZPOBN40V1X	8052783484432
SUPERZERO DCR, handlebar, aluminium 7050, Ø 31.7, 42 cm, RHM, POB	ASZPOBN42V1	8052783484449	ASZPOBN42V1X	8052783484456
SUPERZERO DCR, handlebar, aluminium 7050, Ø 31.7, 44 cm, RHM, POB	ASZPOBN44V1	8052783484463	ASZPOBN44V1X	8052783484470
SUPERZERO DCR, handlebar, aluminium 7050, Ø 31.7, 46 cm, RHM, POB	ASZPOBN46V1	8052783484487	ASZPOBN46V1X	8052783484494



SUPERZERO

 Road  Gravel



Finitura POB
POB Finish





Nuovo computer mount per gli attacchi Superzero RS e Superzero

Il porta computer è disponibile come accessorio e include 3 diversi inserti per Garmin (serie 500, 800, 1000), Bryton, Wahoo oltre all'aggancio GoPro. Il porta computer richiede l'utilizzo del nuovo frontalino disponibile come ricambio (codice FCSZ-MOUNT) per gli attacchi Superzero RS e Superzero.

New Superbox computer mount for Superzero RS and Superzero stems.

The computer mount is available as accessory and includes 3 different inserts to fit Garmin (500, 800, 1000 series), Bryton, Wahoo and a specific GoPro mount. The mount requires the new Superzero RS and Superzero stem faceplate available as spare part (part code FCSZ-MOUNT).

IT • L'attacco Superzero è la perfetta combinazione di rigidità, leggerezza e forma aerodinamica. La sezione superiore piatta garantisce un migliore rendimento aerodinamico e allo stesso tempo valori superiori di rigidità. Progettato per i corridori più esigenti, Superzero è realizzato in alluminio 2014 con un innovativo processo di forgiatura 3D. Il design è completato da un coperchietto aero dedicato per l'attacco.

EN • The Superzero stem is the perfect combination of stiffness, lightness and aero shape. The flat top section of the stem results in a better aero performance and guarantees at the same time higher stiffness values. Designed for the most exigent riders, Superzero is made in 2014 aluminum series using an innovative 3D forging process. The stem design features a dedicated aero top cap.

Materiale:
Alluminio 2014

Viteria:
Acciaio, nera

Angolo:
82°

Ø Manubrio:
31,7 mm

Cannotto Forcella:
1 1/8" (28,6mm)

Altezza attacco:
36 mm

Misure:
90 • 100 • 110 • 120 • 130 • 140 mm

Peso:
145 g (110 mm)

Finitura:
POB (Polish on Black)

Note:
Raccomandato solo per montaggio con curve manubrio Deda

Material:
Alloy 2014

Screws:
Steel, black

Angle:
82°

Ø Handlebar:
31,7 mm

Fork Steerer:
1 1/8" (28,6mm)

Clamp Height:
36 mm

Sizes:
90 • 100 • 110 • 120 • 130 • 140 mm

Weight:
145 g (110 mm)

Finish:
POB (Polish on Black)

Notes:
Recommended mounting with Deda handlebars only



Superzero Aero Topcap


Incluso solo nella versione After-Market.
Included in the After-Market version only.
(Deda Part code HDSZTP)

↓ Description	↓ Part Code	↓ EAN13 Code	↓ OEM Part Code	↓ EAN13 OEM Code
SUPERZERO, stem, aluminium 2014, 90 mm, 82°, POB, bolts titanium PVD	ASZPOBN090	8052783480359	/	/
SUPERZERO, stem, aluminium 2014, 100 mm, 82°, POB, bolts titanium PVD	ASZPOBN100	8052783480373	/	/
SUPERZERO, stem, aluminium 2014, 110 mm, 82°, POB, bolts titanium PVD	ASZPOBN110	8052783480397	/	/
SUPERZERO, stem, aluminium 2014, 120 mm, 82°, POB, bolts titanium PVD	ASZPOBN120	8052783480410	/	/
SUPERZERO, stem, aluminium 2014, 130 mm, 82°, POB, bolts titanium PVD	ASZPOBN130	8052783480434	/	/
SUPERZERO, stem, aluminium 2014, 140 mm, 82°, POB, bolts titanium PVD	ASZPOBN140	8052783480458	/	/
SUPERZERO, OEM, stem, aluminium 2014, 90 mm, 82°, POB, bolts titanium PVD	/	/	ASZPOBN090X	8052783480366
SUPERZERO, OEM, stem, aluminium 2014, 100 mm, 82°, POB, bolts titanium PVD	/	/	ASZPOBN100X	8052783480380
SUPERZERO, OEM, stem, aluminium 2014, 110 mm, 82°, POB, bolts titanium PVD	/	/	ASZPOBN110X	8052783480403
SUPERZERO, OEM, stem, aluminium 2014, 120 mm, 82°, POB, bolts titanium PVD	/	/	ASZPOBN120X	8052783480427
SUPERZERO, OEM, stem, aluminium 2014, 130 mm, 82°, POB, bolts titanium PVD	/	/	ASZPOBN130X	8052783480441
SUPERZERO, OEM, stem, aluminium 2014, 140 mm, 82°, POB, bolts titanium PVD	/	/	ASZPOBN140X	8052783480465





ZERO100 RHM



IT • Dalla sua introduzione nel 2006, la serie Zero100 è stata per lungo tempo sinonimo del più alto livello di performance. Abbiamo visto campioni vincere le più prestigiose corse ma più di tutto, la scelta di tantissimi ciclisti entusiasti. Oggi è ancora una delle serie Deda più apprezzata e venduta. Il manubrio Zero100 RHM è realizzato con la prestigiosa serie alluminio 7075 per un peso leggerissimo di 248 grammi nella taglia 42. Disponibile in molte larghezze da 38 al 46 cm misurate esterno-esterno.	Forma curva: RHM Rapid Hand Movement Materiale: Alluminio 7050 a triplo spessore Ø Manubrio: 31,7 mm Profondità: 75 mm Altezza: 130 mm Misure: 38 • 40 • 42 • 44 • 46 cm (esterno - esterno) Peso: 248 g (42 cm) Finitura: BOB (Black on Black)	Shape: RHM Rapid Hand Movement Material: Triple butted Alloy 7050 Ø Handlebar: 31,7 mm Reach: 75 mm Drop: 130 mm Sizes: 38 • 40 • 42 • 44 • 46 cm (outside - outside) Weight: 248 g (42 cm) Finish: BOB (Black on Black)
--	---	--

↓ Description	↓ Part Code	↓ EAN13 Code	↓ OEM Part Code	↓ EAN13 OEM Code
ZERO100, handlebar, aluminium 7075, Ø 31,7, 38 cm, RHM, BOB	D100BOB38	8059265687701	D100BOB38X	8059265687756
ZERO100, handlebar, aluminium 7075, Ø 31,7, 40 cm, RHM, BOB	D100BOB40	8059265687718	D100BOB40X	8059265687763
ZERO100, handlebar, aluminium 7075, Ø 31,7, 42 cm, RHM, BOB	D100BOB42	8059265687725	D100BOB42X	8059265687770
ZERO100, handlebar, aluminium 7075, Ø 31,7, 44 cm, RHM, BOB	D100BOB44	8059265687732	D100BOB44X	8059265687787
ZERO100, handlebar, aluminium 7075, Ø 31,7, 46 cm, RHM, BOB	D100BOB46	8059265687749	D100BOB46X	8059265687794




ZERO100 Shallow



Road



Finitura BOB
BOB Finish



IT • Il manubrio classico per definizione, la forma Shallow o rotonda all'italiana ha scritto la storia di questo fantastico sport. Utilizzata dai campioni di ieri e da alcuni degli attuali leader di Giro e Tour, questa curva da manubrio continua a funzionare perché i ciclisti la conoscono e la trovano comoda. Lo Shallow ha una classica curva rotonda con una profondità di 80 mm e un'altezza di 135 mm. Realizzato in leggero alluminio 7075 il manubrio pesa solo 250 g. Disponibile nelle taglie 42 e 44 misurate da esterno a esterno.

EN • The classic handlebar by definition, the Shallow or Italian shape has written the story of this fantastic sport. Used by the yesterday's champions and some of current leaders of Giro and Tour, this handlebar bend continue to work because cyclists know and find it comfortable. The Shallow has a classic round bend featuring a 80 mm reach and 135 mm drop. Made in light 7075 aluminium the handlebar weights only 250 g. Available in size 42 and 44 measured outside to outside.

Forma curva:
Shallow. Rotonda all'italiana
Materiale:
Alluminio 7075 a triplo spessore
Ø Manubrio:
31,7 mm
Profondità:
80 mm
Altezza:
135 mm
Misure:
42 • 44 cm (esterno - esterno)
Peso:
252 g (42 cm)
Finitura:
BOB (Black on Black)


Shape:
Shallow
Material:
Triple butted Alloy 7075
Ø Handlebar:
31,7 mm
Reach:
80 mm
Drop:
135 mm
Sizes:
42 • 44 cm (outside - outside)
Weight:
252 g (42 cm)
Finish:
BOB (Black on Black)

↓ Description	↓ Deda Part Code	↓ EAN13 Code
ZERO100 SHALLOW, handlebar, aluminium 7075, Ø 31.7, 42 cm, BOB	D100SBOB42	8055774364669
ZERO100 SHALLOW, handlebar, aluminium 7075, Ø 31.7, 44 cm, BOB	D100SBOB44	8055774364676

ZERO100 Deep



Finitura BOB
BOB Finish



IT • La Zero100 Deep è una curva rotonda tradizionale in stile belga che offre più spazio per le braccia quando si scatta fuori dalla sella rispetto a qualsiasi altra forma di manubrio da strada. La forma Deep è per chi ama essere basso e aerodinamico, per questo motivo era molto popolare in pista. Ha una profondità di 95 mm e un'altezza di 145 mm. Realizzato in alluminio 7075 il manubrio pesa solo 250 g. Disponibile nelle taglie 42 e 44 misurate da esterno a esterno.

EN • The Zero100 Deep is a traditional Belgian-style round bend that provides more clearance for the arms when sprinting out of the saddle than any other road bar shape. The Deep bend is for riders who like to get low and aero, for this reason was very popular in track. Features a 95 mm reach and 145 mm drop. Made in 7075 aluminium the handlebar weights only 250 g. Available in size 42 and 44 measured outside to outside.

Forma curva:
Deep. Rotonda alla belga
Materiale:
Alluminio 7075 a triplo spessore
Ø Manubrio:
31,7 mm
Profondità:
95 mm
Altezza:
145 mm
Misure:
42 • 44 cm (esterno - esterno)
Peso:
254 g (42 cm)
Finitura:
BOB (Black on Black)

Shape:
Deep
Material:
Triple butted Alloy 7075
Ø Handlebar:
31,7 mm
Reach:
75 mm
Drop:
130 mm
Sizes:
42 • 44 cm (outside - outside)
Weight:
254 g (42 cm)
Finish:
BOB (Black on Black)

↓ Description	↓ Deda Part Code	↓ EAN13 Code
ZERO100 DEEP, handlebar, aluminium 7075, Ø 31,7, 42 cm, BOB	D100DBOB42	8055774364690
ZERO100 DEEP, handlebar, aluminium 7075, Ø 31,7, 44 cm, BOB	D100DBOB44	8055774364706


ZERO100 Anatomic



Road



Finitura BOB
BOB Finish



IT • La Zero100 Anatomica è un curva con raggio variabile per chi ama l'ergonomia impugnando il manubrio in posizioni fisse. Ha una profondità di 86 mm e un'altezza di 142 mm. Realizzato in alluminio 7075 il manubrio pesa solo 250 g. Disponibile nelle taglie 42 e 44 misurate da esterno a esterno.

EN • The Zero100 Anatomic handlebar is a bend with variable radius for people who like ergonomic drops holding the handlebar in fixed positions. Features a 86 mm reach and 142 mm drop. Made in 7075 aluminium the handlebar weights only 250 g. Available in size 42 and 44 measured outside to outside.

Forma curva:
Anatomica
Materiale:
Alluminio 7075 a triplo spessore
Ø Manubrio:
31,7 mm
Profondità:
86 mm
Altezza:
142 mm
Misure:
42 • 44 cm (esterno - esterno)
Peso:
258 g (42 cm)
Finitura:
BOB (Black on Black)

Shape:
Anatomic
Material:
Triple butted Alloy 7075
Ø Handlebar:
31,7 mm
Reach:
86 mm
Drop:
142 mm
Sizes:
42 • 44 cm (outside - outside)
Weight:
258 g (42 cm)
Finish:
BOB (Black on Black)

↓ Description	↓ Deda Part Code	↓ EAN13 Code
ZERO100 ANATOMIC, handlebar, aluminium 7075, Ø 31,7, 42 cm, BOB	D100ABOB42	8055774364720
ZERO100 ANATOMIC, handlebar, aluminium 7075, Ø 31,7, 44 cm, BOB	D100DBOB44	8055774364737



ZERO100

 Road

 Gravel

Finitura BOB
BOB Finish



Compatibile con S-DCR Cover Kit. Vedi pagina 13.
Compatible with S-DCR Cover kit. See page 13.

IT • L'attacco Zero100 è estremamente versatile perché unisce leggerezza, resistenza e affidabilità. È la scelta perfetta per bici sportive o endurance, ma anche una delle scelte preferite dai ciclisti Professionisti. Progettato e prodotto in alluminio 2014, l'attacco ha un angolo da 82 gradi con misure disponibili da 80 a 140 mm per adattarsi a qualsiasi posizione. Disponibile in finitura BOB (Black on Black).

EN • Zero100 stem is extremely versatile because combines lightweight, strength and reliability. It is the perfect choice for sportive or endurance bikes but also one of the preferred choices of Pro riders. Designed and manufactured in 2014 alloy series, the stem features a 82 degrees angle with a wide size options from 80 to 140mm to suit any position. Available in BOB (Black on Black) finish.

Materiale: Alluminio 2014, forgiato 3D	Material: 3D forged, alloy 2014
Viteria: CrMo	Screws: CrMo
Angolo: 82°	Angle: 82°
Ø Manubrio: 31,7 mm	Ø Handlebar: 31,7 mm
Cannotto Forcella: 1 1/8" (28,6 mm)	Fork Steerer: 1 1/8" (28,6 mm)
Altezza attacco: 40 mm	Clamp Height: 40 mm
Misure: 80 • 90 • 100 • 110 • 120 • 130 • 140 mm	Sizes: 80 • 90 • 100 • 110 • 120 • 130 • 140 mm
Peso: 126 g (110 mm)	Weight: 126 g (110 mm)
Finitura: BOB (Black on Black)	Finish: BOB (Black on Black)

↓ Description	↓ Part Code	↓ EAN13 Code	↓ OEM Part Code	↓ EAN13 OEM Code
ZERO100, stem, aluminium 2014, 80 mm, 82°, BOB, bolts steel	D100BOB080	8059265687466	D100BOB080X	8059265687534
ZERO100, stem, aluminium 2014, 90 mm, 82°, BOB, bolts steel	D100BOB090	8059265687473	D100BOB090X	8059265687541
ZERO100, stem, aluminium 2014, 100 mm, 82°, BOB, bolts steel	D100BOB100	8059265687480	D100BOB100X	8059265687558
ZERO100, stem, aluminium 2014, 110 mm, 82°, BOB, bolts steel	D100BOB110	8059265687497	D100BOB110X	8059265687565
ZERO100, stem, aluminium 2014, 120 mm, 82°, BOB, bolts steel	D100BOB120	8059265687503	D100BOB120X	8059265687572
ZERO100, stem, aluminium 2014, 130 mm, 82°, BOB, bolts steel	D100BOB130	8059265687510	D100BOB130X	8059265687589
ZERO100, stem, aluminium 2014, 140 mm, 82°, BOB, bolts steel	D100BOB140	8059265687527	D100BOB140X	8059265687596

ZERO100 Team 70°



Finitura BOB
BOB Finish

IT • Versione Team del classico attacco Zero100 con angolo 70 gradi (-20°) per i corridori più esigenti alla ricerca di una posizione perfetta in bici. Misure disponibili da 90 a 140 mm per adattarsi a qualsiasi posizione. Disponibile in finitura BOB (Black on Black).	Materiale: Alluminio 2014, forgiato 3D Viteria: CrMo Angolo: 70° Ø Manubrio: 31,7 mm Cannotto Forcella: 1 1/8" (28,6 mm) Altezza attacco: 40 mm Misure: 90 • 100 • 110 • 120 • 130 • 140 mm Peso: 126 g (110 mm) Finitura: BOB (Black on Black)	Material: 3D forged, alloy 2014 Screws: CrMo Angle: 70° Ø Handlebar: 31,7 mm Fork Steerer: 1 1/8" (28,6 mm) Clamp Height: 40 mm Sizes: 90 • 100 • 110 • 120 • 130 • 140 mm Weight: 126 g (110 mm) Finish: BOB (Black on Black)
EN • Team version of the classic Zero100 stem with 70 degree angle (-20°) for the most demanding riders looking for a perfect position on the bike. Sizes available from 90 to 140 mm to adapt to any position. Available in BOB (Black on Black) finish.		

↓ Description	↓ Deda Part Code	↓ EAN13 Code
ZERO100 TEAM, stem, aluminium 2014, 90 mm, 70°, BOB, bolts steel	D100T090-BOB	8055774366335
ZERO100 TEAM, stem, aluminium 2014, 100 mm, 70°, BOB, bolts steel	D100T100-BOB	8055774366342
ZERO100 TEAM, stem, aluminium 2014, 110 mm, 70°, BOB, bolts steel	D100T110-BOB	8055774366359
ZERO100 TEAM, stem, aluminium 2014, 120 mm, 70°, BOB, bolts steel	D100T120-BOB	8055774366366
ZERO100 TEAM, stem, aluminium 2014, 130 mm, 70°, BOB, bolts steel	D100T130-BOB	8055774366373
ZERO100 TEAM, stem, aluminium 2014, 140 mm, 70°, BOB, bolts steel	D100T140-BOB	8055774366380



ZERO100 12 mm

 Road  Gravel

Finitura BOB
BOB Finish



Compatibile col kit montaggio luci
al reggisella, Staffa. Vedi pagina 216.
Compatible with Staffa seatpost
lights mount kit. See page 216.



DBA (For Shimano Di2)



IT • ZERO100 è un reggisella superleggero di soli 250 grammi che fornisce allo stesso tempo il massimo livello di rigidità e affidabilità. Il reggisella è realizzato in un unico pezzo utilizzando un processo di forgiatura 3D e presenta lo stesso innovativo sistema di bloccaggio a 1 bullone del modello Superleggero per consentire un montaggio facile e veloce. Regolazione micrometrica dell'inclinazione della sella attraverso una vite posizionata sulla testa del reggisella. Il reggisella presenta un arretramento di 12 mm e è disponibile in due diametri, 27.2 e 31.6 mm.

EN • ZERO100 is a superlight seatpost of 250 grams only providing at the same time the highest level of stiffness and reliability. The seatpost is manufactured in one piece using a 3D forging process and features the same innovative 1-bolt clamp system of Superleggero model to allow an easy and fast assembly. A fine adjustment of the saddle inclination is possible through the adjusting screw on the seatpost head. The seatpost features a 12 mm setback and is available in two diameters, 27.2 and 31.6 mm.

Materiale:
Alluminio 7050 forgiato 3D
Lunghezza:
350 mm
Diametro:
Ø 27,2 • 31,6 mm
Arretramento:
12 mm
Peso:
259 g (Ø 31,6 mm)
Finitura:
BOB (Black on Black)
Note:
Compatibile con adattatori Deda
per batteria interna DI2

Material:
Alloy 7050 3D forged
Length:
350 mm
Diameter:
Ø 27,2 • 31,6 mm
Setback:
12 mm
Weight:
259 g (Ø 31,6 mm)
Finish:
BOB (Black on Black)
Notes:
Compatible with deda adapter
for DI2 internal battery

↓ Description	↓ Part Code	↓ EAN13 Code	↓ OEM Part Code	↓ EAN13 OEM Code
ZERO100, seatpost, aluminium 7050, Ø 27.2×350 mm, setback 12 mm, BOB, bolts steel	D100BOB27	8059265687930	D100BOB27X	8059265687947
ZERO100, seatpost, aluminium 7050, Ø 31.6×350 mm, setback 12 mm, BOB, bolts steel	D100BOB31	8059265687954	D100BOB31X	8059265687961

ZERO100 0 mm

 Road  Gravel

Road

Finitura BOB
BOB Finish



Compatibile col kit montaggio luci
al reggisella, *Staffa*. Vedi pagina 216.
Compatible with *Staffa* seatpost
lights mount kit. See page 216.



DBA (For Shimano Di2)



Ø 27,2 mm Ø 31,6 mm

IT • ZERO100 è un reggisella superleggero di soli 250 grammi che fornisce allo stesso tempo il massimo livello di rigidità e affidabilità. Il reggisella è realizzato in un unico pezzo utilizzando un processo di forgiatura 3D e presenta lo stesso innovativo sistema di bloccaggio a 1 bullone del modello Superleggero per consentire un montaggio facile e veloce. Regolazione micrometrica dell'inclinazione della sella attraverso una vite posizionata sulla testa del reggisella. Il reggisella presenta un arretramento di 0 mm e è disponibile in due diametri, 27.2 e 31.6 mm.

EN • ZERO100 is a superlight seatpost of 250 grams only providing at the same time the highest level of stiffness and reliability. The seatpost is manufactured in one piece using a 3D forging process and features the same innovative 1-bolt clamp system of Superleggero model to allow an easy and fast assembly. A fine adjustment of the saddle inclination is possible through the adjusting screw on the seatpost head. The seatpost features a 0 mm setback and is available in two diameters, 27.2 and 31.6 mm.

Materiale:
Alluminio 2014 forgiato 3D
Lunghezza:
350 mm
Diametro:
Ø 27,2 • 31,6 mm
Arretramento:
0 mm
Peso:
259 g (Ø 31,6 mm)
Finitura:
BOB (Black on Black)
Note:
Compatibile con adattatori Deda
per batteria interna DI2

Material:
Alloy 2014 3D forged
Length:
350 mm
Diameter:
Ø 27,2 • 31,6 mm
Setback:
0 mm
Weight:
259 g (Ø 31,6 mm)
Finish:
BOB (Black on Black)
Notes:
Compatible with Deda adapter
for DI2 internal battery

↓ Description	↓ Deda Part Code	↓ EAN13 Code
ZERO100, seatpost, aluminium 7050, Ø 27.2×350 mm, setback 0 mm, BOB, bolts steel	D100ZBOB27	8052783482513
ZERO100, seatpost, aluminium 7050, Ø 31.6×350 mm, setback 0 mm, BOB, bolts steel	D100ZBOB31	8052783482520









IT • Manubrio Zero 2 con sistema DCR (Deda internal cable routing) caratterizzato dalla curva RHM-EVO per un confort ineguagliabile nella presa bassa. Garantisce un'integrazione completa dei cavi all'interno del manubrio. Il manubrio ha una sezione aero nella parte superiore. Realizzato in lega di alluminio 6061, trafilata a doppio spessore. Disponibile in finitura POB (polish on black). Ora disponibile anche in misura 36.	Forma curva: RHM-EVO Materiale: Alluminio 6061 a doppio spessore Ø Manubrio: 31,7 mm Profondità: 75 mm Altezza: 120 mm Misure: 36 • 38 • 40 • 42 • 44 • 46 cm (esterno - esterno) Peso: 330 g (42 cm) Finitura: POB (Polish on black) Note: Compatibile con passaggio cavi interno (fino a 4 cavi)	Shape: RHM-EVO Material: Double butted Alloy 6061 Ø Handlebar: 31,7 mm Reach: 75 mm Drop: 120 mm Sizes: 36 • 38 • 40 • 42 • 44 • 46 cm (outside - outside) Weight: 330 g (42 cm) Finish: POB (Polish on black) Notes: Compatible with full internal cables routing (up to 4 cables)
--	--	---

↓ Description	↓ Part Code	↓ EAN13 Code
NEW ZERO2 DCR, handlebar, aluminium 6061, 36 cm, RHM-EVO, POB	Z2HBDCR36X	8055774367745
ZERO2 DCR, handlebar, aluminium 6061, 38 cm, RHM-EVO, POB	Z2HBDCR38X	8055774365901
ZERO2 DCR, handlebar, aluminium 6061, 40 cm, RHM-EVO, POB	Z2HBDCR40X	8052783489772
ZERO2 DCR, handlebar, aluminium 6061, 42 cm, RHM-EVO, POB	Z2HBDCR42X	8052783489789
ZERO2 DCR, handlebar, aluminium 6061, 44 cm, RHM-EVO, POB	Z2HBDCR44X	8052783489796
ZERO2 DCR, handlebar, aluminium 6061, 46 cm, RHM-EVO, POB	Z2HBDCR46X	8052783489802



Road



IT • Il manubrio Zero 2 ha una sezione leggermente aerodinamica, creando una piacevole presa quando non si è sulle leve. Presenta la famosa forma RHM (Rapid Hand Movement) ed è per i ciclisti che vogliono passare dalla presa alta a quella bassa regolarmente e comodamente. Realizzato in alluminio 6061 a doppio spessore con passacavi standard anteriore e posteriore. La finitura lucida aggiunge un tocco di classe per un manubrio di alta gamma a un prezzo competitivo. Disponibile in tre misure da 42 cm a 46 cm con finitura POB (Polish on black).

EN • The Zero 2 handlebar bar has a slightly aero cross-section, creating a pleasant grip when not on the hoods. It features the famous RHM shape (Rapid Hand Movement) and is for riders who want to switch from the tops to the drops, regularly and comfortably. Made in double butted 6061 aluminium with standard cable groves front and rear. The gloss finish adds a touch of class for a high-end handlebar at competitive price. Available in three sizes from 42 cm to 46 cm, the handlebar comes with POB (Polish on black) finish.

Forma curva:
RHM Rapid Hand Movement

Materiale:
Alluminio 6061 a doppio spessore

Ø Manubrio:
31,7 mm

Profondità:
75 mm

Altezza:
130 mm

Misure:
42 • 44 • 46 cm (esterno - esterno)

Peso:
295 g (42 cm)

Finitura:
POB (Polish on black)

Shape:
RHM Rapid Hand Movement

Material:
Double butted Alloy 6061

Ø Handlebar:
31,7 mm

Reach:
75 mm

Drop:
130 mm

Sizes:
42 • 44 • 46 cm (outside - outside)

Weight:
295 g (42 cm)

Finish:
POB (Polish on black)

Catalogue 2026

↓ Description	↓ Part Code	↓ EAN13 Code	↓ OEM Part Code	↓ EAN13 OEM Code
ZERO2, handlebar, aluminium 6061, 42 cm, RHM, POB	Z2POB42	8052783481172	Z2POB42X	8052783481189
ZERO2, handlebar, aluminium 6061, 44 cm, RHM, POB	Z2POB44	8052783481196	Z2POB44X	8052783481202
ZERO2, handlebar, aluminium 6061, 46 cm, RHM, POB	Z2POB46	8052783481219	Z2POB46X	8052783481226

ZERO2



Compatibile con S-DCR Cover Kit. Vedi pagina 13.
Compatible with S-DCR Cover kit. See page 13.

IT • L'attacco Zero2 è un perfetto compromesso tra design e ingegnerizzazione. L'attacco è disponibile in una gamma ampia di misure da 50 a 130 mm. Questo rende lo Zero2 la scelta perfetta anche per bike fitters che aiutano i ciclisti a trovare la migliore posizione sulla bicicletta. L'attacco manubrio Zero2 è perfetto per le bici da corsa endurance o da competizione ad un prezzo accessibile. Disponibile nella finitura POB (Polish on black).	Materiale: Alluminio 6061, forgiato 3D Viteria: Acciaio, Nera Angolo: 83° Ø Manubrio: 31,7 mm Cannotto Forcella: 1 1/8" (28,6mm) Altezza attacco: 38 mm Misure: 50 • 60 • 70 • 80 • 90 • 100 • 110 • 120 • 130 mm Peso: 140 g (110 mm) Finitura: POB (Polish on black)	Material: 6061 alloy, 3D forged Screws: Steel, Black Angle: 83° Ø Handlebar: 31,7 mm Fork Steerer: 1 1/8" (28,6mm) Clamp Height: 38 mm Sizes: 50 • 60 • 70 • 80 • 90 • 100 • 110 • 120 • 130 mm Weight: 140 g (110 mm) Finish: POB (Polish on black)
EN • The Zero2 stem is a perfect balance between engineering and design. The stem is available in a wide range of sizes from 50 to 130 mm. This makes the Zero2 stem the perfect choice also for bike fitters helping cyclists to find the best position on the bike. The Zero2 stem is suitable for high performance bikes at an affordable price. Available in POB (Polish on black) finish.		

↓ Description	↓ Part Code	↓ EAN13 Code	↓ OEM Part Code	↓ EAN13 OEM Code
ZERO2, stem, aluminium 6061, 50 mm, 83°, POB, bolts steel	Z2POB050	8052783480953	Z2POB050X	8052783480960
ZERO2, stem, aluminium 6061, 60 mm, 83°, POB, bolts steel	Z2POB060	8052783480977	Z2POB060X	8052783480984
ZERO2, stem, aluminium 6061, 70 mm, 83°, POB, bolts steel	Z2POB070	8052783480991	Z2POB070X	8052783481004
ZERO2, stem, aluminium 6061, 80 mm, 83°, POB, bolts steel	Z2POB080	8052783481011	Z2POB080X	8052783481028
ZERO2, stem, aluminium 6061, 90 mm, 83°, POB, bolts steel	Z2POB090	8052783481035	Z2POB090X	8052783481042
ZERO2, stem, aluminium 6061, 100 mm, 83°, POB, bolts steel	Z2POB100	8052783481059	Z2POB100X	8052783481066
ZERO2, stem, aluminium 6061, 110 mm, 83°, POB, bolts steel	Z2POB110	8052783481073	Z2POB110X	8052783481080
ZERO2, stem, aluminium 6061, 120 mm, 83°, POB, bolts steel	Z2POB120	8052783481097	Z2POB120X	8052783481103
ZERO2, stem, aluminium 6061, 130 mm, 83°, POB, bolts steel	Z2POB130	8052783481110	Z2POB130X	8052783481127



Road

Finitura POB
POB Finish



Compatibile col kit montaggio luci
al reggisella, *Staffa*. Vedi pagina 216.
Compatible with *Staffa* seatpost
lights mount kit. See page 216.



DBA (For Shimano Di2)



Ø 27,2 mm Ø 31,6 mm

IT • Il reggisella Zero2 è un componente perfetto per qualsiasi livello di bicicletta da strada o gravel. Rigido e leggero, il reggisella è realizzato in alluminio 2014 utilizzando un processo di forgiatura 3D. Il reggisella ha un arretramento di 21 mm in due diversi diametri 27.2 mm e 31.6 mm. Il reggisella presenta un sistema di chiusura a doppia-vite per una facile regolazione. Disponibile nella finitura POB (Polish on black).


EN • The Zero2 seatpost is a perfect component for any road bicycle level or gravel. Stiff and light, the seatpost is made in 2014 aluminium using 3D forging process. The seatpost comes with 21 mm setback and two different diameters 27.2 mm and 31.6 mm. The seatpost features a twin-bolt clamp for easy adjustment. Available in POB (Polish on black) finish.

Materiale:
Alluminio 2014 forgiato 3D
Lunghezza:
350 mm
Diametro:
Ø 27,2 • 31,6 mm
Arretramento:
21 mm
Peso:
285 g (Ø 31,6 mm)
Finitura:
POB (Polish on black)
Note:
Compatibile con adattatori Deda per batteria interna DI2

Material:
Alloy 2014 3D forged
Length:
350 mm
Diameter:
Ø 27,2 • 31,6 mm
Setback:
21 mm
Weight:
285 g (Ø 31,6 mm)
Finish:
POB (Polish on black)
Notes:
Compatible with Deda adapter for DI2 internal battery


↓ Description	↓ Part Code	↓ EAN13 Code	↓ OEM Part Code	↓ EAN13 OEM Code
ZERO2, seatpost, aluminium 2014, Ø 27.2×350 mm, setback 21 mm, POB, bolts steel	Z2POB27	8052783481134	Z2POB27X	8052783481141
ZERO2, seatpost, aluminium 2014, Ø 31.6×350 mm, setback 21 mm, POB, bolts steel	Z2POB31	8052783481158	Z2POB31X	8052783481165





ZERO1

 Road  Gravel



IT • Il manubrio Zero1 è il manubrio classico per definizione, una moderna geometria RHM abbinata a una sezione superiore tonda. Il manubrio è realizzato in lega leggera 6061, trafilato a freddo a doppio spessore. Il manubrio è disponibile nelle misure da 38 a 46 cm, misurato da esterno a esterno come tutti i manubri Deda. La combinazione perfetta con l'attacco Zero1. Disponibile in finitura BOB (black on black).

EN • The Zero1 handlebar is the classic handlebar by definition, a modern RHM geometry combined with round top section. The handlebar is manufactured in light alloy 6061, double butted cold drawn. The handlebar comes in sizes from 38 to 46cm, measured from outside-to-outside as all Deda handlebars. The perfect combination with Zero1 stem. Available in BOB (black on black) finish.

Forma curva:
RHM Rapid Hand Movement
Materiale:
Alluminio 6061 a doppio spessore
Ø Manubrio:
31,7 mm
Profondità:
75 mm
Altezza:
130 mm
Misure:
38 • 40 • 42 • 44 • 46 cm
(esterno - esterno)
Peso:
304 g (42 cm)
Finitura:
Black on Black (BOB)

Shape:
RHM Rapid Hand Movement
Material:
Double butted Alloy 6061
Ø Handlebar:
31,7 mm
Reach:
75 mm
Drop:
130 mm
Sizes:
38 • 40 • 42 • 44 • 46 cm
(outside - outside)
Weight:
304 g (42 cm)
Finish:
Black on Black (BOB)

↓ Description	↓ Part Code	↓ EAN13 Code	↓ OEM Part Code	↓ EAN13 OEM Code
ZERO1, handlebar, aluminium 6061, Ø 31.7, 38 cm, RHM, BOB	DZ1BOB38	8059265683635	DZ1BOB38X	8059265685677
ZERO1, handlebar, aluminium 6061, Ø 31.7, 40 cm, RHM, BOB	DZ1BOB40	8059265683642	DZ1BOB40X	8059265685639
ZERO1, handlebar, aluminium 6061, Ø 31.7, 42 cm, RHM, BOB	DZ1BOB42	8059265683659	DZ1BOB42X	8059265682683
ZERO1, handlebar, aluminium 6061, Ø 31.7, 44 cm, RHM, BOB	DZ1BOB44	8059265683666	DZ1BOB44X	8059265685646
ZERO1, handlebar, aluminium 6061, Ø 31.7, 46 cm, RHM, BOB	DZ1BOB46	8059265683673	DZ1BOB46X	8059265685653



Road



Compatibile con S-DCR Cover Kit. Vedi pagina 13.
Compatible with S-DCR Cover kit. See page 13.

IT • L'attacco Zero1 è un prodotto unico, funzionale e rigido. Leggero e ideale per le bici da corsa, l'attacco Zero1 è realizzato in alluminio 6061 che garantisce rigidità e leggerezza. La parte superiore piatta dell'attacco si abbina perfettamente al design delle moderne bici da corsa. Progettato per i corridori più esigenti con un rapporto qualità prezzo imbattibile. Disponibile dalla misura 70 mm a 130 mm e in finitura BOB (black on black).	Materiale: Alluminio 6061, forgiato 3D Viteria: Acciaio, Nera Angolo: 82° Ø Manubrio: 31,7 mm Cannotto Forcella: 1 1/8" (28,6mm) Altezza attacco: 36 mm Misure: 70 • 80 • 90 • 100 • 110 • 120 • 130 mm Peso: 145 g (110 mm) Finitura: BOB (Black on Black)	Material: 3D forged, alloy 6061 Screws: Steel, Black Angle: 82° Ø Handlebar: 31,7 mm Fork Steerer: 1 1/8" (28,6mm) Clamp Height: 36 mm Sizes: 70 • 80 • 90 • 100 • 110 • 120 • 130 mm Weight: 145 g (110 mm) Finish: BOB (Black on Black)
EN • The Zero1 stem is the perfect combination of stiffness, lightness and aero shape. The Zero1 stem is made of 6061 aluminum series and is manufactured using an innovative 3D forging process. The flat top section of the stem perfectly matches the modern road bikes design. Designed for the most exigent riders at an unbeatable quality to price ratio. Available from size 70 mm to 130 mm and BOB (black on black) finish.		

↓ Description	↓ Part Code	↓ EAN13 Code	↓ OEM Part Code	↓ EAN13 OEM Code
ZERO1, stem, aluminium 6061, 70 mm, 82°, BOB, bolts steel	DZ1BOB070	8059265683444	DZ1BOB070X	8059265685233
ZERO1, stem, aluminium 6061, 80 mm, 82°, BOB, bolts steel	DZ1BOB080	8059265683451	DZ1BOB080X	8059265685042
ZERO1, stem, aluminium 6061, 90 mm, 82°, BOB, bolts steel	DZ1BOB090	8059265683468	DZ1BOB090X	8059265685059
ZERO1, stem, aluminium 6061, 100 mm, 82°, BOB, bolts steel	DZ1BOB100	8059265683475	DZ1BOB100X	8059265685066
ZERO1, stem, aluminium 6061, 110 mm, 82°, BOB, bolts steel	DZ1BOB110	8059265683482	DZ1BOB110X	8059265685073
ZERO1, stem, aluminium 6061, 120 mm, 82°, BOB, bolts steel	DZ1BOB120	8059265683499	DZ1BOB120X	8059265685080
ZERO1, stem, aluminium 6061, 130 mm, 82°, BOB, bolts steel	DZ1BOB130	8059265683505	DZ1BOB130X	8059265685097

ZERO1

 Road  Gravel

Finitura BOB
BOB Finish



Compatibile col kit montaggio luci
al reggisella, Staffa. Vedi pagina 216.
Compatible with Staffa seatpost
lights mount kit. See page 216.



DBA (For Shimano Di2)



IT • Lo Zero1 è un eccellente reggisella con regolazione a doppia vite, lo stesso sistema presente sul modello Zero2. Il reggisella Zero1 insieme a attacco e manubrio è un ottimo kit di finitura per qualsiasi bicicletta da strada. Il reggisella è realizzato in alluminio 6061 e garantisce leggerezza e resistenza ad un prezzo molto competitivo. Disponibile in due diametri 27.2 mm e 31.6 mm e finitura BOB (Black on Black).

EN • The Zero1 is an excellent seatpost with twin-bolt screw adjustment, the same system of Zero2 model. The Zero1 seatpost along with stem and handlebar is a great finishing kit for any road bike. The seatpost is made of 6061 aluminium and guarantees lightness and strength at a very competitive price. Available in two diameters 27.2 mm and 31.6 mm and BOB (Black on Black) finish.

Materiale:
Alluminio 2014 forgiato 3D
Lunghezza:
350 mm
Diametro:
Ø 27,2 • 31,6 mm
Arretramento:
20 mm
Peso:
295 g (Ø 31,6 mm)
Finitura:
BOB (Black on Black)
Note:
Compatibile con adattatori Deda per batteria interna Di2.

Material:
Alloy 2014 3D forged
Length:
350 mm
Diameter:
Ø 27,2 • 31,6 mm
Setback:
20 mm
Weight:
295 g (Ø 31,6 mm)
Finish:
BOB (Black on Black)
Notes:
Compatible with Deda adapter for Di2 internal battery.

↓ Description	↓ Part Code	↓ EAN13 Code	↓ OEM Part Code	↓ EAN13 OEM Code
ZERO1, seatpost, aluminium 6061, Ø 27.2×350 mm, setback 20 mm, BOB, bolts steel	DZ1BOB272	8059265683703	DZ1BOB272X	8059265685172
ZERO1, seatpost, aluminium 6061, Ø 31.6×350 mm, setback 20 mm, BOB, bolts steel	DZ1BOB316	8059265683710	DZ1BOB316X	8059265685189



ZERO


OEM Only



Road



Gravel



IT • Prodotto disponibile solo per costruttori OEM. Il manubrio Zero presenta la geometria RHM abbinata a una sezione superiore tonda. Realizzato in alluminio 6061 a doppio spessore. Anodizzato nero con finitura BOB (black on black). Disponibile nelle misure 42, 44 e 46 (esterno-esterno).	Forma curva: RHM Rapid Hand Movement Materiale: Alluminio 6061 Ø Manubrio: 31,7 mm Profondità: 75 mm Altezza: 130 mm Misure: 42 • 44 • 46 cm (esterno - esterno) Peso: 312 g (42 cm) Finitura: BOB (Black on Black)	Shape: RHM Rapid Hand Movement Material: 6061 aluminum series Ø Handlebar: 31,7 mm Reach: 75 mm Drop: 130 mm Sizes: 42 • 44 • 46 cm (outside to outside) Weight: 312 g (42 cm) Finish: BOB (black on black)
---	---	---

↓ Description	↓ Deda OEM Part Code	↓ EAN13 OEM Code
ZERO, handlebar, aluminium 6061, Ø 31.7, 42 cm, RHM, BOB	DZERO42	8059265683789
ZERO, handlebar, aluminium 6061, Ø 31.7, 44 cm, RHM, BOB	DZERO44	8059265683796
ZERO, handlebar, aluminium 6061, Ø 31.7, 46 cm, RHM, BOB	DZERO46	8059265683802

OEM Only



Road



Gravel

Road

Finitura BOB
BOB Finish



Compatibile con S-DCR Cover Kit. Vedi pagina 13.
Compatible with S-DCR Cover kit. See page 13.

IT • Prodotto disponibile solo per costruttori OEM. L'attacco Zero è forgiato 3D in lega di alluminio 6061. Attacco con un frontalino a 4 viti, anodizzato nero con finitura BOB (black on black). Disponibile dalla misura 70 alla 120 mm.	Materiale: Alluminio 6061, forgiato 3D Viteria: Acciaio, nera Angolo: 83° Ø Manubrio: 31,7 mm Cannotto Forcella: 1 1/8" (28,6mm) Altezza attacco: 40 mm Misure: 70 • 80 • 90 • 100 • 110 • 120 mm Peso: 145 g (110 mm) Finitura: BOB (Black on Black)	Material: 3D forged, alloy 6061 Screws: Steel, black Angle: 83° Ø Handlebar: 31,7 mm Fork Steerer: 1 1/8" (28,6mm) Clamp Height: 40 mm Sizes: 70 • 80 • 90 • 100 • 110 • 120 mm Weight: 145 g (110 mm) Finish: BOB (Black on Black)
EN • Product available to OEM manufacturers only. Zero stem is 3D forged in 6061 aluminum series. The stem features a 4-bolt faceplate, black anodized with BOB (black on black) finish. Available from 70 to 120 mm size.		

↓ Description	↓ Deda OEM Part Code	↓ EAN13 OEM Code
ZERO, stem, aluminium 6061, 70 mm, 83°, BOB, bolts steel	DZERO070	8059265683727
ZERO, stem, aluminium 6061, 80 mm, 83°, BOB, bolts steel	DZERO080	8059265683734
ZERO, stem, aluminium 6061, 90 mm, 83°, BOB, bolts steel	DZERO090	8059265683741
ZERO, stem, aluminium 6061, 100 mm, 83°, BOB, bolts steel	DZERO100	8059265683758
ZERO, stem, aluminium 6061, 110 mm, 83°, BOB, bolts steel	DZERO110	8059265683765
ZERO, stem, aluminium 6061, 120 mm, 83°, BOB, bolts steel	DZERO120	8059265683772

ZERO 17°

OEM Only



Road



Gravel



IT • Versione dell'attacco Zero con angolo +17° per una posizione più rialzata e confortevole. Disponibile con finitura BOB (black on black) dalla misura 70 a 120 mm.

EN • Zero stem option with 17° positive angle for more riser and comfortable position. Black anodized with BOB (black on black) finish and available from 70 to 120 mm size.

Materiale: Alluminio 6061 Viteria: Acciaio, nera Angolo: +17° Ø Manubrio: 31,7 mm Cannotto Forcella: 1 1/8" (28,6mm) Altezza attacco: 40 mm Misure: 70 • 80 • 90 • 100 • 110 mm Peso: 145 g (110 mm) Finitura: BOB (Black on Black) Note: Disponibile solo per costruttori OEM	Material: Alloy 6061 Screws: Steel, black Angle: +17° Ø Handlebar: 31,7 mm Fork Steerer: 1 1/8" (28,6mm) Clamp Height: 40 mm Sizes: 70 • 80 • 90 • 100 • 110 mm Weight: 145 g (110 mm) Finish: BOB (Black on Black) Notes: Available for OEM manufacturers only
---	--

↓ Description	↓ Deda OEM Part Code	↓ EAN13 OEM Code
ZERO 17°, stem, aluminium 6061, 70 mm, + 17°, BOB, bolts steel	DZERO17-070	8052783487976
ZERO 17°, stem, aluminium 6061, 80 mm, + 17°, BOB, bolts steel	DZERO17-080	8052783487983
ZERO 17°, stem, aluminium 6061, 90 mm, + 17°, BOB, bolts steel	DZERO17-090	8052783487990
ZERO 17°, stem, aluminium 6061, 100 mm, + 17°, BOB, bolts steel	DZERO17-100	8052783488003
ZERO 17°, stem, aluminium 6061, 110 mm, + 17°, BOB, bolts steel	DZERO17-110	8052783488010

Finitura BOB
BOB Finish



IT • Prodotto disponibile solo per costruttori OEM. Lo Zero è un reggisella entry-level realizzato in alluminio 6061 con un arretramento di 18 mm. Disponibile in due diametri 27.2 mm e 31.6 mm e finitura BOB (Black on Black).	Materiale: Alluminio 6061 Lunghezza: 350 mm Diametro: Ø 27,2 • 31,6 mm Arretramento: 18 mm Peso: 277 g (Ø 31,6 mm) Finitura: BOB (Black on Black)	Material: Alloy 6061 T6 Length: 350 mm Diameter: Ø 27,2 • 31,6 mm Setback: 18 mm Weight: 277 g (Ø 31,6 mm) Finish: BOB (Black on Black)
--	---	---

↓ Description	↓ Deda OEM Part Code	↓ EAN13 OEM Code
ZERO, seatpost, aluminium 6061, Ø 27.2×350 mm, setback 18 mm, BOB, bolts steel	DZERO272	8059265683826
ZERO, seatpost, aluminium 6061, Ø 31.6×350 mm, setback 18 mm, BOB, bolts steel	DZERO316	8059265683833

GRAVEL

Superzero Gravel Carbon → Manubrio/Handlebar	136	Gera Carbon → Ruote/Wheels	146	Tecnologie forcelle/Forks technology	161
Superzero Gravel Alloy → Manubrio/Handlebar	138	Gera Alloy → Ruote/Wheels	148	Accessori forcelle/Forks accessories	162
Gravel 100 → Manubrio/Handlebar	140	Forcelle/Forks	150		
Gravel 100 OEM → Manubrio/Handlebar	141	Gera Curvy → Forcella/Fork	152		
Manubri Gera/Gera Handlebars	142	Gera EDG → Forcella/Fork	154		
Gera Carbon → Manubrio/Handlebar	144	Allroad → Forcella/Fork	156		
Gera Alloy → Manubrio/Handlebar	145	EDG Road → Forcella/Fork	158		



SUPERZERO Gravel Carbon


 Gravel  Road





Finitura POB
POB Finish



DCR
System



IT • Superzero Gravel è un manubrio gravel del segmento racing per ciclisti che non cercano compromessi e sono esigenti anche quando si trovano sullo sterrato. Il primo motivo per passare da un manubrio da strada tradizionale a uno più specifico gravel è il controllo e la stabilità. Superzero Gravel è tutto in uno. È un manubrio più largo con le estremità che si allargano verso l'esterno, offre un maggiore controllo rispetto a una versione standard da corsa, ma è progettato per la velocità. L'angolo di apertura di 16° della curva offre stabilità anche quando si guida su terreni impegnativi. Reach and drop sono stati ottimizzati nella forma EOS-SPEED (Endurance Optimized Shape) per un'esperienza di guida unica. La profondità di 60mm permette una posizione più ravvicinata delle leve freno mentre l'altezza di 110 mm consente una posizione più confortevole e una veloce transizione dalle leve alla presa bassa. Il sistema DCR (Deda internal cable routing) permette la piena integrazione dei cavi all'interno del manubrio con qualsiasi telaio compatibile, ma puoi anche scegliere un passaggio cavi semi-interno. Il manubrio è disponibile in 3 diverse misure, 42, 44 e 46.	Forma: EOS-SPEED (Endurance Optimized Shape) Materiale: Fibra di carbonio unidirezionale Ø manubrio: 31,7 mm Profondità: 60 mm Altezza: 110 mm Angolo Apertura: 16° Angolo Esterno: 0° Larghezza: 42 • 44 • 46 cm (esterno-esterno) Larghezza totale: 48 • 50 • 52 cm Peso: 235 g (42 cm) Finitura: POB (Polish on black) Note: Compatibile DCR; area centrale di 83mm per il montaggio degli accessori e delle prolunghe Deda (Jet, Fast Pro, Parabolica).	Shape: EOS-SPEED (Endurance Optimized Shape) Material: UD carbon fiber Ø handlebar: 31,7 mm Reach: 60 mm Drop: 110 mm Flare: 16° Outsweep: 0° Width: 42 • 44 • 46 cm (outside-outside) Full width: 48 • 50 • 52 cm Weight: 235 g (42 cm) Finish: POB (Polish on black) Note: DCR compatible; 83mm clamp area for mounting accessories and Deda clip-on bar (Jet, Fast Pro, Parabolica).
EN • Superzero Gravel is a handlebar in the racing gravel segment for cyclists who do not seek compromises and are demanding even when they are on off-road. The first reason to upgrade from a traditional road handlebar to a more specific gravel model is control and stability. Superzero Gravel is all in one. It is a wider handlebar with drops that flare outward, provides more control when compared to a standard road version, but engineered for speed. The 16° flare angle at the drops offers stability when you ride a challenging terrain. Reach and drop have been optimized in the EOS-SPEED shape (Endurance Optimized Shape) for a unique riding experience. The 60mm reach allows a closer position of brake levers while the 110mm compact drop is for more comfort and fast transition from lever to bar-end. The DCR system (Deda internal cable routing) allows the full integration of the cables inside the handlebar with any compatible frame, but you can also choose a semi-internal cable routing. Handlebar is available in 3 different sizes, 42, 44 and 46.		




↓ Description	↓ Part Code	↓ EAN13 Code	↓ OEM Part Code	↓ EAN13 OEM Code
SUPERZERO GRAVEL CARBON, handlebar, carbon, Ø 31.7, 42 cm, EOS, POB, 16° flare	SZGRHBPOB42	8055774360456	SZGRHBPOB42X	8055774360463
SUPERZERO GRAVEL CARBON, handlebar, carbon, Ø 31.7, 44 cm, EOS, POB, 16° flare	SZGRHBPOB44	8055774360470	SZGRHBPOB44X	8055774360487
SUPERZERO GRAVEL CARBON, handlebar, carbon, Ø 31.7, 46 cm, EOS, POB, 16° flare	SZGRHBPOB46	8055774360494	SZGRHBPOB46X	8055774360500



SUPERZERO Gravel Alloy

 Gravel  Road



Finitura POB
POB Finish





IT • Superzero Gravel Alloy è il manubrio gravel in alluminio per il segmento racing. Il primo motivo per passare da un manubrio da strada tradizionale a uno più specifico gravel è il controllo e la stabilità. Superzero Gravel è tutto in uno. È un manubrio più largo con le estremità che si allargano verso l'esterno, offre un maggiore controllo rispetto a una versione standard da corsa, ma è progettato per la velocità. L'angolo di apertura di 16° della curva offre stabilità anche quando si guida su terreni impegnativi. Reach and drop sono stati ottimizzati nella forma RHM-EVO. Stessa profondità di 75 mm di un manubrio road con l'altezza di 120 mm che consente una posizione più confortevole e una veloce transizione dalle leve alla presa bassa. Il sistema DCR (Deda internal cable routing) permette la piena integrazione dei cavi all'interno del manubrio con qualsiasi telaio compatibile, ma puoi anche scegliere un passaggio cavi esterno. Il manubrio è disponibile in 4 diverse misure, 40, 42, 44 e 46.


EN • Superzero Gravel Alloy is the aluminum handlebar for the racing gravel segment. The first reason to upgrade from a traditional road handlebar to a more specific gravel model is control and stability. Superzero Gravel is all in one. It is a wider handlebar with drops that flare outward, provides more control when compared to a standard road version, but engineered for speed. The 16° flare angle at the drops offers stability when you ride a challenging terrain. Reach and drop have been optimized in the RHM-EVO shape. The handlebar features a 75 mm reach, same as the road version, with a 120 mm compact drop for more comfort and fast transition from lever to bar-end. The DCR system (Deda internal cable routing) allows the full integration of the cables inside the handlebar with any compatible frame, but you can also choose an external cable routing. Handlebar is available in 4 different sizes, 40, 42, 44 and 46.

Forma curva:
RHM-EVO
Materiale:
Alluminio 6061
Ø Manubrio:
31,7 mm
Profondità:
75 mm
Altezza:
120 mm
Angolo Apertura:
16°
Angolo Esterno:
0°
Larghezza:
40 • 42 • 44 • 46 cm (esterno-esterno)
Larghezza totale:
48 • 50 • 52 • 54 cm
Peso:
320 g (42 cm)
Finitura:
POB (Polish on black)
Note: Compatibile DCR; area centrale di 100 mm per il montaggio di accessori e prolunghe Deda (Jet, Fast Pro, Parabolica).


Shape:
RHM-EVO
Material:
Alloy 6061
Ø Handlebar:
31,7 mm
Reach:
75 mm
Drop:
120 mm
Flare:
16°
Outsweep:
0°
Width:
40 • 42 • 44 • 46 cm (outside - outside)
Full width:
48 • 50 • 52 • 54 cm
Weight:
320 g (42 cm)
Finish:
POB (Polish on black)
Notes: DCR compatible; 100 mm clamp area for mounting accessories and Deda clip-on bars (Jet, Fast Pro, Parabolica).

↓ Description	↓ Part Code	↓ EAN13 Code	↓ OEM Part Code	↓ EAN13 OEM Code
SUPERZERO GRAVEL, handlebar, aluminium 6061, Ø 31.7, 40 cm, RHM-EVO, 16° flare	SZGRHBAL40	8055774363990	SZGRHBAL40X	8055774364003
SUPERZERO GRAVEL, handlebar, aluminium 6061, Ø 31.7, 42 cm, RHM-EVO, 16° flare	SZGRHBAL42	8055774364010	SZGRHBAL42X	8055774364027
SUPERZERO GRAVEL, handlebar, aluminium 6061, Ø 31.7, 44 cm, RHM-EVO, 16° flare	SZGRHBAL44	8055774364034	SZGRHBAL44X	8055774364041
SUPERZERO GRAVEL, handlebar, aluminium 6061, Ø 31.7, 46 cm, RHM-EVO, 16° flare	SZGRHBAL46	8055774364058	SZGRHBAL46X	8055774364065

GRAVEL 100



Finitura BOB
BOB Finish



Vedi sezione "Deda bike fit" (Pag. 14) per le specifiche tecniche.
See section "Deda bike fit" (Pag. 14) for technical specifications.

IT • Gravel 100 è un manubrio gravel di altissima gamma in lega 7075 estremamente leggero (260 g). È basato sulla forma RHM della serie Zero 100 per mantenere la tipica impugnatura corsa a cui è stato aggiunto un angolo di apertura di 12 gradi che garantisce una maggiore stabilità. Alle leve la larghezza è la stessa del manubrio standard da strada, da 40 a 46 mm esterno-esterno, ma i 12 gradi di apertura estendono la larghezza dell'impugnatura bassa di ulteriori 60 mm per ogni taglia. La sezione superiore leggermente aero è progettata per essere ergonomica e consentire una posizione confortevole delle mani. Il manubrio presenta un'area centrale da 31,7 mm che si estende per una buona distanza su entrambi i lati dell'attacco per montare tutta una serie di accessori come GPS, luci e prolunghe aero. Questo rende il manubrio Gravel 100 la scelta migliore per iniziare le tue avventure in gravel.

EN • Gravel 100 is a high-end gravel handlebar made in 7075 aluminum and extremely light (260 g). Based on the RHM shape of the Zero 100 series to maintain the typical road drop design to which a 12 degrees flare angle has been added to guarantee greater stability. At the hoods the widths are the standard road size options, 40 cm to 46 cm outside to outside, but the 12-degree flare each side kicks the bottom width by an extra 60mm for each size. The slightly aero top section is design to be ergonomic and to allow comfortable hand positions. The handlebar features a 31.7 mm clamping area that extends a good distance either side of the stem to mount a lot of accessories such as GPS, lights and aero extensions. This makes Gravel 100 handlebar the best choice to start your gravel adventures.

Forma curva: RHM Rapid Hand Movement	Shape: RHM Rapid Hand Movement
Materiale: Alluminio 7050 a triplo spessore	Material: Triple butted Alloy 7050
Ø Manubrio: 31,7 mm	Ø Handlebar: 31,7 mm
Profondità: 75 mm	Reach: 75 mm
Altezza: 130 mm	Drop: 130 mm
Flare A°: 12°	Flare A°: 12°
Angolo esterno: 2°	Outsweep: 2°
Larghezza: 40 • 42 • 44 • 46 cm (larghezza misurata esterno-esterno in posizione delle leve)	Width: 40 • 42 • 44 • 46 cm (width measured outside-to-outside at the lever position)
Larghezza totale: 46 • 48 • 50 • 52 cm	Full width: 46 • 48 • 50 • 52 cm
Peso: 260 g (42 cm)	Weight: 260 g (42 cm)
Finitura BOB (Black on Black)	Finish: BOB (Black on Black)
Note: Ampia area centrale per il montaggio degli accessori e delle prolunghe Deda (Jet, Fast Pro, Parabolica).	Notes: Wide center area for mounting accessories and Deda clip-on bar (Jet, Fast Pro, Parabolica).

↓ Description	↓ Deda Part Code	↓ EAN13 Code
GRAVEL100, handlebar, aluminium 7075, Ø 31,7, 40 cm, RHM, BOB, 12° flare	G10040	8052783480595
GRAVEL100, handlebar, aluminium 7075, Ø 31,7, 42 cm, RHM, BOB, 12° flare	G10042	8052783480618
GRAVEL100, handlebar, aluminium 7075, Ø 31,7, 44 cm, RHM, BOB, 12° flare	G10044	8052783480632
GRAVEL100, handlebar, aluminium 7075, Ø 31,7, 46 cm, RHM, BOB, 12° flare	G10046	8052783480656

GRAVEL 100 OEM


OEM Only

Gravel Road

Gravel



Finitura BOB
BOB Finish



Vedi sezione "Deda bike fit" (Pag. 14) per le specifiche tecniche.
See section "Deda bike fit" (Pag. 14) for technical specifications.


IT • La versione in alluminio 6061 è destinata ai soli produttori OEM. Il manubrio ha la stessa geometria della versione after-market e presenta una finitura opaca. EN • The 6061 alloy version is available to OEM manufacturers only. The handlebar features the same geometry of the after-market version with a black matt finish.	Forma curva: RHM Rapid Hand Movement Materiale: Alluminio 6061 a doppio spessore Ø Manubrio: 31,7 mm Profondità: 75 mm Altezza: 130 mm Flare A°: 12° Angolo esterno: 2° Larghezza: 40 • 42 • 44 • 46 cm (larghezza misurata esterno-esterno in posizione delle leve) Larghezza totale: 46 • 48 • 50 • 52 cm Peso: 300 g (42 cm) Finitura BOB (Black on Black) Note: Ampia area centrale per il montaggio degli accessori e delle prolunghe Deda (Jet, Fast Pro, Parabolica).	Shape: RHM Rapid Hand Movement Material: Double butted alloy 6061 Ø Handlebar: 31,7 mm Reach: 75 mm Drop: 130 mm Flare A°: 12° Outsweep: 2° Width: 40 • 42 • 44 • 46 cm (width measured outside-to-outside at the lever position) Full width: 46 • 48 • 50 • 52 cm Weight: 300 g (42 cm) Finish: BOB (Black on Black) Notes: Wide center area for mounting accessories and Deda clip-on bar (Jet, Fast Pro, Parabolica).

↓ Description	↓ OEM Part Code	↓ EAN13 OEM Code
GRAVEL100, OEM, handlebar, aluminium 6061, Ø 31.7, 40 cm, RHM, BOB, 12° flare	G10040OEM	8052783483657
GRAVEL100, OEM, handlebar, aluminium 6061, Ø 31.7, 42 cm, RHM, BOB, 12° flare	G10042OEM	8052783483664
GRAVEL100, OEM, handlebar, aluminium 6061, Ø 31.7, 44 cm, RHM, BOB, 12° flare	G10044OEM	8052783483671
GRAVEL100, OEM, handlebar, aluminium 6061, Ø 31.7, 46 cm, RHM, BOB, 12° flare	G10046OEM	8052783483688




GERA HANDLEBARS

Gera Carbon



Gera Alloy



Gèra /'ge:ra/ Ghiaia

IT • Gera identifica una zona della pianura lombarda compresa tra il fiume Adda a ovest, il fiume Serio a est, Bergamo a nord, mentre a sud i confini arrivano fino a Crema. Gera è la linea di prodotti Deda progettata per gravel e adventure bikes, la combinazione di design e funzionalità per chi ricerca un allestimento più confortevole nelle lunghe distanze in bikepacking. Una gamma completa di manubri e ruote per affrontare condizioni molto varie da normali strade bianche a terreni molto duri e veloci.


Gèra /'ge:ra/ Gravel

EN • Gera identifies an area of the Lombardia plain between the river Adda to the west, the river Serio to the east, Bergamo to the north, while to the south the borders reach as far as Crema. Gera is Deda line of products designed for gravel and adventure bikes, the combination of design and function delivering a more comfortable set-up for long distance bikepacking. A complete range of handlebars and wheels to face a wide range of conditions from regular white roads to hard and fast terrains.

**DCR (Deda Internal Cable Routing)**


Integrazione completa dei cavi all'interno del manubrio.

System allows the full integration of the cables inside the handlebar.



**S-DCR (Deda Semi-Internal Cable Routing)**

Passaggio cavi semi-interno dei cavi con attacco superbox.

Semi-internal cables routing configuration with Superbox stem.



GERA Carbon



IT • Gera® definisce un nuovo standard per i manubri gravel. È la scelta ideale per qualsiasi gravel e adventure bike. Garantisce multiple opzioni per la posizione delle mani per sentirsi sempre a proprio agio, più aggressiva nei tratti veloci o più confortevole nei lunghi giri su sterrato. Il manubrio è progettato con un angolo di arretramento di 12° e un rialzo di 7mm. L'angolo esterno della curva di 16° garantisce ancora più stabilità quando sei off-road. Il reach e il drop sono stati ottimizzati nella forma EOS (Endurance Optimized Shape) per un'esperienza di guida unica. La profondità di 40mm permette una posizione più ravvicinata delle leve freno mentre l'altezza di 100mm consente una posizione più confortevole e una veloce transizione dalle leve alla presa bassa. Con Gera è possibile utilizzare prolunghe in due diverse posizioni sul manubrio, tradizionale nella parte centrale e più larga nella parte rialzata a vantaggio del confort. Il DCR system (Deda internal cable routing) permette l'integrazione completa dei cavi all'interno del manubrio e della bici nel caso di telai compatibili, prevede anche il montaggio semi-integrato delle guaine. Manubrio disponibile in 3 misure 44, 46 e 48.

EN • Gera® simply defines a new standard for gravel handlebars. It is the perfect choice for any gravel & adventure bike set-up. Multiple hands positions at the rider disposal to always find the best grip, aggressive if you want to run fast or comfortable if you want to enjoy your long ride. The handlebar features a 12° back sweep angle and 7mm rise. The 16° outswEEP at the drops offers more stability when you ride off-road. Reach and drop have been optimized in the EOS shape (Endurance Optimized Shape) for a unique riding experience. The 40mm reach allows a closer position of brake levers while the 100mm compact drop is for more comfort and fast transition from lever to bar-end. With Gera® you can use clip-on bar extensions in two different positions, traditional at the center clamp area or wider and riser to improve your comfort. The DCR system (Deda internal cable routing) allows the full integration of the cables inside the handlebar with any compatible frame, but you can also choose a semi-internal cable routing. Handlebar is available in 3 different sizes, 44, 46 and 48.


Forma curva:
EOS (Endurance Optimized Shape)
Materiale:
Monoscocca carbonio unidirezionale
Ø manubrio:
31,7 mm
Profondità:
40 mm
Altezza:
100 mm
Flare:
0°
Angolo esterno:
16°
Rise:
7 mm
Back sweep:
12 mm / 12°
Misure:
44 (52) • 46 (54) • 48 (56) cm
Larghezza misurata esterno-esterno in posizione delle leve.
Peso:
220 g (44 cm)
Finitura:
POB (Polish on black)
Note:
Compatibile sistema DCR per passaggi cavi interni. Ampia area centrale per il montaggio degli accessori e delle prolunghe Deda (Jet, Fast Pro, Parabolica).

Shape:
EOS (Endurance Optimized Shape)
Material:
Ud carbon construction
Ø Handlebar:
31,7 mm
Reach:
40 mm
Drop:
100 mm
Flare:
0°
OutswEEP:
16°
Rise:
7 mm
Back Sweep:
12 mm / 12°
Size:
44 (52) • 46 (54) • 48 (56) cm
Width measured outside-to-outside at the lever position.
Weight:
220 g (44 cm)
Finish:
POB (Polish on black)
Note:
DCR system compatible for internal cable routing. Wide center area for mounting accessories and Deda clip-on bar (Jet, Fast Pro, Parabolica).

↓ Description	↓ Part Code	↓ EAN13 Code	↓ OEM Part Code	↓ EAN13 OEM Code
GERA CARBON, handlebar, carbon, Ø 31,7, 44 cm, EOS, POB, 7 mm rise, 16° outswEEP	GERA44	8052783487730	GERA44X	8052783487723
GERA CARBON, handlebar, carbon, Ø 31,7, 46 cm, EOS, POB, 7 mm rise, 16° outswEEP	GERA46	8052783487754	GERA46X	8052783487747
GERA CARBON, handlebar, carbon, Ø 31,7, 48 cm, EOS, POB, 7 mm rise, 16° outswEEP	GERA48	8052783487778	GERA48X	8052783487761



Gravel



IT • Gera® Alloy è realizzato in alluminio 6061 utilizzando un innovativo processo di formatura meccanica che permette di realizzare un design molto complesso come Gera. È la scelta ideale per qualsiasi gravel e adventure bike. Garantisce multiple opzioni per la posizione delle mani per sentirsi sempre a proprio agio sullo sterrato. Il manubrio ha un arretramento di 10° e un'inclinazione verso il basso di 5° per una configurazione più confortevole durante il bikepacking di lunga distanza. Il rialzo di 10 mm è un ulteriore aiuto per ottenere l'altezza desiderata del manubrio sopra la serie sterzo. L'apertura di 24° della curva e l'angolo esterno di 3° nella parte terminale offrono una stabilità superiore quando si guida su terreni impegnativi. Il reach e il drop sono stati ottimizzati nella forma EOS (Endurance Optimized Shape). La profondità di 55mm permette una posizione più ravvicinata delle leve freno mentre l'altezza di 100mm consente una posizione più confortevole e una veloce transizione dalle leve alla presa bassa. Con Gera Alloy hai a disposizione 90mm di area centrale a diametro costante 31.7 per montare qualsiasi accessorio o prolunghe. Manubrio disponibile in 4 misure 42, 44, 46 e 48.

EN • Gera® Alloy is made from 6061 aluminium using an innovative mechanical forming process that allows manufacturing a complex design such as Gera. It is the perfect choice for any gravel & adventure bike set-up. Multiple hands positions at the rider disposal to always find the best grip and position on gravel roads. The handlebar features a 10° backsweep angle and 5° downsweep for a more comfortable set-up for long distance bikepacking. A 10mm rise is an additional help to get the desired handlebar stack height. The 24° flare and 3° outswEEP at the drops offers a superior stability when you are riding a challenging terrain. Reach and drop have been optimized in the EOS shape (Endurance Optimized Shape). The 55mm reach allows a closer position of brake levers while the 100mm compact drop is for more comfort and fast transition from lever to bar-end. With Gera Alloy you have a 90mm wide center area to install any accessory and clip-on bar extensions. Handlebar is available in 4 different sizes, 42, 44, 46 and 48.

Forma:
EOS (Endurance Optimized Shape)
Materiale:
Alluminio 6061, doppio spessore
Ø Manubrio:
31,7 mm
Profondità:
55 mm
Altezza:
100 mm
Flare:
24°
Angolo Esterno:
3°
Rialzo:
10° / 10 mm
Arretramento:
12° / 12mm
Inclinazione:
5°
Larghezza:
42 • 44 • 46 • 48 cm
(esterno-esterno in posizione delle leve)
Larghezza totale:
52 • 54 • 56 • 58 cm
Peso:
310 g (42 cm)
Finitura:
POB (Polish on black)
Note:
Compatibile DCR; area centrale di 90 mm per il montaggio degli accessori e delle prolunghe Deda (Jet, Fast Pro, Parabolica).

Shape:
EOS (Endurance Optimized Shape)
Material:
6061 aluminium, double butted
Ø handlebar:
31,7 mm
Reach:
55 mm
Drop:
100 mm
Flare:
24°
Outsweep:
3°
Rise:
10° / 10 mm
Backsweep:
12° / 12mm
Downsweep:
5°
Width:
42 • 44 • 46 • 48 cm
(outside-to-outside at the lever position)
Full width:
52 • 54 • 56 • 58 cm
Weight:
310 g (42 cm)
Finish:
POB (Polish on black)
Notes:
DCR Compatible; 90 mm clamp area for mounting accessories and Deda clip-on bar (Jet, Fast Pro, Parabolica).

↓ Description	↓ Part Code	↓ EAN13 Code	↓ OEM Part Code	↓ EAN13 OEM Code
GERA, handlebar, aluminium 6061, Ø 31.7, 42 cm, EOS, POB, 10 mm rise, 24° flare	GERA42AL	8052783489857	GERA42ALX	8052783489840
GERA, handlebar, aluminium 6061, Ø 31.7, 44 cm, EOS, POB, 10 mm rise, 24° flare	GERA44AL	8052783489864	GERA44ALX	8052783489871
GERA, handlebar, aluminium 6061, Ø 31.7, 46 cm, EOS, POB, 10 mm rise, 24° flare	GERA46AL	8052783489871	GERA46ALX	8052783489895
GERA, handlebar, aluminium 6061, Ø 31.7, 48 cm, EOS, POB, 10 mm rise, 24° flare	GERA48AL	8052783489901	GERA48ALX	8052783489918

Catalogue 2026



GERA Carbon

Tubeless Ready

 Gravel  Road



IT • Le Gera® Carbon per copertoncino sono tra le ruote più leggere specificatamente progettate per gravel e non solo. Le ruote Gera Carbon associano leggerezza e performance per molteplici utilizzi. Il profilo alto 32 mm e largo 29 mm garantisce un imbattibile combinazione di velocità e comfort nell'off-road. Il cerchio da 29 mm di larghezza offre impareggiabile stabilità e durabilità in qualsiasi condizione se abbinato a gomme strada da 30mm. Il cerchio più largo di nuova generazione fornisce un miglior supporto al pneumatico e riduce la resistenza al rotolamento, aumentando al contempo la resistenza meccanica e l'aerodinamicità della ruota. Il cerchio è costruito con la tecnologia tubeless-ready per essere compatibile con pneumatici tipo copertoncino e tubeless. Con un canale interno da 23 mm, le ruote gravel Gera Carbon sono progettate per adattarsi a gomme da 28 mm fino a 57 mm di sezione. Tutto ciò rende queste ruote il compagno perfetto per la tua prossima avventura gravel.

Il corpetto ruota libera presenta quattro cricchetti a sezione maggiorata che operano in modo indipendente garantendo un ingaggio più veloce e una più efficace trasmissione della forza di pedalata. Una molla indipendente e più larga aziona ciascuno dei singoli cricchetti garantendo un ingaggio sempre pronto e sicuro.

EN • The Gera® carbon clincher is one of the lightest wheelset specifically designed for gravel routes and beyond. Gera® wheels combine lightweight & performance for use across many disciplines. The 32 mm deep and 29 mm wide rim results in an unbeatable combination of speed and off-road comfort. The 29 wide profile leads to a superior stability and durability for any riding condition when combined to 30 mm road tires. The wider rim provides a better support to the tire and reduce the rolling resistance, increasing at the same time the wheel strength. The rim is also built with the tubeless-ready technology to be compatible with clincher and tubeless tires. With a 23 mm internal width, Gera® gravel disc wheels are designed to fit tire widths from 28 mm up to 57 mm. That make this wheelset the perfect companion for your next gravel adventure.

The freehub body features 4 independently operating pawls (leaf system) for very fast engagement and bigger pedal's force transmitting. An independent wider spring, under each pawl, guarantees solid engagement out of each pawl.

Materiale:
Struttura combinata in fibra di carbonio ad alto modulo e 3K

Altezza cerchio:
32 mm

Larghezza cerchio:
• 29 mm esterno
• 23 mm interno (entro 622 × 23C)

Raggi:
24 raggi anteriore e posteriore, neri

Nippli:
nipplo autobloccante abs®, alluminio, 15 mm, colore nero

Mozzi:
Corpo in alluminio 6061, asse da 17 mm, ruota libera a 4 cricchetti indipendenti (leaf system)

Rotore freno a disco:
Shimano center lock

Thru-axle compatibilità:
• Anteriore 12 × 100 mm
• Posteriore 12 × 142 mm

Compatibilità cassetta:
Shimano, Sram XDR, Campagnolo, Campagnolo EKAR 13 V

Accessori inclusi:
Nastro cerchio tubeless, valvole tubeless, ghiera center-lock

Compatibilità pneumatici:
Per copertoncino o tubeless; min. 28 mm max. 57 mm

Peso:
1.445 g set

Material:
High modulus carbon fiber and 3K combined structure

Rim height:
32 mm

Rim width:
• 29 mm external
• 23 mm internal (entro 622 × 23C)

Spokes:
24 spoke count, front and rear; black

Nipples:
self-locking abs® nipples, aluminum, 15 mm, black

Hub:
6061 alloy hub body, 17mm axle, 4 pawls freehub mechanism (Leaf system)

Disc brake rotor:
Shimano center lock


Thru-axle compatibility:
• Front 12 × 100 mm
• Rear 12 × 142 mm

Freehub:
Shimano, Sram XDR, Campagnolo, Campagnolo EKAR 13 SP

Accessories included:
Tubeless rim tape, tubeless valves, center-lock lockring

Tire compatibility:
Clincher or tubeless tire; min. 28 mm max. 57 mm

Weight:
1.445 g set



↓ Description	↓ Deda Part Code	↓ EAN13 Code
GERA CARBON, wheels, carbon, Tubeless-ready, 32 mm, 23C, Shimano	WDSL58POB	8052783487426
GERA CARBON, wheels, carbon, Tubeless-ready, 32 mm, 23C, Sram XDR	WDSL58POBXDR	8052783487433
GERA CARBON, wheels, carbon, Tubeless-ready, 32 mm, 23C, Campy	WDSL59POB	8052783487440
GERA CARBON, wheels, carbon, Tubeless-ready, 32 mm, 23C, Campy N3W	WDSL59POBN3W	8052783488560
GERA CARBON, front wheel, carbon, Tubeless-ready, 32 mm, 23C	WDSL60POB	8052783487457
GERA CARBON, rear wheel, carbon, Tubeless-ready, 32 mm, 23C, Shimano	WDSL61POB	8052783487464
GERA CARBON, rear wheel, carbon, Tubeless-ready, 32 mm, 23C, Sram XDR	WDSL61POBXDR	8052783487471
GERA CARBON, rear wheel, carbon, Tubeless-ready, 32 mm, 23C, Campy	WDSL62POB	8052783487488
GERA CARBON, rear wheel, carbon, Tubeless-ready, 32 mm, 23C, Campy N3W	WDSL62POBN3W	8052783488577

GERA Alloy

Tubeless Ready



Gravel



Road




IT • Le ruote Gera® Alloy garantiscono ottime prestazioni e solidità su strade gravel. Il profilo da 25 mm e largo 28 mm fornisce grande stabilità anche in terreni difficili. Il cerchio asimmetrico è costruito con la tecnologia tubeless-ready per essere compatibile con pneumatici tipo copertoncino e tubeless. Con un canale interno da 23 mm, le ruote gravel Gera Alloy sono progettate per adattarsi a gomme fino a 57 mm di sezione. Il mozzo posteriore presenta un corpetto ruota libera a quattro cricchetti con sezione maggiorata che operano in modo indipendente (Leaf system) per un angolo di ingaggio di soli 5° garantendo un ingaggio più veloce e un'efficace trasmissione della forza di pedalata. Una molla indipendente e più larga aziona ciascuno dei singoli cricchetti garantendo un ingaggio sempre pronto e sicuro. Disponibili per cassetta Shimano, Sram XDR o Campagnolo Ekar.

EN • Gera® Alloy wheels guarantees great performance and durability on gravel roads. The 25 mm profile and 28 mm wide rim provides a superior stability even in challenging terrains. The asymmetric rim is built with the tubeless-ready technology to be compatible with clincher and tubeless tires. With a 23 mm internal width, the Gera Alloy disc wheels fit tire widths up to 57 mm. The rear hub features a freehub body with 4 independently operating pawls (Leaf system) for only 5° angle engagement to provide an excellent pedal's force transmitting. An independent wider spring, under each pawl, guarantees solid engagement out of each pawl. Available for Shimano, Sram XDR or Campagnolo Ekar cassette.

Materiale:
6000 alloy series
Altezza cerchio:
25 mm
Larghezza cerchio:
• 28 mm esterno
• 23 mm interno (etrt 622 × 23C)
Raggi:
24 raggi anteriore e posteriore, neri
Nippli:
Nipplo autobloccante ABS®, alluminio, 15 mm, colore nero
Mozzi:
Corpo in alluminio 6061, asse da 17 mm, ruota libera a 4 cricchetti indipendenti (leaf system)
Rotore freno a disco:
Shimano center lock
Thru-axle compatibilità:
• Anteriore 12 × 100 mm
• Posteriore 12 × 142 mm
Compatibilità cassetta:
Shimano, Sram XDR, Campagnolo, Campagnolo EKAR 13 V
Accessori inclusi:
Tubeless rim tape, valvole tubeless, ghiera center-lock
Compatibilità pneumatici:
Per copertoncino o tubeless; min. 28 mm max. 57 mm
Peso:
1.690 g set

Material:
6000 alloy series
Rim height:
25 mm
Rim width:
• 28 mm external
• 23 mm internal (etrt 622 × 23C)
Spokes:
24 spoke count, front and rear; black
Nipples:
Self-locking ABS® nipples, aluminum, 15 mm, black
Hub:
6061 alloy hub body, 17 mm axle, 4 pawls freehub mechanism (Leaf system)
Disc brake rotor:
Shimano center lock
Thru-axle compatibility:
• Front 12 × 100 mm
• Rear 12 × 142 mm
Freehub:
Shimano, Sram XDR, Campagnolo, Campagnolo EKAR 13 SP
Accessories included:
Tubeless rim tape, tubeless valves, center-lock lockring
Tire compatibility:
Clincher or tubeless tire; min. 28 mm max. 57 mm
Weight:
1.690 g set




↓ Description	↓ Part Code	↓ EAN13 Code
GERA ALLOY, wheels, aluminium 6061, Tubeless-ready, 25 mm, 23C, Shimano	WDGEAL-SHI	8055774360296
GERA ALLOY, wheels, aluminium 6061, Tubeless-ready, 25 mm, 23C, Sram XDR	WDGEAL-XDR	8055774360319
GERA ALLOY, wheels, aluminium 6061, Tubeless-ready, 25 mm, 23C, Campy	WDGEAL-CA	8055774360302
GERA ALLOY, wheels, aluminium 6061, Tubeless-ready, 25 mm, 23C, Campy N3W	WDGEAL-N3W	8055774360326
GERA ALLOY, front wheel, aluminium, Tubeless-ready, 25 mm, 23C	WDGEAL-F	8055774360333
GERA ALLOY, rear wheel, aluminium, Tubeless-ready, 25 mm, 23C, Shimano	WDGEAL-RSHI	8055774360340
GERA ALLOY, rear wheel, aluminium, Tubeless-ready, 25 mm, 23C, Sram XDR	WDGEAL-RXDR	8055774360357
GERA ALLOY, rear wheel, aluminium, Tubeless-ready, 25 mm, 23C, Campy	WDGEAL-RCA	8055774360364
GERA ALLOY, rear wheel, aluminium, Tubeless-ready, 25 mm, 23C, Campy N3W	WDGEAL-RN3W	8055774360371



IT • Le forcelle Deda con tecnologia DCR sono riconosciute per la loro qualità e la presenza su telai di alta gamma, in particolare quelli realizzati con tubi metallici come alluminio, acciaio e titanio. Grazie al suo background ingegneristico e i design innovativi, Deda offre una gamma di forcelle adatte sia per il ciclismo su strada che per quello gravel.

EN • Deda forks with DCR technology are widely recognized for their quality and are often featured on high-end bicycle frames, especially those crafted from metal tubes like alloy, steel and titanium. Deda offers a range of forks suitable for both road and gravel biking.


Gera Curvy



IT • Gera Curvy è pensata per l'avventura e il bikepacking, dove tutti i dettagli sono stati curati per offrire maggiore scorrevolezza e comfort.

EN • Gera Curvy is designed for adventure and bikepacking, with meticulous attention to detail to ensure greater smoothness and comfort.


Gera EDG



IT • Gera EDG ha un peso inferiore a 500 grammi ed un design pulito che la rende perfetta per affrontare i terreni più impegnativi.

EN • Gera EDG weighs less than 500 grams and features a clean design, making it perfect for tackling the most challenging terrain.

Allroad



IT • Allroad è disegnata per prestazioni elevate, eccellente per affrontare vari terreni, dai percorsi asfaltati ai sentieri gravel.

EN • Allroad represents an excellent choice on various road surfaces, from smooth pavement to rough gravel paths.

EDG Road



IT • EDG Road è ideale per chi cerca un componente di alta qualità per migliorare l'efficienza e la reattività della propria bici da strada.

EN • EDG Road is ideal for those seeking a high-quality component to enhance the efficiency and responsiveness of their road bike.

GERA CURVY



Carbonio UD
con logo POB
UD carbon
with POB logo




Compatibile con Deda Disc brake rotor.
Vedi dedaelementi.com.
Compatible with Deda Disc brake rotor.
See dedaelementi.com.



IT • Gera Curvy è la forcella gravel perfetta per adventure e bikepacking in cui tutti i dettagli sono stati ideati con lo scopo di rispondere a una esigenza specifica. La prima forcella gravel compatibile con un disco da 180 mm per garantire la migliore frenata possibile anche in condizioni di carico importante. La forcella è stata concepita per permettere l'integrazione dei cavi all'interno del telaio grazie al design D-shape del canotto e al sistema DCR. Risulta compatibile con la maggior parte dei telai in commercio, sia carbonio che metallo. È caratterizzata da una costruzione interamente in carbonio con il cono di base da 45° integrato. Il triplo attacco sui foderi della forcella offre multiple soluzioni per il montaggio di fork cages per bikepacking oltre agli inserti per il parafango. Compatibilità con pneumatici fino a 57 mm (29") o 65 mm (27.5"). È predisposta per mozzi a dinamo, come SON®, per un'integrazione ottimale dei cavi elettrici all'interno del fodero della forcella.

EN • Gera Curvy is the perfect gravel fork for adventure and bikepacking in which all the details have been designed with the aim of responding to a specific need. The first gravel fork fitting a 180 mm rotor disc to guarantee the best possible braking even under heavy load conditions. The fork has been designed to allow the integration of the cables inside the frame thanks to a D-shape fork steerer and the DCR system. It is compatible with most of the frames on the market, both carbon and metal. It features a full carbon construction with an integrated 45° crown race, triple cage mounts on each fork blade for bikepacking front bags as well as inserts for fender mounts. Tire clearance up to 57 mm (29") or 65 mm (27.5"). It is ready for dynamo hubs, such as SON®, for optimal integration of the electric cables inside the fork.

Materiale: Full carbon, finitura UD	Material: Full carbon fiber, UD finish
Canotto forcella: 1" 1/8 con forma D-Shape	Fork steerer: D-Shape 1"1/8
Compatibilità serie sterzo: • Cuscinetto superiore 1" 1/8 • Cuscinetto inferiore 1.5" • Cono di base integrato a 45°	Headset compatibility: • Upper bearing 1" 1/8 • Lower bearing 1.5" • 45° integrated crown race
Lunghezza canotto: 350 mm	Steerer length: 350 mm
Lunghezza axle-crown: 398 mm	Axle-crown length: 398 mm
Avanzamento: 50 mm	Rake: 50 mm
Compatibilità perno: 100 x 12 mm thru-axle (incluso)	Axe compatibility: 100 x 12 mm thru-axle (included)
Diametro testa forcella: 56 mm	Crown diameter: 56 mm
Compatibilità rotore disco: Flat mount, 160 o 180 mm	Disc brake rotor compatibility: Flat mount, 160 or 180 mm
Max. carico forcella: 15 kg per lato (5 kg per rivetto)	Max. fork load: 15 kg per side (5 kg per eyelet)
Finitura: Carbonio UD con logo POB	Finish: UD carbon with POB logo
Accessori inclusi: Perno passante (M12 x P1.5 x 120), expander e topcap per D-shape.	Accessories included: Thru-axle (M12 x P1.5 x 120), D-shape custom expander and topcap.



Peso: 545 g

Note: triplice attacco per borse anteriori, predisposta per parafranghi e mozzo a dinamo SON®.

Compatibilità telai: qualsiasi telaio predisposto per passaggio cavi interni con serie sterzo Deda DCR, Deda Classic1 e Classic2 o serie sterzo conica da 1" 1/8-1.5" / 1" 1/4-1.5" / 1.5" -1.5"

Compatibilità attacchi: tutti gli attacchi Deda o attacchi da 1 1/8" che presentano una adeguata apertura tra canotto forcella e corpo dell'attacco per il passaggio interno dei cavi.

Compatibilità ruote e pneumatici: 622 x 57 (29"x2.25"), 584 x 65 (27.5"x2.6"), in funzione del produttore di pneumatico/cerchio utilizzato.

Compatibilità cuscinetti:

- Superiore: con serie sterzo/tubo sterzo da 1" 1/8, 1" 1/4 o 1.5"
- Inferiore: cuscinetto da 1.5"; angolo contatto cuscinetto 45°

Passaggio cavi interno: con attacco convenzionale compatibile fino a 3 cavi; con attacco DCR compatibile fino a 4 cavi.

Minimo spazio del pneumatico: 10 mm (29"x2.25"), 8 mm (27.5"x2.6")

Tolleranza centraggio ruota: +/- 1,5 mm

Weight: 545 g

Note: triple-mounts for front bags, mounts for fenders, ready for SON®-dynamo hub.

Frames compatibility: any bicycle frame featuring internal cable routing system and fitting Deda DCR headset, Deda Classic 1 or tapered 1" 1/8-1.5" / 1" 1/4 -1.5" / 1.5" -1.5"

Stems compatibility: all the Deda stems or the stems with a large opening between the fork steerer and stem body to allow the internal cable routing.

Wheel and tire compatibility: 622 x 57 (29"x2.25"), 584 x 65 (27.5"x2.6"), depending on tire/rim manufacturer.

Bearings compatibility:

- Upper: headset/frame headtube with 1" 1/8, 1" 1/4 or 1.5"
- Lower: 1.5" bearing; 45° contact angle bearing

Internal cables routing: With a standard stem up to 3 cables; with a DCR stem up to 4 cables.

Minimum Tire Clearance: 10 mm (29"x2.25"), 8 mm (27.5"x2.6")

Wheel centering tolerance: +/- 1,5mm

↓ Description

GERA CURVY, fork, carbon, 398 mm axle-crown, D-Shape, DCR system, POB

↓ Deda Part Code

MFF001Z181

↓ EAN13 Code

8055774363860

GERA EDG

 Gravel  Road

Carbonio UD
con logo POB
UD carbon
with POB logo



Compatibile con Deda Disc brake rotor.
Vedi dedaelementi.com.
Compatible with Deda Disc brake rotor.
See dedaelementi.com.



IT • Gera EDG è una forcella gravel superleggera sotto i 500g dal design essenziale perfetta per un uso all road. I foderi dritti garantiscono reattività su percorsi veloci o in uso stradale. È la prima forcella gravel compatibile con un disco anche da 180mm e è stata concepita per permettere l'integrazione dei cavi all'interno del telaio grazie al design D-shape del canotto e al sistema DCR. Risulta compatibile con la maggior parte di telai in commercio, sia carbonio che metallo. È caratterizzata da una costruzione interamente in carbonio con il cono di base da 45° integrato. Compatibilità con pneumatici fino a 45mm (28") o 50mm (27.5"). L'ottimale integrazione dei cavi elettrici all'interno del fodero e del canotto rendono Gera EDG il prodotto perfetto per l'abbinamento a mozzi dinamo (es. SON®).

EN • Gera EDG is a superlight gravel fork under 500 grams with a clean design and perfect for all road use. Straight blades for superior reactivity on fast gravel or paved roads. The first gravel fork fitting also a 180mm rotor disc and designed to allow the integration of the cables inside the frame thanks to a D-shape fork steerer and the DCR system. It is compatible with most of bicycle frames on the market, both carbon and metal. It features a full carbon construction with an integrated 45° crown race. Tire clearance up to 45mm (28") or 50mm (27.5"). It is ready for dynamo hubs (i.e. SON®) for optimal integration of the electric cables inside the fork.

Materiale:
Full carbon, finitura UD
Cannotto forcella:
1" 1/8 con forma D-Shape
Compatibilità serie sterzo:
• Cuscinetto superiore 1" 1/8
• Cuscinetto inferiore 1.5"
• Cono di base integrato a 45°


Lunghezza canotto:
350 mm
Lunghezza axle-crown:
398 mm
Avanzamento:
50 mm

Compatibilità perno:
100 × 12 mm thru-axle (incluso)
Diametro testa forcella:
56 mm
Compatibilità rotore disco:
Flat mount, 160 o 180 mm
Finitura:
Carbonio UD con logo POB
Accessori inclusi:
Perno passante (M12 × P1.5 × 120), expander e topcap per D-shape.

Material:
Full carbon fiber, UD finish
Fork steerer:
D-Shape 1"1/8
Headset compatibility:
• Upper bearing 1" 1/8
• Lower bearing 1.5"
• 45° integrated crown race

Steerer length:
350 mm
Axe-crown length:
398 mm
Rake:
50 mm

Axe compatibility:
100 × 12 mm thru-axle (included)
Crown diameter:
56 mm
Disc brake rotor compatibility:
Flat mount, 160 or 180 mm
Finish:
UD carbon with POB logo
Accessories included:
Thru-axle (M12 × P1.5 × 120), D-shape custom expander and topcap.



Peso: 498 g

Note: predisposta per montaggio parafango e mozzo a dinamo SON®

Compatibilità telai: qualsiasi telaio predisposto per passaggio cavi interni con serie sterzo Deda DCR, Deda Classic1 e Classic2 o serie sterzo conica da 1" 1/8-1.5" / 1" 1/4-1.5" / 1.5" -1.5"

Compatibilità attacchi: tutti gli attacchi Deda o attacchi da 1 1/8" che presentano una adeguata apertura tra canotto forcella e corpo dell'attacco per il passaggio interno dei cavi

Compatibilità ruote e pneumatici: 622 × 45 (28"×1.7"), 584 × 50 (27.5"×2.0").

Compatibilità cuscinetti:

- Superiore: con serie sterzo/tubo sterzo da 1" 1/8, 1" 1/4 o 1.5"
- Inferiore: cuscinetto da 1.5"; angolo contatto cuscinetto 45°

Passaggio cavi interno: con attacco convenzionale compatibile fino a 3 cavi; con attacco DCR compatibile fino a 4 cavi

Tolleranza centraggio ruota: +/- 1,5 mm

Weight: 498 g

Note: fender mounts, ready for SON®-dynamo hub

Frames compatibility: any bicycle frame featuring internal cable routing system and fitting Deda DCR headset, Deda Classic 1 or tapered 1" 1/8-1.5" / 1" 1/4 -1.5" / 1.5" -1.5"

Stems compatibility: all the Deda stems or the stems with a large opening between the fork steerer and stem body to allow the internal cable routing.

Wheel and tire compatibility: 622 × 45 (28"×1.7"), 584 × 50 (27.5"×2.0").

Bearings compatibility:

- Upper: headset/frame headtube with 1" 1/8, 1" 1/4 or 1.5"
- Lower: 1.5" bearing; 45° contact angle bearing

Internal cables routing: with a standard stem up to 3 cables; with a DCR stem up to 4 cables.

Wheel centering tolerance: +/- 1,5mm

↓ Description

GERA EDG, fork, carbon, 398 mm axle-crown, D-Shape, DCR system, POB

↓ Deda Part Code

MFF001Z180

↓ EAN13 Code

8055774363853

ALLROAD

 Gravel  Road




Compatibile con Deda Disc brake rotor.
Vedi dedaelementi.com.
Compatible with Deda Disc brake rotor.
See dedaelementi.com.



IT • Allroad è una forcella superleggera ideale per utilizzo allroad. Il design facilita l'integrazione dei cavi all'interno del telaio, grazie al suo canotto forcella con sezione "D-shape" e al sistema DCR di Deda. Compatibile con la maggior parte dei telai sul mercato, in carbonio o metallo. La sua struttura interamente in carbonio, assieme al crown race integrato con angolo di 45°, garantisce resistenza e performance di alto livello. È progettato per ospitare mozzi dinamo, come SON®, consentendo un'integrazione ottimale di cavi elettrici all'interno della forcella.

EN • Allroad is a superlight fork ideal for all-road use. The design facilitates the integration of cables inside the frame, thanks to its D-shape fork steerer and the DCR system. Compatible with most bicycle frames on the market, whether they are made of carbon or metal. Its full carbon construction, coupled with an integrated 45° crown race, ensures both strength and lightweight performance. It is designed to accommodate dynamo hubs, such as the SON®, allowing for optimal integration of electric cables inside the fork.

Materiale: Monoscocca carbonio, finitura UD Cannotto forcella: 1" 1/8 con forma D-Shape Compatibilità serie sterzo: • Cuscinetto superiore 1" 1/8 • Cuscinetto inferiore 1.5" • Cono di base integrato a 45° Lunghezza canotto: 350 mm Lunghezza axle-crown: 370 mm Avanzamento: 45 mm Compatibilità perno: 100 × 12 mm thru-axle (incluso) Diametro testa forcella: 56 mm Compatibilità rotore disco: Flat mount, 140 o 160 mm Finitura: Carbonio UD con logo POB Accessori inclusi: Perno passante (M12 × P1.5 × 115,5), expander e topcap per D-shape.	Material: Carbon monocoque, UD finish Fork steerer: D-Shape 1"1/8 Headset compatibility: • Upper bearing 1" 1/8 • Lower bearing 1.5" • 45° integrated crown race Steerer length: 350 mm Axle-crown length: 370 mm Rake: 45 mm Axle compatibility: 100 × 12 mm thru-axle (included) Crown diameter: 56 mm Disc brake rotor compatibility: Flat mount, 140 or 160 mm Finish: UD carbon with POB logo Accessories included: Thru-axle (M12 × P1.5 × 115,5), D-shape custom expander and topcap
---	---



Peso: 420 g

Note: Predisposta per montaggio parafango e mozzo a dinamo SON®.

Compatibilità telai: Qualsiasi telaio predisposto per passaggio cavi interni con serie sterzo Deda DCR, Deda Classic1 e Classic2 o serie sterzo conica da 1" 1/8-1.5" / 1" 1/4-1.5" / 1.5" -1.5"

Compatibilità attacchi: tutti gli attacchi Deda o attacchi da 1 1/8" che presentano una adeguata apertura tra canotto forcella e corpo dell'attacco per il passaggio interno dei cavi.

Compatibilità ruote e pneumatici: 622 × 35 (28" × 1.35") in funzione del produttore di pneumatico/cerchio utilizzato.

Compatibilità cuscinetti:

• Superiore: con serie sterzo/tubo sterzo da 1" 1/8, 1" 1/4 o 1.5"

• Inferiore: cuscinetto da 1.5"; angolo contatto cuscinetto 45°

Passaggio cavi interno: con attacco convenzionale compatibile fino a 3 cavi; con attacco DCR compatibile fino a 4 cavi.

Minimo spazio del pneumatico interno forcella: 5 mm (28" × 1.35")

Tolleranza centraggio ruota: +/- 1,5 mm

Weight: 450 g

Note: Fender mounts, ready for SON®-dynamo hub

Frames compatibility: any bicycle frame featuring internal cable routing system and fitting Deda DCR headset, Deda Classic 1 or tapered 1" 1/8-1.5" / 1" 1/4 -1.5" / 1.5" -1.5"

Stems compatibility: all the Deda stems or 1 1/8" stems with a large opening between the fork steerer and the stem body to allow the internal cable routing.

Wheel and tyre compatibility: 622 × 35 (28" × 1.35") depending on tire/rim manufacturer.

Bearings compatibility:

• Upper: headset/frame headtube with 1" 1/8, 1" 1/4 or 1.5"

• Lower: 1.5" bearing; 45° contact angle bearing

Internal cables routing: with a standard stem up to 3 cables; with a DCR stem up to 4 cables.

Minimum Tire Clearance at fork blade: 5 mm (28" × 1.35")

Wheel centering tolerance: +/- 1,5mm

↓ Description

ALLROAD, fork, carbon, 370 mm axle-crown, D-Shape, DCR system, POB

↓ Deda Part Code

MFF001Z183

↓ EAN13 Code

8055774366823

EDG ROAD

 Road



Compatibile con Deda Disc brake rotor.
Vedi dedaelementi.com.
Compatible with Deda Disc brake rotor.
See dedaelementi.com.




IT • La forcella EDG ROAD è progettata per essere compatibile con telai bici da strada. Presenta una struttura interamente in fibra di carbonio, per garantire alte prestazioni. È progettata per essere compatibile sia con gli attacchi manubrio standard che con gli attacchi manubrio DCR (Deda Cable Routing), consentendo diverse opzioni per il passaggio dei cavi. Nello specifico: attacchi manubrio standard (fino a 3 cavi, ospitando due cavi freno e un cavo del cambio meccanico o elettronico); attacchi manubrio DCR (fino a 4 cavi, ospitando due cavi freno e due cavi del cambio meccanico o elettronico).

EN • EDG ROAD fork is designed to be compatible with a road bicycle frame. It is designed to be compatible with both standard stems and DCR (Deda Cable Routing) stems, allowing for different cable routing options. Specifically, it supports: standard stems (up to 3 cables, which can include two brake housing cables and one mechanical or electronic shifting cable); DCR stems (up to 4 cables, accommodating two brake housing cables and two shifting cables - mechanical or electronic).

Materiale:
Full carbon, finitura UD
Cannotto forcella:
1" 1/8 con forma D-Shape
Compatibilità serie sterzo:
• Cuscinetto superiore 1" 1/8
• Cuscinetto inferiore 1.5"
• Cono di base integrato a 45°
Lunghezza canotto:
350 mm
Lunghezza axle-crown:
369 mm
Avanzamento:
45 mm
Compatibilità perno:
100×12 mm perno passante (incluso)
Diametro testa forcella:
56 mm
Compatibilità rotore disco:
Flat mount, 140 or 160 mm
Finitura:
Carbonio UD
Accessori inclusi:
Dedacciai "EXP" 23,5 mm e topcap

Material:
Full carbon fiber
Fork steerer:
D-Shape 1"1/8
Headset compatibility:
• Upper bearing 1" 1/8
• Lower bearing 1.5"
• 45° integrated crown race
Steerer length:
350 mm
Axe-crown length:
369 mm
Rake:
45 mm
Axe compatibility:
100×12 mm thru-axe
Crown diameter:
56 mm
Disc brake rotor compatibility:
Flat mount, 140 or 160 mm
Finish:
UD carbon
Accessories included:
Dedacciai "EXP" 23,5 mm and topcap



Peso: 414 gr (460 gr con verniciatura e viti)

Compatibilità telai: qualsiasi telaio predisposto per passaggio cavi interni con serie sterzo Deda DCR, Deda Classic1 e Classic2 o serie sterzo conica da 1" 1/8-1.5" / 1" 1/4-1.5" / 1.5" -1.5"

Compatibilità attacchi: tutti gli attacchi Deda o attacchi da 1 1/8" che presentano una adeguata apertura tra canotto forcella e corpo dell'attacco per il passaggio interno dei cavi.

Compatibilità ruote e pneumatici: Spazio massimo per gli pneumatici fino a 622 x 28 mm (28" x 1.1")

Compatibilità cuscinetti:

- Superiore: con serie sterzo/tubo sterzo da 1" 1/8, 1" 1/4 o 1.5"
- Inferiore: cuscinetto da 1.5"; angolo contatto cuscinetto 45°

Passaggio cavi interno: con attacco convenzionale compatibile fino a 3 cavi (due cavi freno e cavo cambio meccanico/elettrico); con attacco DCR compatibile fino a 4 cavi (due cavi freno e due cavi cambio)

Tolleranza centraggio ruota: +/- 1,5 mm

Weight: 414 gr (460 gr painted + screws)

Frames compatibility: any bicycle frame featuring internal cable routing system and fitting Deda DCR headset, Deda Classic 1 or tapered 1" 1/8-1.5" / 1" 1/4 -1.5" / 1.5" -1.5"

Stems compatibility: all the Deda stems are compatible or the stems with a large opening between the fork steerer and stem body to allow the internal cable routing.

Wheel and tyre compatibility: Max tire clearance 622 x 28 mm (28" x 1.1")

Bearings compatibility:

- Upper: headset/frame headtube with 1" 1/8, 1" 1/4 or 1.5"
- Lower: 1.5" bearing; 45° contact angle bearing

Internal cables routing: with a standard stem up to 3 cables (two brakes housing cables and mechanical/electronic shifting cable); with a DCR stem up to 4 cables (two brakes housing cables and two shifting cables)

Wheel centering tolerance: +/- 1,5mm

↓ Description

EDG ROAD, fork, carbon, 369 mm axle-crown, D-Shape, DCR system, POB

↓ Deda Part Code

MFF001Z184

↓ EAN13 Code

8055774366953




Tecnologia Forcelle DCR

DCR Forks Technology

Forcella D-Shape

D-Shape Fork




IT • Le forcelle Deda con tecnologia DCR si caratterizzano per un cannotto forcella da 1" 1/8 (28,6 mm) a sezione non circolare, chiamata D-shape. Grazie a questo design si crea una apertura a mezzaluna tra cannotto forcella e cuscinetto superiore, utile per il passaggio dei cavi all'interno del telaio. Le forcelle con tecnologia D-shape sono compatibili con telai tradizionali con serie sterzo coniche da 1" 1/8 - 1.5", 1" 1/4 - 1.5" o con telai con serie sterzo DCR 1.5" - 1.5". È possibile utilizzare le forcelle per un'integrazione completa dei cavi con qualsiasi tipologia di gruppo per freni a disco (sia meccanico che elettronico) oppure con soluzioni S-DCR.

EN • Deda forks with DCR technology feature a 1" 1/8 (28.6 mm) steerer with a non-circular section, alias D-shape. This kind of design allows to create a space between the steerer tube and the upper bearing and to make the internal cable routing possible inside the frame. D-shape forks are compatible with traditional frames with 1" 1/8 - 1.5", 1" 1/4 - 1.5" tapered headsets or with frames with 1.5" - 1.5" DCR headset. The forks can be used for a full cable integration with any type of disc brake groupset (both mechanical and electronic) or with S-DCR solutions.

Passaggio cavi mozzo dinamo e freno

Dynamo hub and brake cable routing



IT • La forcella è stata progettata per garantire una totale integrazione del cavo freno idraulico anteriore e dei cavi elettrici nel caso di utilizzo con mozzo a dinamo. La forcella è compatibile con il passaggio interno dei cavi elettrici per la luce anteriore, luce posteriore e eventuale cavo per il power charger.

EN • The fork has been designed to guarantee the total integration of the hydraulic brake housing cable and electric cables when using a dynamo hub. The fork is compatible with internal cable routing for the front light, the rear light and the additional cable for the power charger.

Accessori forcelle

Fork accessories

Perno passante per forcella Allroad

Allroad thru axle fork



IT • Perno passante anteriore in alluminio per forcella Allroad.

Materiale:
Alluminio 7075-T6
Specifica:
M12×P1.5×115.5 mm
Finitura:
Nera con Dedacciai logo
Peso:
26 g

EN • Front Thru-Axle for Allroad fork.

Material:
Alloy 7075-T6
Specification:
M12×P1.5×115.5 mm
Finish:
Black with Dedacciai logo
Weight:
26 g

Perno passante forcella Gera Curvy, Gera EDG e EDG Road

Gera Curvy, Gera EDG and EDG Road Thru-Axle fork



IT • Perno passante anteriore in alluminio per forcelle gravel Gera Curvy, Gera EDG e EDG Road

Materiale:
Alluminio
Specifica:
M12×P1.5×120 mm
Finitura:
Nera con Dedacciai logo
Peso:
27 g

EN • Front Thru-Axle for gravel fork Gera Curvy, Gera EDG and EDG Road

Material:
Alloy
Specification:
M12×P1.5×120 mm
Finish:
Black with Dedacciai logo
Weight:
27 g

D-Shape Expander

D-Shape Expander



Settore D-shape
D-shape sector

IT • Expander specifico per forcelle modello DCR con canotto D-shape. L'expander è fornito di un top cap con foro eccentrico e di uno spessore specifico D-shape per il montaggio con attacchi tradizionali.

Materiale expander:
Alluminio
Lunghezza:
70 mm
Materiale spessore D-shape:
Alluminio
Materiale top cap:
Alluminio
Vite:
Acciaio M6×20 mm
Finitura:
Nera con Dedacciai logo
Peso:
49 g (Incluso spessore D-shape & top cap)
Note:
L'expander include anche il top cap e lo spessore D-shape; compatibile con forcelle EDG Road, Gera Curvy, Gera EDG e Allroad.
Accessori:
Speciali topcap con foro eccentrico sono disponibili per Alanera RS (Cod. HDRS-TP-DX), Superzero (Cod. HDSZTPX-DX) e Superbox (Cod. HDSBXTX-4DX)

EN • Specific expander for DCR forks with a D-shape steerer The expander is supplied with a top cap with an eccentric hole and a specific D-shape spacer to be assembled with traditional stems.

Expander material:
Alloy
Length:
70 mm
D-shape spacer material:
Alloy
Top cap material:
Alloy
Screw:
Steel M6×20 mm
Finish:
Black with Dedacciai logo
Weight:
49 g (Including D-shape spacer & top cap)
Note:
The expander includes also top cap & D-shape spacer; compatible with EDG Road, Gera Curvy, Gera EDG forks and Allroad forks.
Accessories:
Custom topcap with eccentric hole are available for Alanera RS (Cod. HDRS-TP-DX), Superzero (Cod. HDSZTPX-DX) and Superbox (Cod. HDSBXTX-4DX)

↓ Description	↓ Deda Part Code	↓ EAN13 Code
Thru Axle, front, aluminium, Dedacciai, M12×P1.5×120	PP12012	8055774363884
Thru Axle Flat, front, aluminium, Dedacciai, M12×P1.5×120	PP12012-AR	8055774361040
Expander D-shape Fork, aluminium, 70 mm, includes top cap & D-shape spacer	EXP-DX	8055774363877



MTB


Cross	166	Peak	172
Cross Flat Bar → Manubrio/Handlebar	166	Peak Riser → Manubrio/Handlebar	172
Cross → Attacco/Stem	167	Peak Flat → Manubrio/Handlebar	173
Cross Team → Attacco/Stem	168	Peak → Attacco/Stem	174
Cross 25 mm → Reggisella/Seatpost	169	Peak → Reggisella/Seatpost	175
Cross 0 mm → Reggisella/Seatpost	170		



CROSS Flat Bar



MTB



Finitura POB
POB Finish

IT • Manubrio flat in carbonio da 750 mm progettato con un angolo di rialzo di 0° specifico per 27,5" e 29", a chi ricerca una posizione bassa. Un back sweep da 3° permette di aggiustare la posizione di guida per un maggiore controllo e stabilità della bici.

EN • 750 mm carbon flat handlebar designed with a rise angle of 0° specific for 27.5" and 29", for those looking for a low position. A 3° back sweep allows you to fine tune your cockpit for greater control and stability of the bike.

Materiale:
Fibra di carbonio UD
Ø Manubrio:
Ø 31,7 mm
Larghezza:
750 mm
Rialzo:
0 mm
Up Sweep:
0°
Back Sweep:
3°
Peso:
170 g
Finitura:
POB (Polish on black)
Note:
Raccomandato solo per montaggio con attacchi Cross e Peak. Non compatibile con bar-end.

Material:
UD Carbon Fiber
Clamp diameter:
Ø 31,7 mm
Width:
750 mm
Rise:
0mm
Up sweep:
0°
Back Sweep:
3°
Weight:
170 g
Finish:
POB (Polish on black)
Note:
Recommended mounting with Cross and Peak stems only. No bar-end compatible.

↓ Description	↓ Deda Part Code	↓ EAN13 Code
MUD CROSS FLAT, handlebar, carbon, 750 mm, rise 0°, setback 3°	MUDCRF750	8052783484012



Finitura POB
POB Finish




Compatibile con S-DCR Cover Kit. Vedi pagina 13.
Compatible with S-DCR Cover kit. See page 13.

IT • La serie Cross è composta da componenti superleggeri per ciclisti molto esigenti. L'attacco Cross è la scelta perfetta per chi ricerca leggerezza e resistenza. Le viti in titanio e un frontalino ridisegnato portano il peso al limite di 100 grammi. Disponibile nelle misure da 80 a 110 mm con finitura POB (Polish on black).	Materiale: Alluminio 2014 Viteria: Titanio Pvd Nera Angolo: 84° Ø Manubrio: 31,7 mm Cannotto Forcella: 1 1/8" (28,6mm) Altezza attacco: 38 mm Misure: 80 • 90 • 100 • 110 mm Peso: 109 g (110 mm) Finitura: POB (Polish on black) Note: Raccomandato solo per montaggio con manubri Cross & Peak.	Material: Alloy 2014 Screws: Titanium Pvd Black Angle: 84° Clamp diameter: 31,7 mm Fork Steerer: 1 1/8" (28,6mm) Clamp Height: 38 mm Sizes: 80 • 90 • 100 • 110 mm Weight: 109 g (110 mm) Finish: POB (Polish on black) Note: Recommended mounting with Cross & Peak handlebars only.
--	--	--

↓ Description	↓ Deda Part Code	↓ EAN13 Code
MUD CROSS, stem, aluminium 2014, 80 mm, 84° (+6°), bolts titanium PVD	MUDCR080	8052783483930
MUD CROSS, stem, aluminium 2014, 90 mm, 84° (+6°), bolts titanium PVD	MUDCR090	8052783483947
MUD CROSS, stem, aluminium 2014, 100 mm, 84° (+6°), bolts titanium PVD	MUDCR100	8052783483954
MUD CROSS, stem, aluminium 2014, 110 mm, 84° (+6°), bolts titanium PVD	MUDCR110	8052783483961

CROSS Team



Finitura POB
POB Finish

IT • Cross Team è un attacco da 70° con un design piatto aggressivo che si adatta a qualsiasi bici da 29" o 27,5". L'attacco Cross è la scelta perfetta per chi ricerca la migliore posizione in bici. Realizzato in alluminio 6061 con un frontalino monoblocco. Disponibile nelle misure da 60 a 90 mm con finitura POB (Polish on black).	Materiale: Alluminio 6061 Viteria: Titanio PVD Nera Angolo: 70° (-20°) Ø Manubrio: 31,7 mm Cannotto Forcella: 1 1/8" (28,6 mm) Altezza attacco: 35 mm Misure: 60 • 70 • 80 • 90 mm Peso: 150 g (90 mm) Finitura: POB (Polish on black) Note: Raccomandato solo per montaggio con manubri Cross e Peak.	Material: Alloy 6061 Screws: Titanium PVD Black Angle: 70° (-20°) Clamp diameter: 31,7 mm Fork Steerer: 1 1/8" (28,6 mm) Clamp Height: 35 mm Sizes: 60 • 70 • 80 • 90 mm Weight: 150 g (90 mm) Finish: POB (Polish on black) Note: Recommended mounting with Cross & Peak handlebars only.
--	---	---

↓ Description	↓ Deda Part Code	↓ EAN13 Code
MUD CROSS TEAM, stem, aluminium 6061, 60 mm, 70° (-20°), bolts titanium PVD	MUDCRTEAM060	8052783483978
MUD CROSS TEAM, stem, aluminium 6061, 70 mm, 70° (-20°), bolts titanium PVD	MUDCRTEAM070	8052783483985
MUD CROSS TEAM, stem, aluminium 6061, 80 mm, 70° (-20°), bolts titanium PVD	MUDCRTEAM080	8052783483992
MUD CROSS TEAM, stem, aluminium 6061, 90 mm, 70° (-20°), bolts titanium PVD	MUDCRTEAM090	8052783484005

CROSS 25 mm



Finitura POB
POB Finish



Compatibile col kit montaggio luci al reggisella, Staffa. Vedi pagina 216.
Compatible with Staffa seatpost lights mount kit. See page 216.

DBA (For Shimano Di2)



Ø 27,2 mm Ø 31,6 mm

IT • Reggisella Cross con arretramento da 25 mm. Ultraleggero di soli 180 grammi disegnato e prodotto senza compromessi in termini di affidabilità e resistenza. Sistema di fissaggio a una vite per una veloce e facile installazione. Regolazione micrometrica dell'inclinazione della sella attraverso una vite posizionata sulla testa del reggisella. Compatibile con selle con telaio ovale in carbonio (max Ø 7×9.5 mm). Disponibile in diametro 27.2 mm e 31.6 mm, lunghezza 400 mm.	Materiale: Carbonio UD Monoscocca Meccanica: Alluminio CNC; Viteria Titanio PVD Nera Lunghezza: 400 mm Diametro: Ø 27,2 • 31,6 mm Arretramento: 25 mm Peso: 180 g (Ø 27,2 mm) Finitura: POB (Polish on black) Note: compatibile con selle con telaio in carbonio ovale max Ø 7×9.5 mm. compatibile con adattatori Deda per batteria interna DI2.	Material: UD Full Carbon Construction Hardware: CNC Alloy Plates; Titanium PVD Black Screws Length: 400 mm Diameter: Ø 27,2 • 31,6 mm Setback: 25 mm Weight: 180 g (Ø 27,2 mm) Finish: POB (Polish on black) Note: compatible with a max Ø 7×9.5 mm oval-shaped rail. Fits Deda adapter for DI2 internal battery.
--	---	--

↓ Description	↓ Deda Part Code	↓ EAN13 Code
MUD CROSS, seatpost, carbon, 400 mm, Ø 31.6 mm, setback 25 mm	MUDCR316	8052783484029
MUD CROSS, seatpost, carbon, 400 mm, Ø 27.2 mm, setback 25 mm	MUDCR272	8052783484036



CROSS 0 mm



Finitura POB
POB Finish



Compatibile col kit montaggio luci
al reggisella, Staffa. Vedi pagina 216.
Compatible with Staffa seatpost
lights mount kit. See page 216.



DBA (For Shimano Di2)



IT • Reggisella cross con arretramento 0 mm. Il sistema minimale e leggero a 2-viti garantisce una precisa e facile regolazione della sella. Il tubo in carbonio unidirezionale offre un'eccezionale resistenza a fatica e impatto. Compatibile con selle con telaio ovale in carbonio (max Ø 7×9.5 mm). Disponibile in diametro 27.2 mm, 30.9 mm e 31.6 mm, lunghezza 400 mm.

EN • Cross seatpost with 0mm setback. The minimal and lightweight 2-bolt design guarantees a fine and easy saddle adjustment. The unidirectional carbon tube offers great fatigue and impact strength. Compatible with oval-shaped carbon rail (max Ø 7×9.5 mm). Available in diameter 27.2 mm, 30.9 mm and 31.6 mm, 400 mm length.

Materiale:
Carbonio UD; Testa In Alluminio 2014
Meccanica:
Alluminio Cnc; Viteria Acciaio
Lunghezza:
400 mm
Diametro:
Ø 27,2 • 30,9 • 31,6 mm
Arretramento:
0 mm
Peso:
240 g (Ø 27,2 mm)
Finitura:
POB (Polish on black)
Note:
Compatibile con selle con telaio in carbonio ovale max Ø 7×9.5 mm. compatibile con adattatori Deda per batteria interna Di2.

Material:
Carbon UD & 2014 Alloy Head
Hardware:
Cnc Alloy Plates; Steel Screws
Length:
400 mm
Diameter:
Ø 27,2 • 30,9 • 31,6 mm
Setback:
0 mm
Weight:
240 g (Ø 27,2 mm)
Finish:
POB (Polish on black)
Note:
Compatible with a max Ø 7×9.5 mm oval-shaped rail. Fits Deda adapter for Di2 internal battery.

↓ Description	↓ Deda Part Code	↓ EAN13 Code
MUD CROSS ZERO, seatpost, carbon&aluminium, 400 mm, Ø 31.6 mm, setback 0 mm	MUDCRZ316	8052783484043
MUD CROSS ZERO, seatpost, carbon&aluminium, 400 mm, Ø 30.9 mm, setback 0 mm	MUDCRZ309	8052783484067
MUD CROSS ZERO, seatpost, carbon&aluminium, 400 mm, Ø 27.2 mm, setback 0 mm	MUDCRZ272	8052783484050



PEAK Riser



IT • La linea Peak è composta da componenti adatti ad un utilizzo all mountain ed e-bike. Il manubrio Peak Riser è largo 780mm e presenta un rialzo di 20 mm e un arretramento di 5 ° per una posizione di guida più confortevole. La scelta perfetta per le e-bikes. Il manubrio è realizzato in alluminio 6061 per attacco da 31,7 mm.	Materiale: Alluminio 6061 Ø Manubrio: Ø 31,7 mm Larghezza: 780 mm Rialzo: 20 mm Up Sweep: 5° Back Sweep: 9° Peso: 345 g Finitura: POB (Polish on black) Note: Raccomandato solo per montaggio con attacchi Cross & Peak.	Material: Alloy 6061 Clamp diameter: Ø 31,7 mm Width: 780 mm Rise: 20 mm Up sweep: 5° Back Sweep: 9° Weight: 345 g Finish: POB (Polish on black) Notes: Recommended mounting with Cross & Peak stems only.
--	--	--

↓ Description	↓ Part Code	↓ EAN13 Code	↓ OEM Part Code	↓ EAN13 OEM Code
MUD PEAK RISER, handlebar, aluminium 6061, 780 mm, rise 9°/20 mm, setback 5°	MUDPKR780	8052783484142	MUDPKR780X	8052783484869

PEAK Flat



Finitura POB
POB Finish

IT • La linea Peak è composta da componenti adatti ad un utilizzo all mountain ed e-bike. Il manubrio Peak Flat è largo 780 mm e ha un arretramento di 3° che permette di aggiustare la posizione di guida per un maggiore controllo e stabilità della bici. Il manubrio è realizzato in alluminio 6061 per attacco da 31,7 mm.

EN • The Peak line is made up of components suitable for all mountain and e-bike use. The Peak Flat handlebar is 780 mm wide and features a 3-degree back-sweep angle to fine-tune your cockpit for greater control and stability of the bike. The handlebar is made in 6061 aluminium for 31.7 mm stem clamp.

Materiale:
Alluminio 6061
Ø Manubrio:
Ø 31,7 mm
Larghezza:
780 mm
Rialzo:
0 mm
Up Sweep:
0°
Back Sweep:
3°
Peso:
315 g
Finitura:
POB (Polish on black)
Note:
Raccomandato solo per montaggio con attacchi Cross & Peak.

Material:
Alloy 6061
Clamp diameter:
Ø 31,7 mm
Width:
780 mm
Rise:
0mm
Up sweep:
0°
Back Sweep:
3°
Weight:
315 g
Finish:
POB (Polish on black)
Notes:
Recommended mounting with Cross & Peak stems only.

↓ Description	↓ Part Code	↓ EAN13 Code	↓ OEM Part Code	↓ EAN13 OEM Code
MUD PEAK FLAT, handlebar, aluminium 6061, 780 mm, setback 3°	MUDPKF780	8052783484159	MUDPKF780X	8052783484852

Finitura POB
POB Finish



Compatibile con S-DCR Cover Kit. Vedi pagina 13.
Compatible with S-DCR Cover kit. See page 13.

IT • L'attacco Peak è realizzato in alluminio 6061, forgiato in 3D. È disponibile in un'ampia gamma di lunghezze da 50 a 110 mm con un angolo di 84°. Ha una grafica reversibile per essere montato con angolo +/- 6 gradi, il modo migliore per trovare la tua posizione sulla bici.	Materiale: Alluminio 6061 Viteria: Acciaio, Nera Angolo: 84° Ø Manubrio: 31,7 mm Cannotto Forcella: 1 1/8" (28,6mm) Altezza attacco: 38 mm Misure: 50 • 60 • 70 • 80 • 90 • 100 • 110 mm Peso: 140 g (110 mm) Finitura: POB (Polish on black) Note: Raccomandato solo per montaggio con manubri Cross & Peak.	Material: Alloy 6061 Screws: Steel, Black Angle: 84° Clamp diameter: 31,7 mm Fork Steerer: 1 1/8" (28,6mm) Clamp Height: 38 mm Sizes: 50 • 60 • 70 • 80 • 90 • 100 • 110 mm Weight: 140 g (110 mm) Finish: POB (Polish on black) Notes: Recommended mounting with Cross & Peak handlebars only.
---	--	--

↓ Description	↓ Part Code	↓ EAN13 Code	↓ OEM Part Code	↓ EAN13 OEM Code
MUD PEAK, stem, aluminium 6061, 50 mm, 84°, reversible +/- 6°, bolts steel	MUDPK050	8052783484074	MUDPK050X	8052783484753
MUD PEAK, stem, aluminium 6061, 60 mm, 84°, reversible +/- 6°, bolts steel	MUDPK060	8052783484081	MUDPK060X	8052783484760
MUD PEAK, stem, aluminium 6061, 70 mm, 84°, reversible +/- 6°, bolts steel	MUDPK070	8052783484098	MUDPK070X	8052783484777
MUD PEAK, stem, aluminium 6061, 80 mm, 84°, reversible +/- 6°, bolts steel	MUDPK080	8052783484104	MUDPK080X	8052783484784
MUD PEAK, stem, aluminium 6061, 90 mm, 84°, reversible +/- 6°, bolts steel	MUDPK090	8052783484111	MUDPK090X	8052783484791
MUD PEAK, stem, aluminium 6061, 100 mm, 84°, reversible +/- 6°, bolts steel	MUDPK100	8052783484128	MUDPK100X	8052783484807
MUD PEAK, stem, aluminium 6061, 110 mm, 84°, reversible +/- 6°, bolts steel	MUDPK110	8052783484135	MUDPK110X	8052783484814



Finitura POB
POB Finish



Compatibile col kit montaggio luci
al reggisella, *Staffa*. Vedi pagina 216.
Compatible with *Staffa* seatpost
lights mount kit. See page 216.



DBA (For Shimano Di2)



IT • Peak è un eccellente reggisella con regolazione a doppia vite. Il reggisella insieme a attacco e manubrio della serie Peak è un ottimo kit di finitura per qualsiasi bici all mountain o e-bike. Il reggisella è realizzato in alluminio 6061 e garantisce leggerezza e resistenza ad un prezzo molto competitivo. Disponibile in tre diametri 27.2, 30.9 e 31.6 mm con arretramento 20 mm.

EN • Peak is an excellent seatpost with twin-bolt screw adjustment. The seatpost along with stem and handlebar is a great finishing kit for any all mountain and e-bikes. The seatpost is made of 6061 aluminium and guarantees lightness and strength at a very competitive price. Available in three diameters 27.2, 30.9 and 31.6 mm with a 20 mm setback.


Materiale:
Alluminio 6061
Meccanica:
Alluminio Cnc; Viteria Acciaio
Lunghezza:
400 mm
Diametro:
Ø 27,2 • 30,9 • 31,6 mm
Arretramento:
20 mm
Peso:
295 g (Ø 27,2 mm)
Finitura:
POB (Polish on black)
Note:
Compatibile con selle con telaio in carbonio ovale max Ø 7×9.5 mm.
compatibile con adattatori Deda per batteria interna DI2.


Material:
Alloy 6061
Hardware:
Cnc Alloy Plates; Steel Screws
Length:
400 mm
Diameter:
Ø 27,2 • 30,9 • 31,6 mm
Setback:
20 mm
Weight:
295 g (Ø 27,2 mm)
Finish:
POB (Polish on black)
Notes:
Compatible with a max Ø 7×9.5 mm oval-shaped rail. Fits Deda adapter for DI2 internal battery.

↓ Description	↓ Part Code	↓ EAN13 Code	↓ OEM Part Code	↓ EAN13 OEM Code
MUD PEAK, seatpost, aluminium 6061, 400 mm, Ø 31.6 mm, setback 20 mm	MUDPK316	8052783484173	MUDPK316X	8052783484845
MUD PEAK, seatpost, aluminium 6061, 400 mm, Ø 30.9 mm, setback 20 mm	MUDPK309	8052783484173	MUDPK309X	8052783484838
MUD PEAK, seatpost, aluminium 6061, 400 mm, Ø 27.2 mm, setback 20 mm	MUDPK272	8052783484166	MUDPK272X	8052783484821

CRONO

NEW TT314® → Adattatore clip-on/Clip-on adapter	178	Cronoevo → Manubrio/Handlebar	194	Accessori/Accessories	204
NEW JET2 EVO → Prolunghe/Extensions	182	Tribar → Manubrio/Handlebar	196		
NEW Accessori JET2 EVO/JET2 EVO Accessories	184	Carbon Blast → Prolunghe/Extensions	198		
NEW JET2 HYDRO → Prolunghe/Extensions	186	Superzero TT → Prolunghe/Extensions	199		
NEW JET2 → JET1, Conversion kit	188	Metal Blast → Prolunghe/Extensions	200		
NEW TT Spacer Kit	189	Parabolica Uno → Prolunghe/Extensions	201		
NEW Angled Spacers	189	Parabolica Due → Prolunghe/Extensions	202		
NEW FAST PRO → Prolunghe/Extensions	190	ADJ → Attacco/Stem	203		
NEW PARABOLICA PRO → Prolunghe/Extensions	192				






Merging of components • Nel ciclismo, ogni dettaglio è decisivo. Ogni curva, ogni connessione, ogni frazione di secondo può segnare il confine tra il compromesso e la perfezione. Ed è proprio dall'idea di π – la costante matematica infinita, assoluta, impeccabile – che nasce TT 314®: il punto d'incontro tra forma e funzione. Per troppo tempo, la geometria speciale dei manubri aero ha rappresentato una sfida. TT 314® è la soluzione. Progettata per integrarsi con le loro forme particolari, incarna la precisione e l'eleganza di π . Non è solo un accessorio; è un ponte tra il design e la funzionalità, un inno all'innovazione. Come il π , TT 314® è più che un semplice numero. È un simbolo di precisione, unità e potenzialità infinite. Perché nella ricerca della velocità assoluta, della prestazione perfetta, ogni connessione conta.

Merging of components • In cycling world, every detail matters. Every bend, every connection, every fraction of a second defines the difference between compromise and perfection. And just like the mathematical constant π - endless, precise, and absolute - TT 314® was born from a pursuit of flawless integration. For too long, aero handlebars unique shape posed a challenge, a missing link in the equation of adaptability with extensions. TT 314® is the solution. Realized to embrace their particular shapes, mirrors the mathematical brilliance of π . It is not just an accessory; it is the bridge between design and function, an ode to innovation. Like π itself, TT 314® is more than a number. It is a symbol of precision, of unity, of boundless possibilities. Because in the pursuit of speed, of performance, of perfection -every connection counts.

PATENTED

Made in Italy



PATENTED

Made in Italy

 Road

 Gravel



IT • TT 314® è un adattatore clip-on progettato per adattarsi ai manubri integrati con sezione superiore aero. Il kit include una clip composita che consente di adattarsi alla forma aerodinamica del manubrio, mentre l'installazione di questo prodotto richiede solo 5 minuti. Il kit è dotato di un distanziale angolato da 60 mm/30°, ma sono disponibili come pezzi di ricambio tre opzioni di altezza (80, 100 e 120 mm) e quattro spessori angolati (10°, 15°, 20° e 25°) per una regolazione ad hoc. La compatibilità è con estensioni Deda come JET2 Evo e JET2 Hydro, mentre è disponibile un kit speciale per la compatibilità con Fast Pro e Parabolica Pro. Questo adattatore clip-on è la soluzione definitiva per specialisti della crono e triatleti.	Compatibilità manubri: Compatibile con Alanera RS e altri modelli sul mercato. La lista completa è disponibile sul sito dedaelementi.com alla rispettiva pagina prodotto. Compatibilità estensioni: • JET2 Evo, JET2 Hydro (direct mount) • Fast Pro, Parabolica Pro, Fastblack2, Parabolica Uno/Due (attraverso uno speciale kit) Materiali: • clip: composito, stampato 3D • spessori e piastre: alluminio 6061 Altezza spessori: • 60 mm (incluso) • 80 mm (disponibile separatamente) • 100 mm (disponibile separatamente) • 120 mm (disponibile separatamente) Spessore angolato: 30° Larghezza poggiatesta: 95 mm Regolazione poggiatesta: 115 mm – 165 mm Arretramento poggiatesta: ± 20 mm Accessori disponibili separatamente: • clamp kit per estensioni Ø 24.0 mm (Fastblack 2, Parabolica Pro, Parabolica Uno/Due) • Clamp kit per estensioni Ø 22.2 mm (Fast Pro) Peso: 400 g	Handlebar Compatibility: Compatible with Alanera RS and other models on the market. The updated list is available on dedaelementi.com at product page. Extensions Compatibility: • JET2 Evo, JET2 Hydro (direct mount) • Fast Pro, Parabolica Pro, Fastblack2, Parabolica Uno/Due (requires a special kit) Materials: • clip: composite, 3D printed • spacers and plates: aluminum 6061 Spacer height: • 60 mm (included) • 80 mm (available as option) • 100 mm (available as option) • 120 mm (available as option) Spacer angle: 30° Armrest width: 95 mm Armrest adjustment: 115 mm – 165 mm Armrest setback: ± 20 mm Other parts not included: • clamp kit for Ø 24.0 mm extensions (Fastblack 2, Parabolica Pro, Parabolica Uno/Due) • clamp kit for Ø 22.2 mm extensions (Fast Pro) Weight: 400 g
---	---	---

↓ Description	↓ Deda Part Code	↓ EAN13 Code
TT 314 clip-on adapter for Alanera RS Handlebar	TT314-ALARS	8055774369688
TT 314 clip-on adapter for Alanera DCR	TT314-ALADCR	8059493280880
TT 314 clip-on adapter for Canyon CP0030 Handlebar	TT314-CANY	8059493280477
TT 314 clip-on adapter for Canyon CP0018 handlebar	TT314-CANY1	8059493280620
TT 314 clip-on adapter for Giant Cadex Aero Handlebar	TT314-GIANT	8059493280460
TT 314 clip-on adapter for Pinarello Talon Ultra Light (Dogma X & Dogma F MY23)	TT314-PINA	8059493280910
TT 314 clip-on adapter for Ridley Cirrus Pro Handlebar	TT314-RIDL3	8055774369565
TT 314 clip-on adapter for Ridley Nimbus Aero Handlebar	TT314-RIDL1	8055774369541
TT 314 clip-on adapter for Ridley Nimbus Pro Handlebar	TT314-RIDL2	8055774369558
TT 314 clip-on adapter for Scott Creston IC SL Aero	TT314-SCOTT	8059493280637

TT 314® • Compatibilità con le estensioni Deda

TT 314® • Deda Extensions compatibility

IT • Per garantire un'installazione sicura e perfettamente integrata delle estensioni Deda sul tuo manubrio aerodinamico con il sistema clip-on TT 314®, è necessario un kit di montaggio specifico. JET2 Evo e JET2 Hydro sono progettate per un montaggio diretto, assicurando un'installazione semplice e immediata. Fast Pro, Parabolica Pro, Fastblack2, Parabolica Uno e Due richiedono un kit di montaggio dedicato per garantire un fissaggio preciso e stabile.

EN • To ensure a seamless and secure installation of Deda extensions on your aerobar with the TT 314® clip-on system, a specific mounting solution is required. JET2 Evo and JET2 Hydro extensions are designed for direct mounting, ensuring a straightforward and hassle-free installation. Fast Pro, Parabolica Pro, Fastblack2, Parabolica Uno and Due require a dedicated mounting kit to achieve a precise and stable fit.

JET2 Hydro



Kit JET2 Hydro per TT 314®
JET2 Hydro kit for TT 314®

Codice → JET2-HYDRO-S o JET2-HYDRO-M
Code → JET2-HYDRO-S or JET2-HYDRO-M

JET2 Evo



Kit JET2 Evo per TT 314®
JET2 Evo kit for TT 314®

Codice → JET2S-EVO o JET2M-EVO
Code → JET2S-EVO or JET2M-EVO

FAST PRO



Kit Fast Pro per TT 314®
Fast Pro kit for TT 314®
FPRO-TT314-SH (Shimano Satellite) • FPRO-TT314-SR (Sram Blips)

Codice → FPRO-TT314
Code → FPRO-TT314

PARABOLICA PRO



Kit Parabolica Pro per TT 314®
Parabolica Pro kit for TT 314®

Codice → PPRO-TT314
Code → PPRO-TT314

FASTBLACK2

Richiede un kit di morsetti specifico per TT 314®
Requires a specific clamp kit for TT 314®


Codice → CLAMP24
Code → CLAMP24

PARABOLICA UNO & DUE

Richiede un kit di morsetti specifico per TT 314®
Requires a specific clamp kit for TT 314®

Codice → CLAMP24
Code → CLAMP24

JET2 EVO



Nuova opzione Riser per Jet Computer Mount.
New Riser option for Jet Computer Mount.


IT • Le nuove JET2 Evo portano l'eccellenza aerodinamica a un livello superiore. Grazie alla nuova piastra per i poggiamiti dal design ottimizzato, tagliano l'aria con precisione millimetrica, migliorando le prestazioni e regalando agli atleti una sensazione di pura velocità. JET2 Evo includono esclusivamente le eleganti prolunghe in carbonio, lasciandoti la possibilità di abbinarle al basebar e agli spessori originali della bici. La piastra regolabile consente una regolazione del setback di ± 15 mm, permettendo una messa a punto precisa della posizione aerodinamica. Realizzate in fibra di carbonio unidirezionale (UD), pesano solo 330 grammi. Disponibili in due lunghezze (small 340 mm e medium 370 mm), sono facilmente accorciabili fino a 60 mm per una configurazione su misura. L'interno delle prolunghe è pronto ad accogliere il passaggio cavi per gruppi elettronici, mentre i poggiamiti ergonomici offrono comfort anche durante gli sforzi più lunghi e intensi. Il supporto computer integrato, compatibile con dispositivi Garmin®, Wahoo® e Bryton®, ti permette di avere sempre sotto controllo i tuoi dati. Con una finitura esclusiva POB (Polish on Black), JET2 Evo uniscono prestazioni di alto livello, leggerezza e massima versatilità. Durante il montaggio con i distanziali originali del basebar, è fondamentale verificare la conformità al regolamento UCI, in particolare per quanto riguarda l'altezza massima consentita.

EN • The new JET2 Evo take aerodynamic excellence to the next level. Thanks to the newly designed armrest plate with optimized aerodynamics, they slice through the air with pinpoint precision, enhancing performance and delivering a true sensation of speed. Engineered for athletes who demand a perfect position without sacrificing freedom of choice, JET2 Evo includes only the sleek carbon extensions, allowing you to pair them with your bike's original basebar and spacers. The adjustable mounting plate offers a ± 15 mm setback range relative to the handlebar axis, enabling precise fine-tuning of your aerodynamic setup. Crafted entirely from unidirectional (UD) carbon fiber, they weigh just 330 grams. Available in two lengths (small – 340 mm and medium – 370 mm), they can be shortened by up to 60 mm for a truly custom fit. The internal channeling is ready to accommodate electronic shifting cables, while the ergonomic arm pads provide support and comfort even during the longest and most demanding efforts. The integrated computer mount, compatible with Garmin®, Wahoo®, and Bryton® devices, keeps your data visible and accessible at all times. With an exclusive POB (Polish on Black) finish, JET2 Evo combines high-level performance, featherlight weight, and ultimate versatility. When installing with your basebar's original spacers, always ensure compliance with UCI regulations, particularly regarding the maximum height allowance.



IT • La nuova piastra presenta una forma aerodinamica e consente l'utilizzo di distanziali con un'inclinazione fino a 30°, offrendo una maggiore flessibilità nella regolazione della posizione del ciclista. È compatibile con un'ampia gamma di manubri da cronometro, grazie a un interasse delle viti compreso tra 17 e 41 mm.

EN • The new plate features an aerodynamic shape and allows spacers to be used at angles of up to 30°, providing greater flexibility in rider positioning. It is compatible with a wider range of TT handlebars, accommodating bolt spacings from 17 to 41 mm.

JET2 EVO PLATE



JET2 PLATE



Materiale:
Monoscocca carbonio unidirezionale
Compatibilità:
Gruppi elettronici
Lunghezza:
• 340 mm (Misura → S)
• 370 mm (Misura → M)
Regolazione lunghezza:
Taglio a misura 280 mm (S) - 310 mm (M)
Accessori inclusi:
Supporto integrato per Garmin®, Wahoo®, Bryton®
Altezza estensioni:
In base agli spessori del manubrio da crono utilizzato
Angolo estensioni:
In base agli spessori del manubrio da crono utilizzato
Larghezza poggiaomiti:
76 mm, posizione regolabile in base al manubrio da crono utilizzato
Arretramento poggiaomiti:
± 15 mm
Peso:
330 g (Misura → S)

Material:
UD carbon construction
Compatibility:
Electronic groupsets
Length:
• 340 mm (Size → S)
• 370 mm (Size → M)
Length adjustments:
Cut to length 280 mm (S) - 310 mm (M)
Accessories included:
Integrated mount for for Garmin®, Wahoo®, Bryton®
Extensions height:
Check spacers delivered with the TT handlebar
Extensions angle:
Check spacers delivered with the TT handlebar
Armrest width:
76 mm, armrest width position can be adjusted based on the TT handlebar spec.
Setback:
± 15 mm
Weight:
330 g (Size → S)

↓ Description	↓ Deda Part Code	↓ EAN13 Code
JET2 EVO, Extensions, Carbon, Size S, 340 mm, without spacers & bridge	JET2S-EVO	8055774369572
JET2 EVO, Extensions, Carbon, Size M, 370 mm, without spacers & bridge	JET2M-EVO	8055774369589

JET Riser Computer Mount

JET Riser Computer Mount

Adattatore per Sram Blip

Adapter for Sram Blip



Garmin®
Wahoo®
Bryton®



IT • Nuova opzione Riser (+ 42 mm) del Jet Computer Mount. Questo nuovo supporto computer Jet è progettato specificamente per i ciclisti che posizionano le prolunghe in configurazione super stretta. Questa versione di supporto computer garantisce una migliore visibilità e un'integrazione aerodinamica, offrendo un cockpit pulito senza compromessi.

Materiale:

Stampato in 3D, nylon

Inserti sostituibili:

- Garmin® o Wahoo®
- Bryton®

Peso:

40 g

Compatibilità:

- Garmin® (1000, 800 & 500 series)
- Wahoo® (Elemnt Bolt, Roam & Ace)
- Bryton®

Note:

Compatibile solo con estensioni JET carbon.

EN • New Riser option (+ 42 mm) of Jet Computer Mount. Introducing the latest riser accessory for the Jet computer mount, engineered specifically for riders who position their extensions in a super narrow configuration. This new computer mount version ensures improved visibility, and aerodynamic integration, giving you a clean cockpit without compromise.

Material:

3D printed, nylon

Replaceable inserts:

- Garmin® or Wahoo®
- Bryton®

Weight:

40 g

Compatibility:

- Garmin® (1000, 800 & 500 series)
- Wahoo® (Elemnt Bolt, Roam & Ace)
- Bryton®

Notes:

Compatible with JET carbon extensions only.



IT • Il nuovo adattatore per i comandi remoti SRAM Blip è compatibile con i modelli di estensioni Jet, Fastblack e Parabolica.

Materiale:

Nylon

Peso:

10 g (1 set)

Compatibilità:

- JET
- Fastblack
- Parabolica

EN • New Sram blip remote shifters adapter is compatible with Jet, Fastblack and Parabolica extensions models.

Material:

Nylon

Weight:

10 g (1 set)

Compatibility:

- JET
- Fastblack
- Parabolica

↓ Description	↓ Deda Part Code	↓ EAN13 Code
JET Riser computer mount, nylon, for Garmin®, Wahoo®, Bryton®	JETMOUNT-RISER	8059493280163
↓ Description	↓ Deda Part Code	↓ EAN13 Code
Extension adapter for Sram Blip shifter (1 set = 2 pcs)	TT-PLUG	8059493280293



JET2 HYDRO


Made in Italy



Road



Gravel





Supporto integrato per
Garmin, Wahoo, Bryton/
Integrated mount for
Garmin, Wahoo, Bryton

Dedacciai V017
hydroformed
aluminium tubing

IT • Le estensioni JET2 Hydro sono pensate per gli atleti che cercano efficienza, integrazione e aerodinamica ottimizzata nelle prove a cronometro e nelle gare di triathlon su lunga distanza. Sviluppate in Italia con l'esclusivo alluminio Dedacciai V107 e la tecnologia di idroformatura, queste estensioni offrono una soluzione avanzata, costruita attorno alle prestazioni. JET2 Hydro è compatibile esclusivamente con gruppi elettronici. I poggiatesta integrati e i pad in EVA sono progettati per offrire comfort e stabilità anche sulle distanze più lunghe, mentre il supporto computer integrato permette di tenere sotto controllo i dati senza compromettere la posizione aerodinamica. Disponibile in due misure, 315 mm (Small) e 345 mm (Medium), JET2 Hydro si adatta perfettamente alle base bar da cronometro con interasse dei fori compreso tra 17 e 41 mm. Linee pulite, integrazione totale e ingegneria orientata alla gara: JET2 Hydro è pensato per chi corre contro il tempo e pretende il massimo dal proprio equipaggiamento.

EN • JET2 Hydro extensions are designed for athletes who demand efficiency, integration, and aerodynamic excellence in time trials and long-distance triathlons. Developed in Italy using Dedacciai's exclusive V107 alloy and hydroforming technology, these extensions offer a streamlined solution built around performance. The JET2 Hydro is fully compatible with electronic groupsets, reflecting the demands of today's high-performance setups. Its integrated armrests and EVA pads are designed for long-haul comfort and control, while the built-in computer mount keeps your data in clear view without compromising your position. Sized for precision, with options at 315 mm (Small) and 345 mm (Medium), the JET2 Hydro fits seamlessly with TT base bars featuring bolt spacing between 17 and 41 mm. Clean lines, modern integration, and race-focused engineering, the JET2 Hydro is built for those who ride against the clock, and expect their equipment to keep up. order.



Materiale:

- Estensioni: tubazioni in alluminio idroformato Dedacciai V107
- Poggiagomiti e impugnature: stampa 3D

Lunghezza estensioni:

315 mm (taglia S) - 345 mm (taglia M)

Altezza estensioni:

Definita dagli spessori forniti con il manubrio TT

Angolo estensioni:

Definito dagli spessori forniti con il manubrio TT

Dimensioni poggiagomiti:

larghezza 90 mm / lunghezza 120 mm

Regolazione poggiagomiti:

Posizione fissa

Compatibilità gruppi:

Elettronici

Opzioni impugnature:

- Impugnature standard compatibili con comandi remoti:
 - Shimano SW-R9160
 - Sram eTap Clic (ES-EAC-CLIC-A1)
 - Campagnolo EPS V4 TT
- Impugnature compatibili con comandi remoti Sram Blips (EC-BLIP-B1)
- Impugnature compatibili con comandi remoti Shimano Satellite (SW-R9150)

Accessori inclusi:

- Supporto computer integrato compatibile con Garmin, Wahoo, Bryton
- Pad poggiagomiti

Compatibilità base bar:

Adatto a manubri TT con interasse fori da 17 a 41 mm

Peso:

720 g

Made in Italy

Material:

- Extensions: Dedacciai V107 hydroformed aluminium tubing
- Armrest and grips: 3D printed

Length:

315 mm (size S) - 345 mm (size M)

Extensions height:

Based on spacers delivered with the TT handlebar

Extensions angle:

Based on spacers delivered with the TT handlebar

Armrest:

90 mm width /120 mm length

Armrest adjustments:

Fixed position

Groupset Compatibility:

Electronic

Grips options:

- Standard grips compatible with remote shifters:
 - Shimano SW-R9160
 - Sram ES-EAC-CLIC-A1
 - Campagnolo EPS V4 TT
- Grips for remote shifters Sram Blips (EC-BLIP-B1)
- Grips for remote shifters Shimano Satellite (SW-R9150)

Accessories included:

- Integrated computer mount for Garmin, Wahoo, Bryton
- Armrest pads

Base bar requirements:

Fits TT base bars with bolt distance 17 ~ 41 mm

Weight:

720g

Made in Italy

↓ Description	↓ Deda Part Code	↓ EAN13 Code
JET2 Hydro extensions, Dedacciai V107 aluminium, Small, 315 mm	JET2-HYDRO-S	8055774368827
JET2 Hydro extensions, Dedacciai V107 aluminium, Medium, 345 mm	JET2-HYDRO-M	8055774368834
JET2 Hydro extensions, Dedacciai V107 aluminium, Small 315 mm, Sram blips	JET2-HYDRO-S-SR	8059493280125
JET2 Hydro extensions, Dedacciai V107 aluminium, Medium 345 mm, Sram blips	JET2-HYDRO-M-SR	8059493280149
JET2 Hydro extensions, Dedacciai V107 aluminium, Small 315 mm, Shimano satellite	JET2-HYDRO-S-SH	8059493280132
JET2 Hydro extensions, Dedacciai V107 aluminium, Medium 345 mm, Shimano satellite	JET2-HYDRO-M-SH	8059493280156

JET2 → JET1, Conversion kit

JET2 → JET1, Conversion kit



IT • Il kit di conversione da JET2 a JET1 è progettato per l'uso con manubri standard da 31,7 mm. Il kit include spessori con altezza 60 mm e angolo di 30 gradi, permettendo ai ciclisti di ottenere una posizione di guida confortevole e rialzata. Spessori con altezze da 80, 100 e 120 mm sono disponibili come accessori a parte. Compatibile con estensioni JET2 Evo e JET2 Hydro.


EN • The JET2 to JET1 conversion kit is designed for use with standard 31.7 mm handlebars. The kit includes shims with a height of 60 mm and an angle of 30 degrees, allowing riders to achieve a comfortable, raised riding position. Shims with heights of 80, 100 and 120 mm are available as separate accessories. Compatible with JET2 Evo and JET2 Hydro extensions.

Materiale:
• Spessori e morsetti: alluminio 6061
• Viteria: acciaio
Angolo spessore:
30°
Altezza spessore:
60 mm
Peso:
250 g

Material:
• Spacers e Clamps: aluminium 6061
• Screws: steel
Spacer angle:
30°
Spacer height:
60 mm
Weight:
250 g

↓ Description	↓ Deda Part Code	↓ EAN13 Code
JET2 to JET1 conversion spacer kit, Aluminium 6061, 60 mm × 30°	JET1EVO-SPKIT	8055774368926

TT Spacer Kit



Version	H1	H2
TT-SPACER-060	60	91
TT-SPACER-080	80	111
TT-SPACER-100	100	131
TT-SPACER-120	120	151

IT • Il kit di distanziali per prolunghe Deda è realizzato in leggero alluminio estruso 6061 e offre quattro altezze – 60, 80, 100 e 120 mm – per una configurazione aerodinamica completamente personalizzabile. Con un inclinazione di 30° per una posizione ottimale dell'avambraccio e una maggiore efficienza aerodinamica, è compatibile con le prolunghe Deda Jet 2 Evo, Jet 2 Hydro, Fast Pro, Parabolica Pro e con il modello clip-on TT314. L'upgrade ideale per cronoman e triatleti alla ricerca del perfetto equilibrio tra posizione e velocità.

Materiale:
Alluminio estruso 6061

Angolo:
30°

Altezza:

- 60 mm
- 80 mm
- 100 mm
- 120 mm

Estensioni compatibili:

- JET2 Evo e JET2 Hydro
- Fast Pro
- Parabolica Pro
- TT314

EN • Deda extensions spacer kit is crafted from lightweight extruded 6061 aluminum and offers four stack heights - 60, 80, 100, and 120 mm - for a fully customizable aero cockpit. With a 30 degrees angle for an optimized forearm position and aerodynamic efficiency, it's compatible with Deda Jet 2 Evo, Jet 2 Hydro, Fast Pro, Parabolica Pro extensions and TT314 clip-on. The ideal upgrade for serious time trialists and triathletes seeking fit and speed in perfect balance.

Material:
Extruded in aluminium 6061

Spacer angle:
30°

Spacer height:

- 60 mm
- 80 mm
- 100 mm
- 120 mm

Extensions compatibility:

- JET2 Evo and JET2 Hydro
- Fast Pro
- Parabolica Pro
- TT314

Angled Spacers



IT • Il Kit consente di regolare l'inclinazione delle estensioni aggiungendo spessori angolati sopra gli spessori TT. Gli adattatori angolati sono disponibili con inclinazioni di 10°, 15°, 20° e 25° permettendo una personalizzazione precisa rispetto all'angolo originale di 30° degli spessori TT.

Materiale:

- Spessori: stampa 3D, nylon
- Viteria: acciaio
- Rondelle: alluminio

Angolo spessori:

- 10°
- 15°
- 20°
- 25°

Altezza spessori:

- 23 mm (10°)
- 18 mm (15°)
- 14 mm (20°)
- 9 mm (25°)

Compatibilità estensioni:

- JET 2 Evo e JET 2 Hydro
- Fast Pro
- Para Pro
- TT314

EN • The kit allows the inclination of the extensions to be adjusted by adding angled adapters on top of the TT spacers. Angled adapters are available in 10°, 15°, 20° and 25° angles, allowing precise customisation from the original 30° angle of the TT spacers.

Material:

- Spacers: 3D printed, nylon
- Screws: steel
- Washer: aluminum

Spacer angle:

- 10°
- 15°
- 20°
- 25°

Spacer height:

- 23 mm (10°)
- 18 mm (15°)
- 14 mm (20°)
- 9 mm (25°)

Extensions compatibility:

- JET 2 Evo and JET 2 Hydro
- Fast Pro
- Para Pro
- TT314

↓ Description	↓ Deda Part Code	↓ EAN13 Code
TT mono spacer 60mm/30° (1 set = 2 pcs), aluminum, black anodized	TT-SPACER-060	8055774369015
TT mono spacer 80mm/30° (1 set = 2 pcs), aluminum, black anodized	TT-SPACER-080	8055774369022
TT mono spacer 100mm/30° (1 set = 2 pcs), aluminum, black anodized	TT-SPACER-100	8055774369039
TT mono spacer 120mm/30° (1 set = 2 pcs), aluminum, black anodized	TT-SPACER-120	8055774369053

↓ Description	↓ Deda Part Code	↓ EAN13 Code
Angled Spacer Kit 10°, Nylon, 3d printed, 23 mm, 30° to 10° adapter (1 set)	TT-SP-10°-KIT	8055774369442
Angled Spacer Kit 15°, Nylon, 3d printed, 18 mm, 30° to 15° adapter (1 set)	TT-SP-15°-KIT	8055774369466
Angled Spacer Kit 20°, Nylon, 3d printed, 14 mm, 30° to 20° adapter (1 set)	TT-SP-20°-KIT	8055774369459
Angled Spacer Kit 25°, Nylon, 3d printed, 9 mm, 30° to 25° adapter (1 set)	TT-SP-25°-KIT	8055774369435

Catalogue 2026

Deda

FAST PRO



Road



Gravel



IT • Fast Pro sono le nuove estensioni in carbonio progettate specificamente per le gare a cronometro, triathlon o ultracycling. Lunghezza delle estensioni e larghezza dei poggiamiti sono completamente regolabili. Impugnature intercambiabili sono disponibili per vari tipi di comandi cambio. Spessori di varie altezze sono disponibili come accessori. Compatibilità manubri Deda: Alanera RS (attraverso il TT 314 clip-on), Superzero RS (carbonio e alluminio), Superzero Gravel (carbonio e alluminio), Gera (carbonio e alluminio), Zero100, Zero2 DCR, Zero2, Zero1.

EN • Fast Pro are the new carbon extensions designed specifically for time trial, triathlon or ultra cycling races. Fully adjustable extension length and elbow rest width. Interchangeable grips are available for main shifters systems. Spacers of various heights are available as accessories. Deda handlebars compatibility: Alanera RS (through TT 314 clip-on), Superzero RS (carbon & alloy), Superzero Gravel (carbon & alloy), Gera (carbon & alloy), Zero100, Zero2 DCR, Zero2, Zero1.

Compatibilità gruppi:

Elettronici

Ø manubrio:

31,7 mm

Opzioni impugnature:

- Impugnature standard compatibili con comandi remoti:

→ Shimano SW-R9160

→ Sram eTap Clic (ES-EAC-CLIC-A1)

→ Campagnolo EPS V4 TT

- Impugnature compatibili con comandi remoti Sram Blips (EC-BLIP-B1)

- Impugnature compatibili con comandi remoti Shimano Satellite (SW-R9150)

Accessori inclusi:

Computer mount integrato e spugne poggiaomiti.

Groupset Compatibility:

Electronic

Ø Handlebar:

31,7 mm

Grips options:

- Standard grips compatible with remote shifters:

→ Shimano SW-R9160

→ Sram ES-EAC-CLIC-A1



→ Campagnolo EPS V4 TT

- Grips for remote shifters Sram Blips (EC-BLIP-B1)


- Grips for remote shifters Shimano Satellite (SW-R9150)

Accessories included:


Integrated computer mount and armrest pads.

SRAM
BLIPSSHIMANO
SATELLITE**Morsetto**

Clamp



POS. 1	A →	60 mm
	B →	75 mm
	C →	90 mm
POS. 2	A →	85 mm
	B →	100 mm
	C →	115 mm

**Materiale:**

- Estensioni: carbonio UD

- Spessori e poggiaomiti: alluminio 6061

- Grips: stampati 3D

Diametro estensioni:

22.2 mm

Lunghezza:

410 mm

Regolazione lunghezza:

Min 340 mm – Max 410 mm

Altezza estensioni:

Min 265 - Max 315 mm

Angolo estensioni:

30°

Larghezza poggiaomiti:

95 mm

Regolazione poggiaomiti:

60 mm – 115 mm

Arretramento poggiaomiti:

± 20 mm

Altezza spessori:

- 60 mm (incluso)

- 80 mm (disponibile separatamente)

- 100 mm (disponibile separatamente)

- 120 mm (disponibile separatamente)

Angolo spessore:

30°

Peso:

920 g

Material:

- Extensions: full carbon UD construction

- Spacers and armrest: 6061 aluminium

- Grips: 3D printed

Extensions diameter:

22.2 mm

Length:

410 mm

Length adjustments:

Min 340 mm – Max 410 mm

Extensions height:

Min 265 - Max 315 mm

Extensions angle:

30°

Armrest width:

95 mm

Armrest adjustment:

60 mm – 115 mm

Armrest setback:

± 20 mm

Spacer height:

- 60 mm (included)

- 80 mm (available as option)

- 100 mm (available as option)

- 120 mm (available as option)

Spacer angle:

30°

Weight:

920 g

↓ Description

FAST PRO Extensions Set, Carbon, Ø 31.7 mm handlebar, 410 mm length, 60 mm/30° spacer

FAST PRO Extensions Set, Carbon, Ø 31.7 mm h-bar, 410 mm length, Shimano satellite

FAST PRO Extensions Set, Carbon, Ø 31.7 mm h-bar, 410 mm length, Sram blips

↓ Deda Part Code

FASTPRO

FASTPRO-SH

FASTPRO-SR

↓ EAN13 Code

8055774361149

8059493280118

8059493280101

PARABOLICA PRO



Road




Gravel




Paramountkit. Vedi
pagina Accessori crono
Paramountkit. See page
Chrono accessories

IT • Parabolica Pro sono le nuove estensioni in alluminio progettate specificamente per le gare a cronometro, triathlon o ultracycling. Lunghezza delle estensioni e larghezza dei poggiatesta completamente regolabili. Distanziali di varie altezze disponibili come accessori. Compatibilità manubri Deda: Alanera RS (attraverso il TT 314 clip-on), Superzero RS (carbonio e alluminio), Superzero Gravel (carbonio e alluminio), Gera (carbonio e alluminio), Zero100, Zero2 DCR, Zero2, Zero1.


EN • Parabolica Pro are the new aluminum extensions designed specifically for time trial, triathlon or ultra cycling races. Fully adjustable extension length and elbow rest width. Spacers of various heights available as accessories. Deda handlebars compatibility: Alanera RS (with TT 314 clip-on), Superzero RS (carbon and alloy), Superzero Gravel (carbon and alloy), Gera (carbon & alloy), Zero100, Zero2 DCR, Zero2, Zero1.



Morsetto
Clamp



POS. 1	A →	60 mm
	B →	75 mm
	C →	90 mm
POS. 2	A →	85 mm
	B →	100 mm
	C →	115 mm



Materiale: • Estensioni: alluminio 6061 • Spessori e poggiamiti: alluminio 6061 Diametro estensioni: 24 mm Lunghezza: 385 mm Regolazione lunghezza: 315 mm Min - 385 mm Max Altezza estensioni: 255 mm Angolo estensioni: 30° Larghezza poggiamiti: 95 mm Regolazione poggiamiti: 115 mm – 165 mm Arretramento poggiamiti: ± 20 mm Altezza spessori: • 60 mm (incluso) • 80 mm (disponibile separatamente) • 100 mm (disponibile separatamente) • 120 mm (disponibile separatamente) Angolo spessore: 30° Accessori inclusi: Spugne poggiamiti Peso: 910g	Material: • Extensions: 6061 aluminium • Spacers and armrest: 6061 aluminium Extensions diameter: 24 mm Length: 385 mm Length adjustments: 315 mm Min - 385 mm Max Extensions height: 255 mm Extensions angle: 30° Armrest width: 95 mm Armrest adjustment: 115 mm – 165 mm Armrest setback: ± 20 mm Spacer height: • 60 mm (included) • 80 mm (available as option) • 100 mm (available as option) • 120 mm (available as option) Spacer angle: 30° Accessories included: Armrest pads Weight: 910g
---	--

↓ Description Parabolica Pro, Extensions, Aluminium 6061, Ø31.7 mm handlebar, 385 mm length	↓ Deda Part Code PARAPRO	↓ EAN13 Code 8055774361200
--	---	---

CRONOEVO

UCI Approved

Road



DCR System


Finitura BOB
BOB Finish



Paramountkit. Vedi pagina Accessori crono
Paramountkit. See page Chrono accessories



Imbottiture poggiatesta. (PAD31)
Armrest pad. (PAD31)



IT • Cronoevo è un aerobar progettato per ridurre al minimo la resistenza all'aria e ha caratteristiche aerodinamiche all'avanguardia. La forma piatta del manubrio garantisce presa sicura e una posizione di guida perfetta sia in partenza che in fase di curva. Realizzato in alluminio 6061 con una sezione superiore aerodinamica e dotato di prolunghe tipo J-Bend. Lo speciale kit distanziali permette di aumentare fino a 55mm l'altezza del poggiamito per una posizione più comoda. Il sistema DCR (Deda Internal Cable Routing) permette la piena integrazione dei cavi dei freno all'interno della basebar, mentre le estensioni permettono il passaggio interno dei cavi (solo in caso di cavi coassiali).

EN • The Cronoevo aerobar has been designed with minimal drag and aero features at the forefront. The flat handlebar shape and angles all provide confidence and the perfect riding position whether you're just starting your ride or entering sharp corners. Made from 6061 aluminium series with an aero top section and equipped with alloy J-Bend extensions. The special spacers kit allows to increase up to 55mm the armrest height for a more comfortable position. The DCR (Deda Internal Cable Routing) system allows the full integration of the brake cables inside the basebar, while the extensions allow the internal cable routing (only for coaxial bar end cables).



↓ Manubrio Forma: Manubrio aero piatto Materiale: Alluminio 6061 Ø manubrio: 31,7 mm Angolo ala /abbassamento: 0° / 0 mm Profondità manubrio: 145 mm Diametro impugnatura: diametro interno Ø20 mm per fissaggio leve freno/cambio a expander Profondità foro: 30 mm Larghezza area centrale: 120 mm Larghezza: 42 cm (esterno - esterno) Note: Compatibile con passaggio cavi interno (fino a 4 cavi). Approvato UCI	↓ Handlebar Shape: Aero flat bar Material: Alloy 6061 Diameter handlebar: 31,7 mm Wing angle/drop: 0° / 0 mm Reach of grip: 145mm Grip diameter: i.d. 20 mm for expander system brake & shifter lever Brake bore depth: 30 mm Clamp width: 120 mm Width: 42 cm (outside to outside) Note: compatible with full internal cables routing (up to 4 cables). UCI Approved
↓ Prolunghe Forma: J-bend Materiale: alluminio 6061 Lunghezza estensioni: 370 mm, tagliabile a misura Poggiamiti: Multi-regolabili completi di imbottiture	↓ Extensions Extensions: J-bend Material: Alloy 6061 Extension length: 370 mm, cut to length Armrest: Full adjustable with pads included
Peso totale (Manubrio + Prolunghe): 650 g Finitura: POB (Polish on black)	Total weight (Handlebar + Extensions): 650 g Finish: POB (Polish on black)

↓ Description	↓ Part Code	↓ EAN13 Code	↓ OEM Part Code	↓ EAN13 OEM Code
CRONOEVO, handlebar crono, aluminium 6061, 42 cm, extensions 370 mm × 50°	CRONOEVO	8052783483732	CRONOEVOX	8052783483749

TRIBAR

UCI Approved

Road



IT • Tribar è il basebar in carbonio per le moderne bici da crono. Il design aerodinamico piatto delle ali riducono la resistenza al minimo offrendo una presa sicura in partenza o in curva. Il manubrio ha una zona centrale molto ampia di 130mm per il montaggio di qualsiasi attacco da 31.7mm e prolunghe di tipo clip-on bar. La costruzione interamente in carbonio UD garantisce resistenza e il miglior rapporto peso/rigidità. Progettato per la pura velocità. Compatibile con il sistema DCR (Deda Internal Cable Routing). Il manubrio TT perfetto per completare qualsiasi bici da triathlon o da cronometro.

EN • Tribar is the carbon base bar for modern aero bikes. The aero shape design and the 0 degree wing angle reduces drag to a minimum while offering a safe grip at the start or while cornering. A 130mm wide handlebar clamp area allows the mounting of any 31.7 TT stem and clip-on bar extensions. The full UD carbon construction guarantees strength and the best weight-to-stiffness ratio. Engineered for the pure speed. Compatible with DCR System (Deda Internal Cable Routing). The perfect TT handlebar to complement any triathlon or time trial bike.

Forma curva: Manubrio aero piatto	Handlebar shape: Manubrio aero piatto
Materiale/Finitura: Fibra di carbonio unidirezionale	Material/Finish: Fibra di carbonio unidirezionale
Larghezza Ala: 42 cm (esterno - esterno)	Wing Width: 42 cm (esterno - esterno)
Angolo Ala/Abbassamento: 0° / 0 mm	Wing Angle / drop: 0° / 0 mm
Profondità impugnatura: 145 mm	Reach of grip: 145 mm
Diametro impugnatura: Interno 20 mm per fissaggio leve freno/ cambio a expander	Grip diameter: Interno 20 mm per fissaggio leve freno/ cambio a expander
Profondità Foro: 30 mm	Brake bore depth: 30 mm
Ø Manubrio: 31,7 mm	Ø Handlebar: 31,7 mm
Larghezza area centrale: 130 mm	Clamp width: 130 mm
Peso: 210 g	Weight: 210 g
Note: Passaggio cavi interno; compatibile con gruppi elettronici Campagnolo EPS / Shimano DI2. Approvato UCI.	Notes: Full internal cable routing; compatible with Campagnolo EPS / Shimano DI2 cable routing. UCI approved.

↓ Description	↓ Deda Part Code	↓ EAN13 Code
TRIBAR, handlebar crono, carbon, 42 cm, Ø 31,7	TRIBAR	8059265682775



CARBON BLAST



IT • Le migliori prolunghe per il triathlon olimpico e le corse a cronometro con bici da corsa. Costruzione monoscocca in carbonio con appoggio dell'avanbraccio integrato all'impugnatura. Lunghezza fissa delle prolunghe di 135 mm per un peso ultraleggero di 226 g. Il ponticello di collegamento anteriore e comode imbottiture sono inclusi. Compatibile con il montaggio su manubri diametro 31,7 mm. EN • The best aero bars for triathlon. You can easily transform your road bike in a refined time-machine. Carbon fiber monocoque construction with integrated extensions and armrest plate. Extensions have a fixed length of 135 mm for an ultralight weight of 226 g. Front link bridge and comfortable pads are included. Compatible with 31.7 mm diameter handlebar.	Materiale: Fibra di carbonio UD Lunghezza estensioni: 135 mm (da centro curva manubrio) Interasse estensioni: 90 mm Ø Manubrio: 31,7 mm Poggiagomiti: Integrati nelle estensioni completi di imbottiture Peso: 226 g Finitura: Carbonio UD Note: Approvato UCI	Material: UD Carbon fiber Extensions Length: 135 mm (from handlebar center) Extensions width: 90 mm Ø Handlebar: 31,7 mm Amrest: Integrated with the extensions, special pads included Weight: 226 g Finish: UD Carbon fiber Notes: UCI approved
--	--	--

↓ Description	↓ Deda Part Code	↓ EAN13 Code
CARBONBLAST, extensions, carbon, 135 mm, rise 34 mm	CBLAST	8051406522544


SUPERZERO TT



Finitura POB
POB Finish



Imbottiture poggiamiti.
Armrest pad.
(CBPADN)



IT • Prolunghe dedicate per il manubrio Superzero. Superzero TT è dotato di prolunghe da 190 mm regolabili a misura. Le estensioni sono progettate specificamente per le gare di triathlon distanza olimpica e sprint. Poggiagomiti imbottiti realizzati in lycra all'esterno e schiuma all'interno per un grande comfort. Il morsetto di fissaggio al manubrio è forgiato in alluminio e è compatibile con qualsiasi manubrio da Ø 31.7 mm. Ponticello in nylon incluso. Il complemento perfetto per qualsiasi bici da corsa e triathlon.

EN • The clip-on system for the Superzero handlebar. Superzero TT features 190 mm extensions, adjustable to length. The extensions are specifically designed for triathlon, olympic and sprint distance. Pads are made in Lycra (outside) and foam (inside) for great comfort. Alloy forged aero clamp compatible with any Ø 31.7 mm handlebar. Nylon bridge included. The perfect complement for any racing road bike.

Materiale: Prolunghe in Alluminio 6061	Material: Alloy 6061 extensions
Lunghezza prolunghe: 190 mm (da centro manubrio), minimo 150 mm	Extensions Length: 190 mm (from handlebar center), minimum 150 mm
Larghezza prolunghe: 90 mm	Extensions Width: 90 mm
Ø manubrio: 31,7 mm	Ø Handlebar: 31,7 mm
Poggiagomiti: Superleggeri in Alluminio 6061	Armrest Plate: Superlight 6061 Alloy series
Imbottiture: Esterno in Lycra, interno materiale espanso	Pads: Lycra outside, foam inside
Ponticello: In nylon (16 g). Incluso	Bridge: Nylon (16 g). Included
Peso: 330 g	Weight: 330 g
Finitura: POB (Polish on black)	Finish: POB (Polish on black)
Note: Approvato UCI	Notes: UCI approved

↓ Description	↓ Deda Part Code	↓ EAN13 Code
SUPERZERO TT, extensions, aluminium 6061, 190 mm, rise 56 mm, Ø 24 mm	SZCLIPON	8052783482421


METAL BLAST



Finitura POB
POB Finish



Imbottiture poggiaomiti.
Armrest pad.
(CBPADN)



IT • Metal Blast sono caratterizzati da prolunghe fisse da 165mm e da poggiaomiti ultralight per un peso totale di soli 266g. Le prolunghe sono leggermente rialzate e specificatamente disegnate per il triathlon, sia distanza olimpica che sprint. Il ponticello di collegamento anteriore e comode imbottiture sono inclusi. Compatibile con il montaggio su manubri diametro 31,7 mm.	Materiale: Alluminio 6061 Lunghezza estensioni: 165 mm (da centro curva manubrio) Interasse estensioni: 90 mm Ø Manubrio: 31,7 mm Poggiaomiti: in alluminio 6061 Imbottiture: Esterno Lycra, interno materiale espanso Ponticello: in nylon (16g); incluso Peso: 266 g Finitura: POB (Polish on black) Note: Approvato UCI	Material: Alloy 6061 extensions Extensions length: 165 mm (from handlebar center) Extensions width: 90 mm Ø Handlebar: 31,7 mm Amrest plate: superlight in Alloy 6061 Pads: Lycra outside, foam inside Bridge: nylon (16g); included Weight: 266 g Finish: Polish ob Black (POB) Note: UCI approved
--	--	---

↓ Description	↓ Deda Part Code	↓ EAN13 Code
METAL BLAST, extensions, aluminium 6061, 165 mm, rise 34 mm, Ø 24 mm	MBLASTBN	8059265683864

PARABOLICA UNO



IT • Parabolica Uno è la soluzione migliore e leggera per rendere una bicicletta da strada l'arma perfetta per le gare a cronometro e di triathlon. Il prodotto è composto da soli tre componenti chiave, le prolunghe J-bend realizzate in alluminio 6061, il morsetto forgiato in alluminio per fissarlo al manubrio e il poggiamito con velcro autoadesivo. Uno speciale kit distanziali permette di aumentare fino a 55mm l'altezza del poggiamito per una posizione più comoda e garantisce numerose possibilità di regolazione. La Parabolica Uno è disponibile per manubrio standard da 31,7 mm di diametro o anche da 35,0mm. Il kit distanziali è disponibile solo per la versione di manubrio da 31,7mm.

EN • Parabolica Uno is the best and light solution to make a road bicycle the perfect weapon for time trial and triathlon races. The product consists of three key components only, J-bend extensions that is made of 6061 aluminium, the forged alloy clamp to fix it to the handlebar and the armrest with self-adhesive velcro pad. A special spacers kit allows to increase up to 55mm the armrest height for a more comfortable position and several possibilities of adjustment. Parabolica Uno is available for 31.7 mm diameter handlebar as well as for 35.0 diameter. The spacer kit is available only for the 31.7mm handlebar version.

Forma:
Estensioni J-bend
Materiale:
Alluminio 6061
Lunghezza estensioni:
Max 300 mm
Angolo impugnatura:
38°
Rialzo:
62 mm
Ø Manubrio:
31,7 mm, 35,0 mm
Ø Prolunghe:
24 mm
Poggiamiti:
Multi-regolabili completi di imbottiture
Peso:
350 g
Finitura:
Anodizzato nero
Note:
Approvato UCI

Shape:
J-bend extensions
Material:
Alloy 6061
Extensions length:
Max 300 mm
Grip angle:
38°
Rise:
62 mm
Ø Extensions:
24 mm
Ø Handlebar:
31,7 mm, 35,0 mm
Amrest:
Full adjustable with pads included
Weight:
350 g
Finish:
Black anodized
Note:
UCI approved




Paramountkit. Vedi pagina Accessori crono. Paramountkit. See page Chrono accessories.



Kit spessori incluso. Vedi pagina Accessori crono. Riser Spacers Kit included. See page Chrono accessories.



Imbottiture poggiamiti. Armrest pad. (PAD31)



↓ Description	↓ Deda Part Code	↓ EAN13 Code
PARABOLICA 1, extensions, aluminium 6061, 300 mm × 38°, Ø 24 mm	PARA1K	8059265688579
PARABOLICA 1 (35), extensions, aluminium 6061, 300 mm × 38°, Ø 24 mm	PARA351N	8059265681792

PARABOLICA DUE

 Road  Gravel



IT • Parabolica Due è la prolunga adatta a chi ricerca una posizione aerodinamica e leggermente rialzata rispetto all'appoggio sul manubrio. Il prodotto è composto da soli tre componenti chiave, le prolunghe S-bend realizzate in alluminio 6061, il morsetto forgiato in alluminio per fissarlo al manubrio e il poggiamito con velcro autoadesivo. Uno speciale kit distanziali permette di aumentare fino a 55 mm l'altezza del poggiamito per una posizione più comoda e garantisce numerose possibilità di regolazione. La Parabolica Due è disponibile solo per manubrio da 31,7 mm di diametro.

EN • Parabolica Due is the clip-on for people looking at an aerodynamic position slightly riser compared to the armrest. The product consists of three key components only, S-bend extensions that is made of 6061 aluminium, the forged alloy clamp to fix it to the handlebar and the armrest with self-adhesive velcro pad. A special spacers kit allows to increase up to 55 mm the armrest height for a more comfortable position and several possibilities of adjustment. Parabolica Due is only available for 31.7 mm diameter handlebar.

Forma:
Estensioni S-bend
Materiale:
Alluminio 6061
Lunghezza estensioni:
Max 285 mm
Angolo impugnatura:
0°
Rialzo:
42 mm
Ø Manubrio:
31,7 mm
Ø Prolunghe:
24 mm
Poggiagomiti:
Multi-regolabili completi di imbottiture
Peso:
300 g
Finitura:
Anodizzato nero
Note:
Approvato UCI. Kit spessori incluso, vedi pagina Accessori Crono

Shape:
S-bend extensions
Material:
Alloy 6061
Extensions length:
Max 285 mm
Grip angle:
0°
Rise:
42 mm
Ø Handlebar:
31,7 mm
Ø Extensions:
24 mm
Amrest:
Full adjustable with pads included
Weight:
300 g
Finish:
Black anodized
Note:
UCI approved. Riser Spacers Kit included, see page Chrono accessories




Paramountkit. Vedi pagina Accessori crono. Paramountkit. See page Chrono accessories.



Kit spessori incluso. Vedi pagina Accessori crono. Riser Spacers Kit included. See page Chrono accessories.



Imbottiture poggiamiti. Armrest pad. (PAD31)



↓ Description	↓ Deda Part Code	↓ EAN13 Code
PARABOLICA 2, extensions, aluminium 6061, 285 mm, Ø 24 mm	PARA2K	8059265688586



IT • Deda ADJ è un attacco manubrio regolabile che ti aiuta a impostare la giusta posizione sulla bici. L'attacco manubrio ADJ viene utilizzato anche dai meccanici professionisti dei Teams per aiutare i corridori a valutare la posizione di guida sulle bici da cronometro. L'attacco manubrio è quello strumento pratico che puoi installare sulla tua bici da testare su strada o in pista, e regolarlo direttamente sul campo. Ruota da più 30 gradi a meno 40 gradi. L'attacco manubrio è forgiato in alluminio 6061 e compatibile con manubrio da 31,7 mm di diametro. Disponibile nella misura 90 e 110 mm.

EN • Deda ADJ is an adjustable stem that helps you to set up the right position on the bike. ADJ stem is also used by professional Teams mechanics to help riders in valuing riding position on time trial bikes. The stem is that practical tool you can install on your bicycle and ride on the road or track, and fine-tune in the field. It pivots from plus 30 degrees to negative 40 degrees. The stem is forged out of 6061 aluminium and compatible with 31.7mm handlebar diameter. Available in size 90 and 110 mm.

Materiale:
Alluminio 6061
Viteria:
Acciaio
Angolo:
+ 30° / - 40°
Ø Manubrio:
31,7 mm
Canotto forcella:
1 1/8" (28,6 mm)
Altezza attacco:
40 mm
Misure:
90 - 110 mm
Peso:
260 g (110 mm)
Finitura:
Anodizzato nero

Material:
Alloy 6061
Screws:
Steel
Angle:
+ 30° / - 40°
Ø Handlebar:
31,7 mm
Fork Steerer:
1 1/8" (28,6 mm)
Clamp Height:
40 mm
Sizes:
90 - 110 mm
Weight:
260 g (110 mm)
Finish:
Black matt anodized



↓ Description	↓ Deda Part Code	↓ EAN13 Code
ADJ, stem, aluminium 6061, 90 mm, adjustable angle + 30° - 40°	ADJSTEMM	8051406523282
ADJ, stem, aluminium 6061, 110 mm, adjustable angle + 30° - 40°	ADJSTEML	8051406523275

Accessori Crono

Chrono Accessories

Imbottiture JET Hydro JET Hydro pads	Imbottiture Fast Pro & Parabolica Pro Fast Pro & Parabolica Pro pads	Imbottiture Fastblack e Parabolica Fastblack & Parabolica Armrest pad
		
IT • Imbottiture sottili da 3 mm, progettate per estensioni Jet Hydro. Realizzate in Lycra resistente con schiuma morbida per comfort e maggiore presa. Peso: 26 g	IT • Realizzati in Lycra e schiuma per un comfort e una presa duraturi. La speciale texture migliora la presa e aiuta ad incanalare il sudore. Peso: 30 g	IT • Imbottiture poggiamiti per prolunghe Fastblack 2 e Parabolica. Realizzati in Lycra (esterno) e schiuma (interno) per il massimo comfort. Utili scanalature centrali contro il sudore. Peso: 25 g
EN • Slim 3 mm pads designed for Jet Hydro extensions. Made from durable Lycra with soft foam for comfort and grip. Weight: 26 g	EN • Crafted from Lycra and foam for lasting comfort and grip. The special texture enhances grip and helps wick away sweat. Weight: 30 g	EN • Armrest pads for Fastblack2 and Parabolica extensions. Made in Lycra (outside) and foam (inside) for more comfort. Central grooves for the sweat. Weight: 25 g
Imbottiture Mini Clip-On Mini Clip-on Armrest pad	Imbottiture JET Carbon JET Carbon Armrest Pad	
		
IT • Imbottiture poggiamiti per prolunghe CarbonBlast, Superzero TT e MetalBlast. Realizzati in Lycra (esterno) e schiuma (interno) per il massimo comfort. Utili scanalature centrali contro il sudore. Peso: 15 g	IT • Imbottiture poggiamiti per prolunghe JET Carbon. Realizzati in Lycra (esterno) e schiuma (interno) per il massimo comfort. Scanalature centrali contro il sudore. Il set contiene le imbottiture e gli sticker in carbonio 3K. Peso: 30 g	
EN • Armrest pads for CarbonBlast, Superzero TT and MetalBlast extensions. Made in Lycra (outside) and foam (inside) for more comfort. Central grooves for the sweat. Weight: 15 g	EN • Armrest pads for JET Carbon. Made in Lycra (outside) and foam (inside) for more comfort. Central grooves for the sweat. The set contains pads and 3K carbon stickers. Weight: 30 g	

↓ Description	↓ Deda Part Code	↓ EAN13 Code
JET Hydro pad kit, 3mm, foam, black, 1 set (2 pcs)	JH-PADKIT	8055774369312
Fast Pro & Parabolica Pro pad kit, foam, black, 1 set (2pcs)	TT-PADKIT	8055774369145
Pad kit for Carbon&Metal Blast, Superzero TT, 1 set = 2 pcs	CBPADN	8059265686285
JET armrest pad kit, black, includes 3K carbon sticker, 1 set = 2 pcs	JETPADKIT	8052783488829
Parabolica&Fastblack pad kit, 1 set = 2 pcs	PAD31	8051406526566

Riser Spacers Kit 	Materiale/Material: Nylon rinforzato carbonio Nylon carbon reinforced Diametro/Diameter: 31.7 mm Altezza/Height: 10 mm up to 55 mm Compatibile con:/Compatible with: Parabolica and Fastblack2 Peso/Weight: 140 g Finitura/Finish: Nero/Black 	JET TWO Kit Spessori per Colnago TT1 JET TWO Kit for Colnago TT1 
IT • Il kit spessori per serie Fastblack2 e Parabolica offre la possibilità di incrementare fino a 55mm l'altezza poggia gomiti per una posizione più confortevole. Realizzato in materiale composito (nylon rinforzato carbonio) include anche il set completo di viti per il montaggio. Disponibile solo per versione manubrio da 31,7 mm. Il peso complessivo del prodotto nella configurazione completa è di 140 g.	EN • The Riser Spacers Kit for Parabolica and Fastblack 2 series offers the possibilities to adjust the armrest height up to 55mm for a more comfortable position. Made in nylon (nylon carbon reinforced) the kit includes the full set of screws. The spacer kit is available only for the 31,7 mm handlebar version. The total weight related to the complete set is 140 g.	IT • Kit spessori JET2 per COLNAGO TT1. Include piastra in alluminio + spessori in nylon rinforzato con fibra carbonio. EN • JET2 kit for COLNAGO TT1, alloy plate + nylon carbon reinforced spacers

Paramountkit
Paramountkit



IT • Paramountkit è progettato per estensioni da Ø 24 mm come Parabolica Pro, Parabolica Uno, Parabolica Due e Cronoevo. Compatibile con i dispositivi Garmin®, Wahoo® e Bryton® grazie agli inserti inclusi.

EN • Paramountkit is designed for Ø 24 mm extensions like Parabolica Pro, Parabolica Uno, Parabolica Due, and Cronoevo. It fits Garmin®, Wahoo® and Bryton® computers with easy-swap inserts.

Ponticello Brooklyn
Brooklyn Bridge (Brooklyn)



IT • Ponticello per prolunghe Fastblack 2 e Parabolica. Realizzato in materiale termoplastico. Conforme al regolamento ITU. Peso: 70 g

EN • Bridge for Fastblack 2 and Parabolica extensions. Made in thermoplastic material. Meets ITU rules. Weight: 70 g

↓ Description	↓ Deda Part Code	↓ EAN13 Code
Parabolica&Fastblack spacers kit, nylon, spacer 10, 15, 30 mm, bolts for assembly	PARARISERKIT	8059265688548
PARAMOUNTKIT, mount kit for Ø 24 mm extensions, for Garmin, Wahoo & Bryton	PARAMOUNTKIT	8059493280583
Bridge for FastBlack&Parabolica, nylon	BROOKLYN	8051406522537
JET 2 kit COLNAGO TT1, aluminium plate + nylon carbon spacers, 40 + 30 + 20 mm (15°)	TT1KIT	8055774366267

PISTA

NEW Omnium → Manubrio/Handlebar	208	Crononero → Manubrio/Handlebar	212
Pista → Manubrio/Handlebar	210	Crononero low rider → Manubrio/Handlebar	213
Dabar → Manubrio/Handlebar	211		




OMNIUM

UCI Approved





OMNIUM + RFID Technology



IT • Progettato per garantire prestazioni elevate, Omnimium è la scelta ideale per i ciclisti su pista che cercano controllo, rigidità e un'efficienza aerodinamica superiore. Realizzato in carbonio, offre una struttura leggera ma estremamente rigida, ottimizzata per il massimo trasferimento di potenza in pista. Con un reach di 105 mm e un drop di 120 mm, questo manubrio assicura una posizione aggressiva e aerodinamica. Il flare di 10°, che aggiunge 3 cm alla larghezza complessiva, migliora il controllo durante le volate ad alta velocità in curva. La larghezza nella parte superiore è di 32 cm (misurata da esterno a esterno), che si amplia fino a 35 cm per una maggiore stabilità e maneggevolezza nella parte inferiore. Compatibile con attacchi manubrio da 31,7 mm, è rifinito nell'esclusiva versione Team ed è omologato UCI.

EN • Engineered for precision and performance, Omnimium track handlebar is the ideal choice for competitive track cyclists who demand control, stiffness, and aerodynamic efficiency. Crafted from high-grade carbon, this handlebar offers a lightweight yet ultra-rigid platform optimized for maximum power transfer on the velodrome. Key performance features include a 105 mm reach and 120 mm drop, providing an aggressive and aerodynamic riding position. With a 10° flare that adds an additional 3 cm to the width, this bar enhances control during high-speed sprints and tight maneuvering. The top section measures 32 cm (outside-to-outside), expanding to a full width of 35 cm for superior stability and handling. Designed to fit a 31.7 mm clamp diameter, and finished in sleek Team design, this UCI-approved bar meets the highest standards of competition readiness.

	Forma curva: Pista Materiale: Carbonio Ø manubrio: 31,7 mm Reach: 105 mm Drop: 120 mm Apertura: 10° (+ 3.0 cm) Larghezza: 32 cm (esterno – esterno) Larghezza totale: 35 cm (esterno – esterno) Peso: 365 g Finitura: Team Nota: Approvato UCI	Shape: Track Material: Carbon Ø Handlebar: 31,7 mm Reach: 105 mm Drop: 120 mm Flare: 10° (+3.0 cm) Width (top): 32 cm (outside – outside) Full width: 35 cm (outside – outside) Weight: 365 g Finish: Team Note: UCI approved
---	--	---

 Downsweep Design Ergo-Aero Shape	 32 35 10°
--	---

Suggerito con l'attacco Superbox • Per la migliore integrazione e prestazioni, si consiglia di abbinare il manubrio Omnium al nuovo attacco manubrio Superbox. Il Superbox è disponibile in un'ampia gamma di misure, inclusi i modelli più lunghi da 150 e 160 mm, rendendolo la scelta ideale per i ciclisti che necessitano di una posizione più estesa e aggressiva per massimizzare l'efficienza in pista. Questa combinazione garantisce un setup elegante e pronto per le gare, con eccellente controllo, rigidità e possibilità di regolazione, perfettamente adatto all'uso su pista.	
Suggested with Superbox stem • For the best integration and performance, it is suggested to pair the Omnium handlebar with the Superbox stem. Superbox stem is available in a wide range of sizes, including longer sizes like 150 and 160 mm, making it an ideal choice for riders who require extended reach for an aggressive and efficient track position. This combination ensures a sleek, race-ready setup with excellent control, stiffness, and adjustability, perfectly suited for the velodrome.	

↓ Description OMNIUM track, Handlebar, Carbon, Size 32 cm, 10° flare	↓ Part Code OMNIUM	↓ EAN13 Code 8055774369282
---	---	---

PISTA

Black
Finish



IT • Pista è il manubrio sprint per le corse in velodromo, un must del catalogo Deda. Si tratta di un manubrio superleggero in lega di serie 6061 a doppio spessore, adatto ai motociclisti professionisti più esigenti. Le barre hanno un diametro di 31,7 mm nella sezione del morsetto. La forma ampia presenta una reach di 109 mm e un drop di 173 mm. Disponibile nella misura 42 cm, misurata esterno-esterno, con un'esclusiva finitura lucida nera.

EN • The Pista is a sprint bar for track racing, a must of Deda catalogue. It is a superlight handlebar in 6061 alloy series and double butted, suitable for the most exigent professional riders. The bars have a 31.7 mm diameter at the clamp section. The sweeping shape features a 109 mm of reach and 173 mm of drop. Available in size 42 cm, measured outside-to-outside, with the premium black high-polish finish.

Forma Curva:
Pista
Materiale:
Alluminio 6061 a doppio spessore
Ø Manubrio:
31,7 mm
Profondità:
109 mm
Altezza:
173 mm
Misure:
42 cm (esterno - esterno)
Peso:
279 g
Finitura:
Anodizzato nero lucido

Shape:
Pista
Material:
Alloy 6061 double butted
Ø Handlebar:
31,7 mm
Reach:
109 mm
Drop:
173 mm
Sizes:
42 cm (outside - outside)
Weight:
279 g
Finish:
Black high polish

↓ Description	↓ Deda Part Code	↓ EAN13 Code
PISTA, handlebar, aluminium 6061, 42 cm, Ø 31.7, black high polish	PISTA42N	8059265686049

Black
Finish



IT • Dabar è un manubrio aero in carbonio che funziona perfettamente su una bici a scatto fisso e da pista, o con prolunghe, in una bici da crono-triathlon. La sezione centrale da 31,7 mm si estende oltre l'area di bloccaggio dell'attacco fino al punto in cui il manubrio curva verso le estremità. Ciò rende il manubrio molto rigido e offre anche molto spazio per montare le prolunghe dove le desideri. Dabar è disponibile in una misura, 42 cm dall'esterno all'esterno. Il manubrio è cavo all'interno per il montaggio di leve freno/ cambio tipo a expander e ha fori di uscita per cavi freno meccanici/idraulici, nonché per i cavi del cambio elettronico. Se lo usi in pista, puoi installare i tappi inclusi per chiudere i fori. Il grande logo Deda rende questo prodotto uno dei più desiderabili.

EN • Dabar is carbon basebar that works perfectly on a fixed gear and track bike, or with extensions, in a time trial-triathlon bike. The oversized 31.7mm center section extends past the stem clamping area to the point at which the handlebar curves toward bar-ends. This makes the handlebar very stiff and it also gives plenty of room for mounting extensions where you want them. Dabar comes in one size, 42cm from outside-to-outside. The handlebar is hollow for mounting plug-style brake/shift levers, and have exit holes for mechanical-hydraulic brakes cables as well as for electronic shift wires. If you use it on the track, you can install the included plugs to close up the holes. The big Deda logo make this product one of the most desirable.

Forma Manubrio: Manubrio Piatto	Handlebar Shape: Aero Flat Bar
Materiale: Fibra Di Carbonio Ud	Material: UD Carbon Finer
Larghezza: 42 cm (esterno - esterno)	Width: 42 cm (outside - outside)
Angolo Ala/Abbassamento: 0° / 0 mm	Wing Angle/Drop: 0° / 0 mm
Ø Manubrio: 31,7 mm	Ø Handlebar: 31,7 mm
Peso: 210 g	Weight: 210 g
Finitura: Carbonio UD	Finish: UD Carbon Finer
Note: Approvato UCI. Compatibile con gruppi elettronici Campagnolo EPS / Shimano DI2	Note: UCI approved. Compatible with Campagnolo EPS / Shimano DI2 cable routing

↓ Description	↓ Deda Part Code	↓ EAN13 Code
DABAR, handlebar, carbon, 42 cm	DABAR42	8051406522407

CRONONERO



Anodizzato Nero Opaco
Black Matt Anodized

IT • Il manubrio Crononero è stato utilizzato da molti professionisti che lo hanno portato a innumerevoli vittorie nel corso degli anni. Più di recente questi tipi di manubri sono diventati più popolari per le bici scatto fisso pur mantenendo uno stile classico e tradizionale. Il manubrio è piatto e risulta rialzato di 44 mm alle estremità. Compatibile con prolunghe con diametro 31,7 mm. Disponibile nelle taglie 40 e 42 cm (esterno-esterno).	Forma Manubrio: Manubrio Crono Piatto Materiale: Alluminio 6061 Larghezza: 40 • 42 (esterno - esterno) Impugnatura: Rialzate 44mm Ø Manubrio: 31,7 mm Peso: 279 g Finitura: Anodizzato Nero Opaco Note: Approvato UCI	Handlebar Shape: Flat Basebar Material: Alloy 6061 Width: 40 • 42 (outside - outside) Grip: 44mm riser Ø Handlebar: 31,7 mm Weight: 279 g Finish: Black Matt Anodized Note: UCI approved
---	---	--

↓ Description	↓ Deda Part Code	↓ EAN13 Code
CRONONERO, handlebar crono, aluminium 6051, 40 cm	CRONONERO40	8051406522414
CRONONERO, handlebar crono, aluminium 6051, 42 cm	CRONONERO42	8051406522421

CRONONERO Low Rider



Anodizzato Nero Opaco
Black Matt Anodized

IT • Il manubrio Crononero Low Rider è all'altezza del manubrio che Greg LeMond usò per vincere il Tour de France nel 1989, una forma che molti professionisti hanno portato a innumerevoli vittorie nel corso degli anni. Più di recente questi tipi di manubri sono diventati più popolari per le bici scatto fisso pur mantenendo uno stile classico e tradizionale. Il manubrio presenta una posizione di rilancio ribassata di 60 mm rispetto al piano dell'attacco. Compatibile con prolunghe con diametro 31,7 mm. Disponibile nelle taglie 40 e 42 cm (esterno-esterno).	Forma Manubrio: Manubrio Crono Ribassato Materiale: Alluminio 6061 Larghezza: 40 • 42 (esterno - esterno) Abbassamento: 60 mm Ø Manubrio: 31,7 mm Peso: 279 g Finitura: Anodizzato Nero Opaco Note: Approvato UCI	Handlebar Shape: Low Rider Aerobar Material: Alloy 6061 Width: 40 • 42 (outside - outside) Wing Drop: 60 mm Ø Handlebar: 31,7 mm Weight: 279 g Finish: Black Matt Anodized Note: UCI approved
EN • The Crononero Low Rider shape hews to the bars that Greg LeMond used to win the Tour de France in 1989, a shape that many professional riders rode to countless victories over the years. Recently these handlebars have become more popular for fixed bikes while maintaining a classy & heritage style. The handlebar features a 60 mm lower hand position than the standard flat ride. Fits all extensions using 31,7 mm clamp diameter. Available in size 40 and 42 cm (outside-to-outside).		

↓ Description	↓ Deda Part Code	↓ EAN13 Code
CRONONERO LOW RIDER, handlebar track/crono, aluminium 6061, 40 cm, 60 mm drop	CRONOLR40	8051406522490
CRONONERO LOW RIDER, handlebar track/crono, aluminium 6061, 42 cm, 60 mm drop	CRONOLR42	8051406522506

ICON


Speciale 26 → Manubrio/Handlebar	216	Dritto 26 → Manubrio/Handlebar	219
Murex → Attacco/Stem	217	Piega → Manubrio/Handlebar	220
RS01 → Reggisella/Seatpost	218	Logo → Attacco/Stem	221



SPECIALE 26



Finitura silver polish
Silver polish finish



IT • Speciale 26 è un manubrio per i puristi. Speciale 26 ha la geometria del manubrio più classica nella storia del ciclismo, rotonda all'italiana. Se stai restaurando una bicicletta per L'Eroica, questo farà il suo lavoro magnificamente insieme all'attacco Murex. Fabbricato in alluminio 6061 e disponibile in tre larghezze 42, 44 e 46 cm, misurate da esterno a esterno, con finitura silver lucida.

EN • Speciale 26 is a handlebar for the traditionalists. Speciale 26 has the most classic handlebar geometry in the history of cycling, the Italian round. If you're restoring a bike for L'Eroica, this will do the job beautifully. Fabricated out of 6061 aluminum and available in three widths 42, 44, and 46 cm, measured outside-to-outside, with high polished finish.

Forma Curva:
Shallow (rotonda all'italiana)
Materiale:
Alluminio 6061 a doppio spessore
Ø Manubrio:
26 mm
Profondità:
80 mm
Altezza:
135 mm
Misure:
42 • 44 • 46 cm (esterno - esterno)
Peso:
320 g (42 cm)
Finitura:
Silver Polish

Shape:
Shallow
Material:
Double butted Alloy 6061
Ø Handlebar:
26 mm
Reach:
80 mm
Drop:
135 mm
Sizes:
42 • 44 • 46 cm (outside - outside)
Weight:
320 g (42 cm)
Finish:
Silver Polish Finish

↓ Description	↓ Deda Part Code	↓ EAN13 Code
SPECIALE, handlebar, aluminium 6061, 42 cm, Ø 26, Shallow, silver polish	SPEC26HPS42	8059265681501
SPECIALE, handlebar, aluminium 6061, 44 cm, Ø 26, Shallow, silver polish	SPEC26HPS44	8059265681518
SPECIALE, handlebar, aluminium 6061, 46 cm, Ø 26, Shallow, silver polish	SPEC26HPS 46	8059265681525



IT • L'attacco Murex nasce da una lunga tradizione, rivista in chiave moderna. È un attacco per serie sterzo filettata da 1" con gambo da 22,2 mm (diametro 7/8") e morsetto per manubrio da 26 mm. Ha un angolo di 73°. Murex è disponibile in tre lunghezze, 80, 100 e 120 mm e con finitura silver lucida. Se stai restaurando una bicicletta per L'Eroica, questo farà il suo lavoro magnificamente insieme al manubrio Speciale26.

EN • Murex stem comes from a long tradition, revised with modern eyes. It is a quill stem (22.2 mm; 7/8" diameter) for 1" threaded headset, clamp for 26 mm handlebar. Features a 73-degree angle. Murex comes in three lengths, 80, 100, and 120mm and high polished finish. If you're restoring a bike for L'Eroica, this will do the job beautifully combined with Speciale26 handlebar.

Materiale:
Alluminio 6061 forgiato
Viteria:
Acciaio
Angolo:
73°
Ø Manubrio:
26 mm
Cannotto Forcella:
1" (25,4 mm)
Misure:
80 • 100 • 120 mm
Peso:
310 g
Finitura:
Silver Polish

Material:
Alloy 6061 forged
Screws:
Steel
Angle:
73°
Ø Handlebar:
26 mm
Fork Steerer:
1" (25,4 mm)
Sizes:
80 • 100 • 120 mm
Weight:
310 g
Finish:
Silver Polish Finish

↓ Description	↓ Deda Part Code	↓ EAN13 Code
MUREX, stem, aluminium 6061, 80 mm, 73°, for handlebar Ø 26 mm, for fork 1"	MURXHPS80	8059265681532
MUREX, stem, aluminium 6061, 100 mm, 73°, for handlebar Ø 26 mm, for fork 1"	MURXHPS100	8059265681549
MUREX, stem, aluminium 6061, 120 mm, 73°, for handlebar Ø 26 mm, for fork 1"	MURXHPS120	8059265681556

RS01



IT • Il reggisella RS01 completa l'aspetto vintage della tua bici. È un reggisella silver lucido con un sistema di bloccaggio semplice e minimale. Il meccanismo di fissaggio è un classico sistema a due viti a cui si accede da sotto per una facile regolazione della sella. Disponibile in lunghezza 350 mm con diametro 27,2 mm e arretramento da 21mm.

EN • The RS01 seatpost completes the vintage looking of your bike. It's a high polished silver seatpost with a minimal simple clamping system. The fixing mechanism is a classic two-bolt system which you access from underneath for an easy saddle adjustment. Available in 350mm length, 27.2mm diameter and 21mm setback.

Materiale:
Alluminio 6061, forgiato 3D
Lunghezza:
350 mm
Diametro:
Ø 27,2 mm
Arretramento:
21 mm
Peso:
333 g
Finitura:
Silver Polish
Note:
Compatibile con adattatori Deda per batteria interna DI2

Material:
Alloy 6061 3D forged
Length:
350 mm
Diameter:
Ø 27,2 mm
Setback:
21 mm
Weight:
333 g
Finish:
Silver Polish Finish
Notes:
Compatible with Deda adapter for DI2 internal battery

↓ Description	↓ Deda Part Code	↓ EAN13 Code
RS01, seatpost, aluminium 6061, Ø 27.2, 350 mm, setback 21 mm, silver polish	RS01HPS27	8051406522827


DRITTO 26



Finitura silver polish
Silver polish finish

IT • Dritto è un manubrio piatto robusto e affidabile per bici single speed e urban. Realizzato in alluminio 6061 con diametro 26mm. Disponibile con larghezza 50cm e finitura silver lucida.	Forma Curva: Manubrio Diritto Materiale: Alluminio 6061 Ø Manubrio: 26,0 mm Misure: 500 mm (esterno - esterno) Peso: 190 g Finitura: Silver Lucido	Shape: Flat Bar Material: Alloy 6061 Ø Handlebar: 26,0 mm Sizes: 500 mm (outside - outside) Weight: 190 g Finish: Silver Polish
---	--	---

↓ Description DRITTO, handlebar, aluminium 6061, 50 cm, Ø 26, silver polish	↓ Deda Part Code DRITTO 26	↓ EAN13 Code 8051406522353
--	---	---



IT • Piega è il manubrio con moderna curva RHM con diametro da 26mm. Realizzato in alluminio 6061 a doppio spessore. Disponibile nelle larghezze 38, 40, 42, 44 e 46 cm, misurate esterno-esterno. È l'abbinamento perfetto con l'attacco Logo.	Forma Curva: RHM Rapid Hand Movement Materiale: Alluminio 6061 a doppio spessore Ø Manubrio: 26 mm Profondità: 75 mm Altezza: 130 mm Misure: 38 • 40 • 42 • 44 • 46 cm (esterno - esterno) Peso: 280 g (42 cm) Finitura: Anodizzato Nero	Shape: RHM Rapid Hand Movement Material: Double butted Alloy 6061 Ø Handlebar: 26 mm Reach: 75 mm Drop: 130 mm Sizes: 38 • 40 • 42 • 44 • 46 cm (outside - outside) Weight: 280 g (42 cm) Finish: Black Anodized
EN • Logo is a classic a-head stem for 26.0mm handlebar. The stem is forged from 6061 aluminium and has reversible graphics to be mounted with positive or negative 10-degree angle. Available in lengths 60, 80, 100 and 120mm with black finish. It is the perfect match with the Piega handlebar.		

↓ Description	↓ Deda Part Code	↓ EAN13 Code
PIEGA, handlebar, aluminium 6061, 38 cm, Ø 26, RHM, black	PIEGA38	8051406522148
PIEGA, handlebar, aluminium 6061, 40 cm, Ø 26, RHM, black	PIEGA40	8051406522155
PIEGA, handlebar, aluminium 6061, 42 cm, Ø 26, RHM, black	PIEGA42	8051406522162
PIEGA, handlebar, aluminium 6061, 44 cm, Ø 26, RHM, black	PIEGA44	8051406522179
PIEGA, handlebar, aluminium 6061, 46 cm, Ø 26, RHM, black	PIEGA46	8051406522186



IT • Logo è un classico attacco tipo a-head per manubrio da 26 mm. L'attacco è forgiato in alluminio 6061 e ha una grafica reversibile per essere montato con angolo +/- 10 gradi. Disponibile nelle lunghezze 60, 80, 100 e 120 mm con la finitura black. È l'abbinamento perfetto con il manubrio Piega.	Materiale: Alluminio 6061 forgiato Viteria: Acciaio Angolo: 80°	Material: Alloy 6061 forged Screws: Steel Angle: 80°
	Ø Manubrio: 26,0 mm Cannotto Forcella: 1 1/8" (28,6mm) Altezza Attacco: 40 mm Misure: 60 • 80 • 100 • 120 mm Peso: 178 g (110 mm) Finitura: Anodizzato Nero	Ø Handlebar: 26,0 mm Fork Steerer: 1 1/8" (28,6mm) Clamp Height: 40 mm Sizes: 60 • 80 • 100 • 120 mm Weight: 178 g (110 mm) Finish: Black Anodized


↓ Description	↓ Deda Part Code	↓ EAN13 Code
LOGO, stem, aluminium 6061, 60 mm, 80°, x handlebar Ø 26 mm, reversible +/-10°	LOGO60	8051406521363
LOGO, stem, aluminium 6061, 80 mm, 80°, x handlebar Ø 26 mm, reversible +/-10°	LOGO80	8051406521400
LOGO, stem, aluminium 6061, 100 mm, 80°, x handlebar Ø 26 mm, reversible +/-10°	LOGO100	8051406521325
LOGO, stem, aluminium 6061, 120 mm, 80°, x handlebar Ø 26 mm, reversible +/-10°	LOGO120	8051406521349

222

Serie Sterzo Headsets

DCR	12	Headset Box	230
S-DCR	13	Topcap	230
S-DCR Cover Kit	15	Monza Topcap	230
IN-4	223	Carbon Spacers	231
IN-5	224	Metal Spacers	231
HSS46	225	Spada	231
Classic 1	226	Alloy Sleeve	231
Classic 2	227		
NEW Expander Monza	229		
Expander 45	229		

 Road  Gravel  MTB




IT • Deda IN-4 è una serie sterzo integrata differenziata per forcelle coniche 1 1/8" – 1 1/4" da corsa o mtb con cuscinetti ACB (angular contact bearing) in acciaio. Compatibile con l'innovativo sistema di impilamento dei distanziali Deda H.S.S. (Headset stack spacers) direttamente sopra il tubo sterzo del telaio. Esclusiva grafica e finitura POB (Polish on black).

EN • Deda IN-4 headset is an integrated and tapered headset for 1 1/8" - 1 1/4" road or mtb forks with superior ACB (angular contact bearing) steel bearings. Compatible with innovative Deda H.S.S. System (headset stack spacers) that allows to mount spacers directly over the headtube. Exclusive graphics and POB (Polish on black) finish.

Modello Serie Sterzo: Integrata 1 1/8" - 1 1/4" Tipo di Cuscinetti: A contatto angolare (acb) in acciaio cromo Misura Cuscinetti: • Superiore 41.8×30.5×8 mm • Inferiore 46.9×34.1×7 mm Angolo di contatto: 45°×45° Tubo Sterzo Telaio: • Conico da Ø 46 mm superiore; • Ø 52 mm inferiore Cannotto Forcella: Conica 1 1/8" (28.60 mm) - 1 1/4" (31.75 mm) Calotta superiore: Ø 46 mm; Alluminio Cono di base: Ø 33 mm; Alluminio Altezza Serie Sterzo: 9.6 mm (8.8 + 0.8) Peso: 73 g Note: Compatibile con sistema di impilamento distanziali Deda H.S.S	Headset Model: Integrated 1 1/8" - 1 1/4" Bearings Type: Angular contact bearing; Chrome steel Bearings Size: • Upper 41.8×30.5×8 mm • Lower 46.9×34.1×7 mm Contact Angle: 45°×45° Headtube: • Tapered Ø 46 mm Upper; • Ø 52 mm Lower Fork Steerer: Tapered 1 1/8" (28.6 mm) - 1 1/4" (31.75 mm) Top Cover: Ø 46 mm; Alloy Crown race: Ø 33.0 mm; Alloy Stack Height: 9.6 mm (8.8 + 0.8) Weight: 73 g Note: Compatible with headset stack spacers system Deda H.S.S
---	---

↓ Description	↓ Deda Part Code	↓ EAN13 Code
IN-4 ALLOY, headset, 1"1/8 - 1"1/4, bearings steel, topcover 46 mm	HDIN84ASUJN	8052783484333

 Road  Gravel  MTB



IT • Deda IN-5 è una serie sterzo integrata differenziata per forcelle coniche 1 1/8" – 1.5" da corsa o mtb con cuscinetti ACB (angular contact bearing) in acciaio. Compatibile con l'innovativo sistema di impilamento dei distanziali Deda H.S.S. (Headset stack spacers) direttamente sopra il tubo sterzo del telaio. Esclusiva grafica e finitura POB (Polish on black).

EN • Deda IN-5 headset is an integrated and tapered headset for 1 1/8" – 1.5" road or mtb forks with superior ACB (angular contact bearing) steel bearings. Compatible with innovative Deda H.S.S. System (headset stack spacers) that allows to mount spacers directly over the headtube. Exclusive graphics and POB (Polish on black) finish.

Modello Serie Sterzo: Integrata 1 1/8" - 1.5" Tipo di Cuscinetti: A contatto angolare (ACB) in acciaio cromo Misura Cuscinetti: • Superiore 41.8×30.5×8 mm • Inferiore 51.9×40×8 mm Angolo di contatto: 45° × 45° Tubo Sterzo Telaio: • Conico da Ø 46.0 mm superiore • Ø 56.0 mm inferiore Cannotto Forcella: Conica 1 1/8" (28.60 mm) - 1.5" (38.10 mm) Calotta superiore: Ø 46 mm; Alluminio Cono di base: Ø 39.8 mm; Alluminio Altezza Serie Sterzo: 9.6 mm (8.8 + 0.8) Peso: 76 g Note: Compatibile con sistema di impilamento distanziali Deda H.S.S	Headset Model: Integrated 1 1/8" - 1.5" Bearings Type: Angular contact bearing; chrome steel Bearings Size: • Upper 41.8×30.5×8 mm • Lower 51.9×40×8 mm Contact Angle: 45° × 45° Headtube: • Tapered Ø 46.0 mm upper • Ø 56.0 mm lower Fork Steerer: Tapered 1 1/8" (28.6 mm) - 1.5" (38.10 mm) Top Cover: Ø 46 mm; Alloy Crown race: Ø 39.8 mm; Alloy Stack Height: 9.6 mm (8.8 + 0.8) Weight: 76 g Note: Compatible with headset stack spacers system Deda H.S.S
--	--

↓ Description	↓ Deda Part Code	↓ EAN13 Code
IN-5 ALLOY, headset, 1"1/8 - 1.5", bearings steel, topcover 46mm	HDIN85ASUJN	8052783484357

HSS 46
Carbon Spacers



HSS 46
Alloy Spacers





Top Cover

HSS Spacer

Headtube Cover

Fork Steerer Tube



Traditional headset stack spacers system



Deda HSS headset stack spacers system

IT • L'innovativo sistema di impilamento dei distanziali Deda H.S.S permette di posizionare gli spessori direttamente sotto il topcover, al contrario dei sistemi tradizionali. Questo conferisce allo sterzo della bicicletta un look completamente nuovo e più allineato con il moderno design del tubo sterzo. Il sistema Deda H.S.S garantisce una migliore integrazione degli spessori con il telaio aumentando allo stesso tempo la rigidità e guidabilità della bicicletta. Esclusiva grafica e finitura POB (Polish on black).	Materiale: Carbonio o alluminio Misura: Disponibili per tubi sterzo Ø 46 mm Altezza (Un kit include): • 1 × 3 mm • 1 × 5 mm • 1 × 10 mm Finitura: Carbonio Ud; Anodizzato Nero (Versione Alluminio) Note: Compatibili solo con canotto forcella da 1 1/8" (28.6 mm).	Material: Carbon or aluminium Width: Available for Ø 46 mm headtube Height (The kit includes): • 1 × 3 mm • 1 × 5 mm • 1 × 10 mm Finish: Carbon Ud; Black anodized (Aluminium Version) Note: Compatible with 1 1/8" (28.6 mm) fork steerer only.
EN • The innovative Deda H.S.S headset stack spacers system allows installing spacers directly under the topcover, unlike the traditional systems. This gives to the bicycle a completely new looking that better matches modern headtube designs. Deda H.S.S results in a better integration of the headset spacers with the frame increasing at the same time the stiffness and bike handling. Exclusive graphics and POB (Polish on black) finish.		

↓ Description	↓ Deda Part Code	↓ EAN13 Code
HSS spacers aluminium, Ø 46, 1 set (1×3, 1×5, 1×10), BOB logo	HDHSSA46N	8052783484364
HSS spacers carbon, Ø 46, 1 set (1×3, 1×5, 1×10), BOB logo	HDHSSC46N	8052783484371


Classic 1®

 Road  Gravel  MTB

Finitura Black polish
Black polish finish



Finitura Silver polish
Silver polish finish




IT • Deda ha creato la nuova serie Classic® dedicata a moderni telai in titanio, acciaio e alluminio. Il modello Classic1 si adatta a tubi sterzi da 44mm di diametro interno con calotta esterna inferiore per forcella conica da 1.5" e semi-integrata superiore da 1 1/8". La serie sterzo è caratterizzata dalla raffinata finitura black o silver polish per intonarsi a qualsiasi colore di telaio.

EN • Deda created the new Classic® headset series to fit solutions in titanium, steel and alloy modern bicycle frames. The Classic 1 model is designed to fit 44mm i.d. headtube with an external lower cup for 1.5" tapered steerer fork combined with a 1-1/8"semi-integrated upper. The headset comes with a luxury black or silver polish finish to match any frame color.

Materiale:
Calotte in alluminio
Cuscinetti in acciaio
Finitura:
Black o Silver polish
Peso:
91 g

Material:
Alloy cups
Chrome steel bearings
Finish:
Black or Silver polish
Weight:
91 g

↓ Description	↓ Deda Part Code	↓ EAN13 Code
CLASSIC1, headset semi-integrated, upper 1"1/8, lower 1.5", Black	HDCLASSIC1	8052783486863
CLASSIC1, headset semi-integrated, upper 1"1/8, lower 1.5", Silver	HDCLASSIC1S	8052783488997



IT • La serie sterzo Classic® è stata appositamente progettata per integrarsi perfettamente con i moderni telai in titanio, acciaio e alluminio. Il modello Classic 2 è ottimizzato per adattarsi a tubi con un diametro interno di 44 mm ed è compatibile con calotte superiori e inferiori esterne per canotto forcella conico da 1,5". Questo modello include un top cover superiore rotondo in alluminio da 56 mm, che può essere facilmente sostituito con top cover Alanera RS, Vinci o Superbox per personalizzare l'aspetto della tua bicicletta. La finitura lucida nera si abbina perfettamente a qualsiasi colore del telaio.

EN • Deda created the Classic® headset series to fit solutions in titanium, steel and alloy modern bicycle frames. The Classic 2 model is designed to fit 44 mm i.d. headtube with a external upper & lower cups for 1.5" tapered steerer. It comes with a 56 mm alloy round top cover interchangeable with Alanera RS, Vinci or Superbox top cover. The headset comes with a luxury black polish finish to match any frame color.

Materiale:
Calotte in alluminio, cuscinetti in acciaio cromato, compression ring in nylon.
Misura dei cuscinetti:
• Superiore 51,9×40×8 mm
• Inferiore 51,9×40×8 mm
Angolo di contatto:
• Superiore 45°×45°
• Inferiore 45°×45°
Cono di base:
Ø 39.8 mm in alluminio
Altezza serie sterzo:
21 mm
Peso:
145 g
Finitura:
Nero lucido

Material:
Alloy cups. Chrome steel bearings. Nylon compression ring
Bearing size:
• Upper 51,9×40×8 mm
• Lower 51,9×40×8 mm
Contact angle:
• Upper 45°×45°
• Lower 45°×45°
Crown race:
Ø 39.8 mm aluminum
Stack height:
21 mm
Weight:
145 g
Finish:
POB finish


↓ Description	↓ Deda Part Code	↓ EAN13 Code
CLASSIC2, headset, external cups, bearings 1.5", for headtube Ø 44 mm, Black	HDCLASSIC2	8055774360708



Road

Gravel

MTB



Tappo alluminio disponibile anche come ricambio (Monza Top Cap)/ Alloy topcap available also as spare part (Monza Top Cap).

Road

Gravel

MTB



IT • Sistema di compressione per serie sterzo a-head. L'expander da 70 mm garantisce un serraggio migliorato e sicuro della forcella. Perfetto per tutti i cannotti forcella in carbonio. Include un tappo superiore superleggero con vite in lega M6×30 mm.

EN • Compression system for a-head set. The expander with 70 mm sleeve guarantees an improved and safe tightening of the fork. Perfect for all carbon forks steerer. It comes with a superlight top cap including alloy bolt M6×30 mm.

IT • L'expander in alluminio con lunghezza di 45 mm è compatibile con forcelle da 1 1/8" e diametro interno da 23.5 a 25.5 mm. Anodizzato rosso.

EN • Expander in 6061 aluminium with 45 mm length. Fits 1 1/8" carbon fork steerer with Ø 23,5 to 25,5 mm I.D. Red anodized color.

Materiale: Alluminio 6061 Lunghezza: 70 mm Diametro: 23.5 mm (Prima dell'espansione) Vite serraggio: Alluminio 2014 Compatibilità: Forcelle da 1 1/8" con diametro interno da 23.5 a 25.5 mm Tappo expander: Alluminio 6061 Peso: 46 g Note: Disponibile anche senza tappo. (Modello 70-A)	Material: Alloy 6061 Length: 70 mm Diameter: 23.5 mm (Before to be expanded) Screw: Alloy 2014 Compatibility: Fits 1 1/8" forks steerer with 23.5 a 25.5 mm I.d Expander Top Cap: Alloy 6061 Peso: 46 g Note: Available also without topcap. (Model 70-A)	Materiale: Alluminio 6061 Lunghezza: 45 mm Diametro: 23.5 mm (Prima dell'espansione) Vite serraggio: Alluminio 2014 Compatibilità: Forcelle da 1 1/8" con diametro Interno da 23.5 a 25.5 mm Peso: 32 g	Material: Alloy 6061 Length: 45 mm Diameter: 23.5 mm (Before to be expanded) Screw: Alloy 2014 Compatibility: Fits 1 1/8" forks steerer with 23.5 a 25.5 mm I.d Peso: 32 g
--	---	---	--

↓ Description	↓ Deda Part Code	↓ EAN13 Code
EXPANDER Monza, 70 × 23.5 mm, for fork carbon 1 1/8", black topcap, Bolt M6×30	HDEXL23MONZA	8059493280187
EXPANDER 70-A, 70 × 23.5 mm, for fork carbon 1 1/8", without topcap	HDEXL23X70	8052783487853
EXPANDER 45 mm × 23.5 mm w/o topcap, for 1 1/8" carbon fork	HDEXL23X45	8059265680764

Headset Box

Topcap

Monza Topcap



IT • Valigetta ricambi serie sterzo, lo strumento perfetto per Distributori e Rivenditori. Include tutti i pezzi di ricambio per un efficiente servizio su bici da strada, gravel, mtb e modelli con passaggio cavi interno DCR. Puoi trovare all'interno ricambi come cuscinetti da 1"-1/8, 1"-1/4" e 1.5", coperchio superiore, expander, anelli di compressione e micro-spessori.

EN • Headset spare parts box, the perfect tool for Distributors and Dealers. The box includes all spare parts for an efficient service on road&gravel&mtb bikes as well as bike models featuring DCR internal cable routing. You can find spares such as 1"-1/8, 1"-1/4" and 1.5" bearings, top cover, expanders, compression rings and micro-shims.

IT • Tappo forcella piatto per serie sterzo da 1 1/8". Anodizzato nero con logo laserato. Lo stile Deda in ogni dettaglio.

EN • Flat top cap for 1 1/8" headset. Available in black anodized color with laser etched logo. Deda style in every detail.

IT • Limited edition del topcap in alluminio con un esclusiva texture del logo Deda. Include la vite in alluminio per un peso ultraleggero. Disponibili in 6 colori: black, red, silver, blue, green, gold. Peso: 8 g (incluso vite)

EN • Limited edition of topcap with an exclusive texture of Deda logo. Include an alloy screw for a superlight weight. Available in six colours: black, red, silver, blue, green, gold. Weight: 8 g (screw included)

↓ Description	↓ Deda Part Code	↓ EAN13 Code
DEDA HEADSET SPARE PARTS BOX, VALIGETTA RICAMBI	HDSPBOX	8055774360678
Topcap Flat, for headset 1 1/8", Deda logo, black, bolt aluminium M6×30 mm	HDTCAP	8059265680771
MONZA topcap, BLACK, for headset 1 1/8", bolt aluminium M6×30 mm	HDTPMONZA1	8052783487501
MONZA topcap, RED, for headset 1 1/8", bolt aluminium M6×30 mm	HDTPMONZA2	8052783487518
MONZA topcap, SILVER, for headset 1 1/8", bolt aluminium M6×30 mm	HDTPMONZA3	8052783487525
MONZA topcap, BLUE, for headset 1 1/8", bolt aluminium M6×30 mm	HDTPMONZA4	8052783487532
MONZA topcap, GREEN, for headset 1 1/8", bolt aluminium M6×30 mm	HDTPMONZA5	8052783487549
MONZA topcap, GOLD, for headset 1 1/8", bolt aluminium M6×30 mm	HDTPMONZA6	8052783487556

			
IT • Realizzati in fibra di carbonio ad alto modulo e finiti con tessuto UD con carbonio a vista. Per forcella con canotto Ø 28,60 mm, serie sterzo da 1" 1/8. Esterno Ø 33,5 mm; interno Ø 28,9 mm. Disponibili con altezza 3 • 5 • 10 • 15 • 20 mm.	IT • Spessori in alluminio anodizzati nero. Per forcella con canotto Ø 28,60 mm, serie sterzo da 1" 1/8. Esterno Ø 34,0 mm; interno Ø 28,9 mm. Disponibili con altezza 3 • 5 • 10 mm.	IT • Spada è un gambo manubrio che consente il montaggio di attacchi tipo a-head su biciclette con forcella e serie sterzo tradizionali filettate. Ø gambo 22,2 mm; Ø testa 25,4 mm. Altezza: 140 mm; Peso: 140 g	IT • Adattatore attacco manubrio da 28.6 mm a 25.4 mm, per canotto forcella tradizionale da 1". Realizzato in alluminio 6061. Anodizzato nero.
EN • Made in high modulus carbon fiber with UD external layer. Fits 1 1/8" headset (fork steerer outside Ø 28,6 mm). Outside Ø 33,5 mm; inside Ø 28,9 mm. Available in 3 • 5 • 10 • 15 • 20 mm height.	EN • Aluminium spacers made in 6061 alloy series, black anodized. Fits 1 1/8" headset (fork steerer outside Ø 28,6 mm). Outside Ø 34,0 mm; inside Ø 28,9 mm. Available in 3 • 5 • 10 mm height.	EN • Spada is a quill stem adapter to install a-head stems on bicycles with traditional threaded fork and headset. Ø quill 22,2 mm; Ø head 25,4 mm. Height: 140 mm; Weight: 140 g	EN • Stem sleeve adapter from 28.6 mm to 25.4 mm, for traditional 1" fork steerer. Made in 6061 alloy series. Black anodized.

↓ Description	↓ Deda Part Code	↓ EAN13 Code
Kit carbon spacers, 3 mm, 1 set = 10 pcs, for headset 1"1/8	HDCS03KIT	8059265688333
Kit carbon spacers, 5 mm, 1 set = 10 pcs, for headset 1"1/8, logo Deda	HDCS05KIT	8059265688340
Kit carbon spacers, 10 mm, 1 set = 10 pcs, for headset 1"1/8, logo Deda	HDCS10KIT	8059265688357
Kit carbon spacers, 15 mm, 1 set = 5 pcs, for headset 1"1/8, logo Deda	HDCS15KIT	8059265688364
Kit carbon spacers, 20 mm, 1 set = 5 pcs, for headset 1"1/8, logo Deda	HDCS20KIT	8059265688371
Kit alloy spacers, 3 mm, 1 set = 10 pcs, for headset 1"1/8	HDAS03KIT	8059265688388
Kit alloy spacers, 5 mm, 1 set = 10 pcs, for headset 1"1/8, logo Deda	HDAS05KIT	8059265688395
Kit alloy spacers, 10 mm, 1 set = 10 pcs, for headset 1"1/8, logo Deda	HDAS10KIT	8059265688401
SPADA, stem adapter, aluminium, for a-headset, black	SPADA	8051406523329
ALLOY SLEEVE, stem adapter 28.6 mm > 25.4 mm, black	ALLOYSLEEVE	8051406523299

Nastri Manubrio Handlebar Tapes

Loop	233
Loop End-Plug	234
Presa	235
Mistral	236
Fluo	236
Special	236
Traforato	236
Deda Tape	237

Nero/Rosso
Black/Red
→ 600



Nero/Argento
Black/Silver
→ 601



Nero/Marrone
Black/Brown
→ 608



POB (Polish on black)
POB (Polish on black)
→ 607



Nero/Celeste
Black/Sea Foam Green
→ 609



Nero/Giallo
Black/Yellow
→ 603





Tappi alluminio inclusi, colore abbinato al nastro.
Tono su tono.

Aluminum end-plugs included, matching with the tape color.
Tone to tone.

IT • Il nastro manubrio Loop è un'aggiunta di livello professionale alla tua bici con un peso incredibilmente leggero e un comfort eccezionale. Questo nastro bicolore ha un'estetica unica ed è disponibile in molte combinazioni di colori. Il nastro viene fornito con tappi in alluminio dello stesso colore del nastro. È realizzato con due diversi strati per uno spessore finale di 2,5 mm e una lunghezza di 200 cm per trovare il perfetto equilibrio tra leggerezza, durata e presa. Il nastro è dotato di un gel adesivo che lo rende facile da avvolgere e mantiene pulito il manubrio una volta rimosso.

EN • The Loop bar tape is a professional level addition to your bike with incredibly light weight and outstanding comfort. This bi-color grip has a unique aesthetic and comes in many color combinations. The tape comes with aluminum end plugs in the same color as the tape. It is made with two different layers for a final thickness of 2.5 mm and 200 cm length to strike the perfect balance of lightness, durability and grip. The tape features an adhesive gel which makes it easy to wrap and keeps the handlebar clean once it is removed.

Materiale:
EVA + PU
Lunghezza:
200 cm
Larghezza:
3 cm
Spessore:
2,5 mm
Colori:
POB; Nero/Rosso; Nero/Argento;
Nero/Giallo; Nero/Marrone;
Nero/Celeste.
Peso:
86 g (Tappi esclusi)
Note:
Tappi manubrio Loop inclusi

Material:
EVA + PU
Length:
200 cm
Width:
3 cm
Thickness:
2,5 mm
Colors:
POB; Black/Red; Black/Silver;
Black/Yellow; Black/Brown;
Black/Sea Foam Green.
Weight:
86 g (End-plugs excluding)
Note:
End-plugs Loop included


↓ Description	↓ Deda Part Code	↓ EAN13 Code
LOOP BLACK-RED, tape, thickness 2,5 mm, length 200 mm, adhesive gel	DEDATAPE600	8052783487907
LOOP BLACK-SILVER, tape, thickness 2,5 mm, length 200 mm, adhesive gel	DEDATAPE601	8052783487914
LOOP BLACK-YELLOW, tape, thickness 2,5 mm, length 200 mm, adhesive gel	DEDATAPE603	8052783487938
LOOP POB, tape, thickness 2,5 mm, length 200 mm, adhesive gel	DEDATAPE607	8052783488973
LOOP BLACK-BROWN, tape, thickness 2,5 mm, length 200 mm, adhesive gel	DEDATAPE608	8052783489536
LOOP BLACK-SEA FOAM, tape, thickness 2,5 mm, length 200 mm, adhesive gel	DEDATAPE609	8055774362719

Loop End Plug




IT • Tappi manubrio in alluminio anodizzato con texture Deda laserata. Sistema di chiusura a expander per un fissaggio sicuro del nastro semplicemente chiudendo con una chiave a brugola. 24 g (set)


EN • Aluminium bar end-plugs with anodized finish and texturized Deda logos. Include an expander system to fix the tape into the handlebar by simply tightening with an allen key. Weight: 24 g (set)




↓ Description	↓ Deda Part Code	↓ EAN13 Code
LOOP END-PLUG, black, expander system, 1 set = 2 pcs	TAPPOLOOP1	8052783487563
LOOP END-PLUG handlebar, ROSSO, expander system, 1 set = 2 pcs	TAPPOLOOP2	8052783487570
LOOP END-PLUG handlebar, SILVER, expander system, 1 set = 2 pcs	TAPPOLOOP3	8052783487587
LOOP END-PLUG handlebar, BLU, expander system, 1 set = 2 pcs	TAPPOLOOP4	8052783487594
LOOP END-PLUG handlebar, VERDE, expander system, 1 set = 2 pcs	TAPPOLOOP5	8052783487600
LOOP END-PLUG handlebar, ORO, expander system, 1 set = 2 pcs	TAPPOLOOP6	8052783487617



Black/red
→ 402



Black/orange
→ 405




Black/yellow
→ 410



Black/fucsia
→ 409



Black/pink
→ 404



Black/green
→ 408




Black/sea foam green
→ 407




Black/blue sky
→ 403



Black/white
→ 401



Black/grey
→ 400









Black/glossy black
→ 406



IT • Il nastro adesivo Presa è tre in uno. È morbido, appiccicoso e resistente. È perfetto per giornate difficili, giornate lunghe, giornate piovose. Rotoli da 210 cm per confezione e 30 mm di larghezza, mentre lo spessore di 3 mm al centro offrirà un comfort fantastico. Il materiale di base è realizzato in schiuma EVA in diversi colori ed è rivestito con materiale di superficie in poliuretano nero perforato.	Materiale: EVA + Uno strato superficiale in PU Lunghezza: 210 cm Larghezza: 30 mm Spessore: 3 mm Peso: 85 g Note: Include speciali adesivi	Material: EVA combined with tacky PU surface Length: 210 cm Width: 30 mm Thickness: 3 mm Weight: 85 g Note: Includes special stickers
EN • The Presa bar tape is three in one. It is soft, sticky, and durable. It's perfect for hard days, long days, wet days. 210cm rolls per package and 30mm wide, while the 3mm thickness in the middle will deliver a fantastic comfort. The base material is made of EVA foam in different colors, and is covered with black perforated, tacky polyurethane surface material.		

↓ Description	↓ Deda Part Code	↓ EAN13 Code
PRESA BLACK-GREY, tape, thickness 3,0 mm, length 210 mm	DEDATAPE400	8059265689484
PRESA BLACK-WHITE, tape, thickness 3,0 mm, length 210 mm	DEDATAPE401	8059265689491
PRESA BLACK-RED, tape, thickness 3,0 mm, length 210 mm	DEDATAPE402	8059265689507
PRESA BLACK-BLUE SKY, tape, thickness 3,0 mm, length 210 mm	DEDATAPE403	8059265689514
PRESA BLACK-PINK, tape, thickness 3,0 mm, length 210 mm	DEDATAPE404	8059265689521
PRESA BLACK-ORANGE, tape, thickness 3,0 mm, length 210 mm	DEDATAPE405	8052783481271
PRESA BLACK-BLACK POLISH, tape, thickness 3,0 mm, length 210 mm	DEDATAPE406	8052783482742
PRESA BLACK-SEA FOAM, tape, thickness 3,0 mm, length 210 mm	DEDATAPE407	8052783482759
PRESA BLACK-GREEN, tape, thickness 3,0 mm, length 210 mm	DEDATAPE408	8052783483923
PRESA BLACK-FUCSIA, tape, thickness 3,0 mm, length 210 mm	DEDATAPE409	8052783483480
PRESA BLACK-YELLOW, tape, thickness 3,0 mm, length 210 mm	DEDATAPE410	8052783486962

Mistral, Fluo, Special, Traforato

↓ Mistral Nastro in PU accoppiato a un materiale espanso/ PU tape combined with foam material Effetto pelle/Leather touch Peso/Weight: 70 g (Tappi inc./Inc. plugs) Lunghezza/Length: 210 cm Spessore/Thickness: 2,4 mm  Mistral Nero Black Mistral → 97  Mistral Bianco White Mistral → 98  Mistral Rosso Red Mistral → 100  Mistral Blu Deda Deda Blu Mistral → 101  Leather Leather → 102  Celeste Sea Foam Green → 109	↓ Fluo Nastro in PU accoppiato a un materiale espanso/ PU tape combined with foam material Effetto pelle/Leather touch Peso/Weight: 70 g (Tappi inc./Inc. plugs) Lunghezza/Length: 210 cm Spessore/Thickness: 2,4 mm  Verde Fluo Fluo Green → 105  Giallo Fluo Fluo Yellow → 106  Arancio Fluo Fluo Orange → 107  Fucsia Fluo Fluo Fuchsia → 108	↓ Special Nastro in PU/PU tape Effetto carbonio/Carbon look Peso/Weight: 100 g (Tappi inc./Inc. plugs) Lunghezza/Length: 190 cm Spessore/Thickness: 2,7 mm  Carbonio Nero Black Carbon → BLKCARB  Oro Olimpico Olympic Gold → ORO  Carbonio Argento Silver Carbon → SILCARB  Carbonio Bianco White Carbon → WHICARB	↓ Traforato Nastro in EVA forato/EVA perforated tape Peso/Weight: 40 g (Tappi inc./Inc. plugs) Lunghezza/Length: 180 cm Spessore/Thickness: 2,7 mm  Traforato Nero Black Perforated → 81  Traforato Bianco White Perforated → 82  Traforato Rosso Red Perforated → 85
--	--	---	--

↓ Description	↓ Deda Part Code	↓ EAN13 Code
MISTRAL RED, tape, thickness 2,4 mm, length 210 mm	DEDATAPE100	8051406522889
MISTRAL DARK BLUE, tape, thickness 2,4 mm, length 210 mm	DEDATAPE101	8051406522896
MISTRAL LEATHER, tape, thickness 2,4 mm, length 210 mm	DEDATAPE102	8051406522902
MISTRAL GREEN FLUO, tape, thickness 2,4 mm, length 210 mm	DEDATAPE105	8051406529093
MISTRAL YELLOW FLUO, tape, thickness 2,4 mm, length 210 mm	DEDATAPE106	8051406529109
MISTRAL ORANGE FLUO, tape, thickness 2,4 mm, length 210 mm	DEDATAPE107	8051406529116
MISTRAL FUCSIA, tape, thickness 2,4 mm, length 210 mm	DEDATAPE108	8051406525200
MISTRAL BLACK, tape, thickness 2,4 mm, length 210 mm	DEDATAPE97	8051406523152
MISTRAL WHITE, tape, thickness 2,4 mm, length 210 mm	DEDATAPE98	8051406523169
MISTRAL SEA FOAM, tape, thickness 2,4 mm, length 210 mm	DEDATAPE109	8055774362603
TRAFORATO BLACK, tape, thickness 2,7 mm, length 180 mm	DEDATAPE81	8051406523107
TRAFORATO WHITE, tape, thickness 2,7 mm, length 180 mm	DEDATAPE82	8051406523114
TRAFORATO RED, tape, thickness 2,7 mm, length 180 mm	DEDATAPE85	8051406523121
SPECIAL BLACK CARBON, tape, thickness 2,7 mm, length 190 mm	DEDATAPEBLKCARB	8051406523183
SPECIAL GOLD CARBON, tape, thickness 2,7 mm, length 190 mm	DEDATAPEORO	8051406523206
SPECIAL SILVER CARBON, tape, thickness 2,7 mm, length 190 mm	DEDATAPE SILCARB	8051406523213
SPECIAL WHITE CARBON, tape, thickness 2,7 mm, length 190 mm	DEDATAPEWHICARB	8051406523237

Nastro classico in EVA/EVA classic tape. Lunghezza/Length: 180 cm. Peso/Weight: 40 g. Spessore/Thickness: 2,8 mm



Mela Verde
Green Apple
→ 89



Ocra Intenso
Intense Ochre
→ 1500



Azzurro Finlandia
Finland Light Blue
→ 4300



Grigio Antracite
Gun Barrel Grey
→ 4800



Cammello
Camel
→ 1100



Arancione Milwaukee
Milwaukee Orange
→ 1600



Rosso Fuoco
Fuego Red
→ 4400



Azzurro Sky
Sky Blue
→ 5000



Verde Kawa
Kawa Green
→ 1200



Fucsia
Fucsia
→ 1700



Grigio Pantegana
Pantegan Grey
→ 4500



Pantera Rosa
Pink Panther
→ 5400



Bianco Polare
Polar White
→ 1300



Blu Oceano
Ocean Dark Blue
→ 4100



Celeste Treviglio
Sea Foam Green
→ 4600



Chianti
Chianti Wine
→ 5500




Nero Notte
Night Black
→ 1400



Giallo Volo
Yellow Fly
→ 4200



Viola Vescovo
Bishop Violet
→ 4700



Verde Jaguar
Jaguar Green
→ 5600

↓ POP Tape



IT • Display nastri compatto.
Lo strumento di vendita perfetto per qualsiasi negozio di biciclette. Il display può contenere oltre 30 nastri differenti per modelli e colori. Realizzato in cartone, il display è leggero (6kg compresi i nastri) e le ridotte dimensioni sono adatte per il bancone o la vetrina del negozio. Dimensioni cm 37 (L) × 20 (P) × 52 (H)

EN • Compact pop tape display.
The perfect sale tool for any bike shop. The pop display holds more than 30 bar tapes, different models and colors. Made of cardboard, the pop display is light (6kg including bar tapes) and the small size is suitable for the shop's desk or window. Size cm 37 (L) × 20 (W) × 52 (H)

↓ Description	↓ Deda Part Code	↓ EAN13 Code
TAPE CAMEL, thickness 2,8 mm, length 180 mm	DEDATAPE1100	8051406520342
TAPE GREEN KAWA, thickness 2,8 mm, length 180 mm	DEDATAPE1200	8051406522926
TAPE WHITE POLAR, thickness 2,8 mm, length 180 mm	DEDATAPE1300	8051406522933
TAPE BLACK NIGHT, thickness 2,8 mm, length 180 mm	DEDATAPE1400	8051406522940
TAPE INTENSE OCHRE, thickness 2,8 mm, length 180 mm	DEDATAPE1500	8051406522957
TAPE ORANGE, thickness 2,8 mm, length 180 mm	DEDATAPE1600	8051406522964
TAPE FUCSIA, thickness 2,8 mm, length 180 mm	DEDATAPE1700	8052783486955
TAPE BLUE OCEAN, thickness 2,8 mm, length 180 mm	DEDATAPE4100	8051406522971
TAPE YELLOW FLY, thickness 2,8 mm, length 180 mm	DEDATAPE4200	8051406522988
TAPE FINLAND SKY, thickness 2,8 mm, length 180 mm	DEDATAPE4300	8051406522995
TAPE FUEGO RED, thickness 2,8 mm, length 180 mm	DEDATAPE4400	8051406523008
TAPE GERY PAN, thickness 2,8 mm, length 180 mm	DEDATAPE4500	8051406523015
TAPE SEA FOAM, thickness 2,8 mm, length 180 mm	DEDATAPE4600	8051406523022
TAPE BISHOP VIOLET, thickness 2,8 mm, length 180 mm	DEDATAPE4700	8051406523039
TAPE GUN BARREL, thickness 2,8 mm, length 180 mm	DEDATAPE4800	8051406523046
TAPE BLUE SKY, thickness 2,8 mm, length 180 mm	DEDATAPE5000	8051406523053
TAPE PINK PANTHER, thickness 2,8 mm, length 180 mm	DEDATAPE5400	8051406523077
TAPE CHIANTI RED, thickness 2,8 mm, length 180 mm	DEDATAPE5500	8051406523084
TAPE GREEN JAGUAR, thickness 2,8 mm, length 180 mm	DEDATAPE5600	8051406523091
TAPE GREEN APPLE, thickness 2,8 mm, length 180 mm	DEDATAPE89	8051406523138
* POP TAPE, bar tape display, includes 40 mixed tapes	POPTAPE3	8055774365604

(*) Disponibile su ordinazione. / Available on order.

Accessori

Accessories

Biciclette/Bicycles

Deda Tool Zipcase	239
SR1 → Portaborraccia/Bottle Cage	239
Vela → Portaborraccia/Bottle Cage	240
Gabbia Pro → Portaborraccia/Bottle Cage	241
Staffa → Seatpost Mount Kit	242
DBA Battery Adapter	244
Dog Fang	244
D-Clip	244

Abbigliamento/Apparel

NEW T-Shirt Celebrating Cycling	245
--	-----



IT • Deda tool zipcase è un elegante e utile contenitore per camere d'aria, bombole CO2 e altri accessori. Si adatta al portaborraccia ed è realizzato in materiale eva con finitura carbonio.

Materiale:
EVA
Misure:
73 × 67 × 210 mm
Colore:
Finitura carbonio
Peso:
75 g

IT • SR1 è un porta borraccia ultra-light realizzato in carbonio. Adatto per borracce diametro standard di 73 mm.

Materiale:
Carbonio UD
Colore:
Nero
Compatibilità:
Adatto per borracce con diametro 73 mm
Peso:
18 g

EN • Deda Tool zipcase is an elegant and useful bag to keep a repair kit, CO2 cartridge or other personal items. It fits the bottle cage and is made in EVA material with carbon looking.

Material:
EVA
Size:
73 × 67 × 210 mm
Colours:
Carbon looking
Weight:
75 g

EN • The SR1 is an ultra-light bottle cage made in full carbon. Suitable for bottle diameter of 73 mm.

Material:
UD carbon
Colours:
Black
Compatibility:
Suitable for bottle diameter of 73 mm
Weight:
18 g

↓ Description	↓ Deda Part Code	↓ EAN13 Code
ZIPCASE, tool box, nylon, carbon finish	ZIPCASE	8059265686445
SR1, bottlecage, carbon	SR1N	8059265688876



IT • Vela è un portaborraccia ad apertura laterale con un sistema di aggancio molto facile che permette di inserire e estrarre la borraccia lateralmente da destra. Vela è realizzata con un polimero ad alta densità per aumentare la forza di aggancio. Progettata per adattarsi anche a telai di bici di piccola misura.	Materiale: Polimero ad alta resistenza Finitura: Nero opaco Colori: POB (Polish on Black), Team e White Peso 48 g	Material: High-resistance polymer Finish: Black matt Colors: POB (Polish on Black), Team and White Weight: 48 g
EN • Vela is a side load bottle cage for an easy clamping that allows you to insert the bottle sideways from the right. Vela is made in high-density polymer to increase the clamping force. Designed to fit small bike frames.		

↓ Description	↓ Deda Part Code	↓ EAN13 Code
VELA, bottlecage, nylon, right side loading, POB	VELA1	8052783486030
VELA, bottlecage, nylon, right side loading, TEAM	VELA2	8052783486047
VELA, bottlecage, nylon, right side loading, WHITE	VELA3	8052783486054

↓ POB (Polish on Black)



↓ Team




IT • Il nuovo Gabbia PRO è un portaborraccia caratterizzato da un'elevata resistenza e leggerezza, realizzato in tecno-polimero ad alta densità, ideale per garantire il fissaggio sicuro della borraccia durante l'attività ciclistica. Disponibile in finitura POB (Polish on black) e Team.

EN • New Gabbia PRO is a lightweight and durable bottle cage made from high-density techno polymer, ensuring a secure hold for your bottle even on rough terrain or during intense cycling sessions. Available in POB (Polish on black) and Team finish.

Materiale:
Tecno-polimero ad alta resistenza
Finitura:
Esterno opaco, interno lucido
Colori:
POB (Polish on Black) e Team
Peso
30 g

Material:
Techno-Polymer High Resistance
Finish:
Outside matt, inside glossy
Colors:
POB (Polish on Black) and Team
Weight:
30 g

↓ Description	↓ Deda Part Code	↓ EAN13 Code
GABBIA PRO, bottlecage, nylon, POB	GABBIAPRO1	8055774367776
GABBIA PRO, bottlecage, nylon, TEAM	GABBIAPRO2	8055774367783



Garmin®Varia



Bryton® Gardia

IT • Staffa è il kit montaggio per la luce posteriore progettato per integrarsi perfettamente con i reggisella Deda (ad eccezione del mod. Zero). Il kit può essere utilizzato con una luce posteriore tipo radar (come Garmin® Varia e Bryton® Gardia) o con una luce a dinamo utilizzando l'aggancio GoPro®. Permette l'integrazione del cavo elettrico della luce a dinamo o luce per e-bike con un reggisella Superzero & Zero100.






Modelli compatibili:

- Garmin® Varia RTL515 e Varia RVR315
(Non compatibile con Garmin® Varia RCT715)
- Bryton® Gardia R300L
- Magene® L508
- Magicshine® Seemee 508
- iGPSPORT SR30

EN • Staffa is a mount kit for rear light designed to be perfectly integrated with Deda seatposts (except for Zero model). The mount kit can be used with a rear radar light such as Garmin® Varia and Bryton® Gardia or with a dynamo light using the GoPro® mount. It allows the electric cable integration for dynamo or e-bike with a Superzero & Zero100 seatpost.

Compatible models:

- Garmin® Varia RTL515 e Varia RVR315
(Not compatible with Garmin® Varia RCT715)
- Bryton® Gardia R300L
- Magene® L508
- Magicshine® Seemee 508
- iGPSPORT SR30

		 Foro uscita cavo elettrico luce dynamo (Ø 8 mm) Exit hole for dynamo rear light (Ø 8 mm)		
 GoPro® Mount  Garmin® Varia Radar Light  Bryton® Gardia Radar Light			 25-30 mm Ø 28 mm	
Materiale: • Culla inferiore in alluminio • Attacco tipo GoPro® in nylon • Attacco per luce Garmin® & Bryton® in nylon Compatibilità reggisella: Superleggero, Superzero, Zero100, Zero2, Zero1, Cross, Peak Finitura: Black Peso: 45 g set Note: Reggisella Superleggero, Zero2, Zero1, Cross, Peak compatibile con luci a batteria (attacco tipo Garmin® o Bryton®). Reggisella Superzero & Zero100 compatibile con luci a batteria e a dinamo (passaggio cavo elettrico interno nel reggisella). Staffa può essere compatibile anche con reggisella di altri produttori, a patto che il morsetto inferiore sia di tipo “culla” con la sede di diametro 28 mm e larghezza da 25 a 30 mm.			Material: • Alloy lower plate • Nylon GoPro® mount • Nylon Garmin® & Bryton® rear light mount Seatpost compatibility: Superleggero, Superzero, Zero100, Zero2, Zero1, Cross, Peak Finish: Black Weight: 45 g set Notes: Superleggero, Zero2, Zero1, Cross, Peak seatposts compatible with battery light only (mount for Garmin® or Bryton®). Superzero & Zero100 seatpost compatible with battery e dynamo light (seatpost internal cable routing). Staffa can be also compatible with seatposts from other brands featuring a 28 mm diameter and 25-30 mm width of the lower clamp seat.	
↓ Description STAFFA MOUNT KIT for rear light , Garmin® Varia, Bryton® Garda & GoPro®			↓ Deda Part Code STAFFAKIT	↓ EAN13 Code 8055774364225

DBA

Dog Fang

D-Clip



Ø 27,2 mm Ø 31,6 mm



IT • L'adattatore reggisella Deda DBA (Deda battery adapter) offre un sistema pratico e leggero per le batterie interne Shimano™ Di2 o Campagnolo™ EPS. Il sistema di fissaggio all'interno del tubo reggisella permette una sicura installazione della batteria nel tempo.

Materiale:
Gomma termoplastica
Diametro:
28,6 • 31,6 mm
Lunghezza:
70 mm
Colore:
Nero
Peso:
14 g

IT • Dog fang è un classico salvacatena. Questo componente è presente su tutte le bici dei corridori professionisti, in quanto evita la caduta della catena in caso di deragliate brusche ed improvvise.

Materiale:
Termoplastico
Diametro:
28,6 • 31,6 • 35,0 mm
Colore:
Nero
Peso:
18 g

IT • La D-clip è un inserto in nylon specifico per l'attacco Superzero e Superbox. La clip è un accessorio integrato che ne migliora l'aerodinamica e l'estetica dell'attacco. Realizzato in materiale termoplastico.

Materiale:
Termoplastico
Ø Manubrio:
31,7 mm
Finitura:
Nero
Peso:
5 g
Note:
Incluso con tutti gli attacchi Superzero e Superbox.

EN • The Deda Battery Adapter (DBA) for seatpost offers an handy and light system for new generation of Shimano™ Di2 internal batteries. The adapter fixing system inside the seatpost tube allows a safe battery installation.

Material:
Thermo-plastic rubber
Diameter:
28,6 • 31,6 mm
Size:
70 mm
Colours:
Nero
Weight:
14 g

EN • Dog fang is a classic chain protector. Mounted on every professional bike, this component keeps the chain from falling in case of an over-shift.

Material:
Thermo-plastic
Diameter:
28,6 • 31,6 • 35,0 mm
Colours:
Black
Weight:
18 g

EN • The D-clip is a nylon insert specific for Superzero and Superbox stem. The clip is intended to be used as colored accessory for an improved stem aerodynamics. Made in thermoplastic material.

Material:
Thermo-plastic
Ø Handlebar:
31,7 mm
Finish:
Black
Weight:
5 g
Notes:
Included with all superzero and superbox stems.

↓ Description	↓ Deda Part Code	↓ EAN13 Code
INTERNAL BATTERY ADAPTER, for seatpost Ø 27.2, length 70 mm, rubber	DI2BATAD27	8051406520380
INTERNAL BATTERY ADAPTE, for seatpost Ø 31.6, length 70 mm, rubber	DI2BATAD31	8051406522087
DOG FANG, chain catcher, for seat tube Ø 31.6	DOG FANG	8051406523244
DOG FANG, chain catcher, for seat tube Ø 28.6	DOG FANG 28	8051406523251
DOG FANG, chain catcher, for seat tube Ø 35.0	DOG FANG 35	8051406523268
D-CLIP stem Superzero & Superbox, nylon, black	DCLIPBLACK	8059265684014

T-Shirt Celebrating Cycling



IT • Nuova versione “Celebrating Cycling” della t-shirt Deda: celebra la passione per la bici con stile e semplicità. Questa nuova t-shirt unisce design essenziale e comfort superiore, pensata per chi vive il ciclismo non solo come sport, ma come parte del proprio stile di vita. Realizzata in 100% cotone ring spun, offre una vestibilità morbida, naturale e allo stesso tempo resistente, perfetta per accompagnarti ogni giorno, sia in sella che nel tempo libero.

EN • New “Celebrating Cycling” edition of the Deda t-shirt: celebrate your passion for cycling with style and simplicity. This new t-shirt combines essential design with superior comfort, created for those who see cycling not just as a sport, but as a true lifestyle. Made from 100% ring-spun cotton, it offers a soft, natural fit that's also durable, perfect for everyday wear, whether you're on the bike or off.

Materiale:
100% cotone

Misure:
S • M • L • XL

Colore:
Bianco, Blue Navy

Material:
100% cotton

Sizes:
S • M • L • XL

Colours:
White, Blue Navy

↓ Description	↓ Deda Part Code	↓ EAN13 Code
T-SHIRT Deda, white, size S, 100% cotton	TSHIRT-1-S	8059493280378
T-SHIRT Deda, white, size M, 100% cotton	TSHIRT-1-M	8059493280385
T-SHIRT Deda, white, size L, 100% cotton	TSHIRT-1-L	8059493280392
T-SHIRT Deda, white, size XL, 100% cotton	TSHIRT-1-XL	8059493280408
T-SHIRT Deda, blue, size S, 100% cotton	TSHIRT-2-S	8059493280422
T-SHIRT Deda, blue, size M, 100% cotton	TSHIRT-2-M	8059493280446
T-SHIRT Deda, blue, size L, 100% cotton	TSHIRT-2-L	8059493280415
T-SHIRT Deda, blue, size XL, 100% cotton	TSHIRT-2-XL	8059493280439

Specifiche tecniche e parti di ricambio

Technical chart and spare parts

Curve/Handlebars	247	Ricambi/Spare parts		Ricambi/Spare Parts	
Attacchi/Stems	248	• Alanera RS	256	• Attacchi/Stems	262
Reggisella/Seatpost	248	• Superbox V2	257	• Reggisella/Seatpost	263
CRONO, PISTA, MTB	249	• Vinci	258	• TT314®	266
Ruote/Wheels	250	Serie Sterzo DCR & S-DCR/ Headset DCR & S-DCR	259	• JET2 EVO	267
Ricambi ruote mozzo RS/ RS hub wheels spare parts	251	Serie Sterzo: IN-4 & IN-5 Headset: IN-4 & IN-5	260	• JET2 HYDRO	268
Ricambi ruote mozzo Allroad/ Allroad hub wheels spare parts	252	Serie Sterzo: Classic1 & Classic2 Headset: Classic1 & Classic2	261	• JET2 to JET1 conversion spacer kit	269
Ricambi mozzo ruota HERO RS/ HERO RS wheel hub spare parts	253			• Fast Pro	270
Ricambi ruote freni tradizionali/ Spare parts rim brake wheels	254			• Parabolica Pro	271
Ricambi ruote freni a disco/ Spare parts disc brake wheels	255			• Cronoevo	272
				• Parabolica	272
				• Fastblack2	272
				• Superzero TT	272
				• Carbon Blast	273
				• Metal Blast	273
				• Forcelle Gera/Gera Forks	274
				• Staffa	276
				Informazioni tecniche Manubri & Attacchi/ Handlebars & Stems Technical Information	246
				Deda tubeless wheels.	247
				Compatibilità pneumatico/ Deda tubeless wheels.	
				Tire compatibility	

CURVE HANDLEBARS

Articolo Item	Misure cm Sizes cm	Diametro mm Diameter mm	Peso g Weight g	Finitura Finish	Materiale Material	Forma Shape	Profondità mm Reach mm	Altezza mm Drop mm	Apertura Angolo Flare Angle	Angolo esterno Outsweep
Alanera RS	38 (80 → 140 mm)	31,75	340 (size 110×42)	Carbon UD matt	Carbon fiber	RHM-EVO	75	120	-	-
	40 (80 → 140 mm)									
	42 (80 → 140 mm)									
	44 (80 → 140 mm)									
Vinci	40 • 42 • 44 • 46	31,75	225 (size 42)	Carbon UD matt	Carbon fiber	RHM	75	130	-	-
Vinci Shallow	40 • 42 • 44	31,75	226 (size 42)	Carbon UD matt	Carbon fiber	Super Shallow	75	125	-	-
Superleggera RS	42 • 44 • 46	31,75	180 (size 42)	Carbon UD matt	Carbon fiber	RHM	75	130	-	-
Superleggera	42 • 44 • 46	31,75	185 (size 42)	Carbon UD matt	Carbon fiber	RHM	75	130	-	-
Superzero RS Carbon	40 • 42 • 44 • 46	31,75	215 (size 42)	Carbon UD	Carbon fiber	RHM-EVO	75	120	-	-
Superzero RS Alloy	36 • 38 • 40 • 42 • 44	31,75	285 (size 42)	Black anodized	Alloy 7050	RHM	75	120	6°	-
Superzero Alloy	40 • 42 • 44 • 46	31,75	305 (size 42)	Black anodized	Alloy 7050	RHM	75	130	-	-
Superzero Gravel Carbon	42 • 44 • 46	31,75	235 (size 44)	Carbon UD matt	Carbon fiber	EOS-Speed	60	110	16°	-
Superzero Gravel Alloy	40 • 42 • 44 • 46	31,75	320 (size 42)	Black anodized	Alloy 6061	RHM-EVO	75	120	16°	-
Gera Carbon	44 - 46 - 48	31,75	220 (size 44)	Carbon UD matt	Carbon fiber	EOS-Endurance	40	100	-	16°
Gera Alloy	42 • 44 • 46 - 48	31,75	310 (size 42)	Carbon anodized	Alloy 6061	EOS-Endurance	55	100	24°	3°
Gravel100	40 • 42 • 44 • 46	31,75	248 (size 42)	Black anodized	Alloy 7050	RHM	75	130	12°	2°
Gravel100 OEM	40 • 42 • 44 • 46	31,75	300 (size 42)	Black anodized	Alloy 6061	RHM	75	130	12°	2°
Zero100	38 • 40 • 42 • 44 • 46	31,75	248 (size 42)	Black anodized	Alloy 7050	RHM	75	130	-	-
Zero100 Deep	42 • 44 • 46	31,75	254 (size 42)	Black anodized	Alloy 7075	Deep	90	145	-	-
Zero100 Shallow	40 • 42 • 44 • 46	31,75	258 (size 42)	Black anodized	Alloy 7075	Anatomic	80	135	-	-
Zero100 Anatomic	42 • 44 • 46	31,75	252 (size 42)	Black anodized	Alloy 7075	Shallow	86	142	-	-
Zero2	42 • 44 • 46	31,75	295 (size 42)	Black anodized	Alloy 6061	RHM	75	130	-	-
Zero2 DCR	36 • 38 • 40 • 42 • 44 • 46	31,75	330 (size 42)	Polish on black	Alloy 6061	RHM-EVO	75	120	-	-
Zero1	38 • 40 • 42 • 44 • 46	31,75	304 (size 42)	Black anodized	Alloy 6061	RHM	75	130	-	-
Zero	42 • 44 • 46	31,75	312 (size 42)	Black anodized	Alloy 6061	RHM	75	130	-	-
Speciale 26	42 • 44 • 46	26	320 (size 42)	Silver polish	Alloy 6061	Shallow	80	135	-	-
Piega	38 • 40 • 42 • 44 • 46	26	280 (size 42)	Black anodized	Alloy 6061	RHM	75	130	-	-
Dritto	50	31,75	190	Black anodized	Alloy 6061	-	-	-	-	-

ATTACCHI STEMS

Articolo Item	Misure mm	Diametro manubrio mm Handlebar diameter mm	Diametro Forcella Fork Diameter	Peso (g) Weight (g)	Finitura Finish	Materiale Material	Altezza attacco mm Clamp Height mm	Angolo Angle
	Sizes mm							
Superleggero RS	90 • 100 • 110 • 120 • 130	31,75	11/8" (28,86 mm)	100 (110 mm)	Duracer (ceramic coating)	Alloy 7050	36	82°
Superleggero	80 • 90 • 100 • 110 • 120 • 130 • 140	31,75	11/8" (28,86 mm)	110 (110 mm)	Black anodized	Alloy 7050	36	82°
Vinci	90 • 100 • 110 • 120 • 130 • 140	31,75	1 1/4" (31,75 mm) with adapter to 11/8"	210 (110 mm)	Black anodized	Alloy 2014	40	73°
Superbox V2	60 • 70 • 80 • 90 • 100 • 110 • 120 • 130 • 140 • 150 • 160	31,75	11/8" (28,86 mm)	175 (110 mm)	Black anodized	Alloy 2014	32 (47 mm with topcover)	82°
Superzero RS	90 • 100 • 110 • 120 • 130	31,75	11/8" (28,86 mm)	140 (110 mm)	Black anodized	Alloy 2014	40	82°
Superzero	90 • 100 • 110 • 120 • 130 • 140	31,75	11/8" (28,86 mm)	145 (110 mm)	Black anodized	Alloy 2014	40	82°
Zero100	80 • 90 • 100 • 110 • 120 • 130 • 140	31,75	11/8" (28,86 mm)	125 (110 mm)	Black anodized	Alloy 2014	40	82°
Zero2	50 • 60 • 70 • 80 • 90 • 100 • 110 • 120 • 130	31,75	11/8" (28,86 mm)	140 (110 mm)	Black anodized	Alloy 6061	38	83°
Zero1	70 • 80 • 90 • 100 • 110 • 120 • 130	31,75	11/8" (28,86 mm)	145 (110 mm)	Black anodized	Alloy 6061	41,5	82°
Zero	70 • 80 • 90 • 100 • 110 • 120	31,75	11/8" (28,86 mm)	145 (110 mm)	Black anodized	Alloy 6061	40	83°
ADJ	90 • 110	31,75	11/8" (28,86 mm)	260 (110 mm)	Black anodized	Alloy 6061	40	+ 30° / - 40°
Murex	80 • 100 • 120	26	1" (25,4 mm)	310 (110 mm)	Silver polish	Alloy 6061	-	73°
Logo	60 • 80 • 100 • 120	26	11/8" (28,86 mm)	178 (110 mm)	Black anodized	Alloy 6061	42	80° (+/- 10°)

REGGISELLA SEATPOST

Articolo Item	Lunghezze mm Length mm	Diametro mm Diameter mm	Peso g Weight g	Finitura Finish	Materiale Material	Arretramento mm	
						Setback	mm
RS 25 mm	350 • 400	316 • 27,2	195 (size 316)	Carbon UD	Carbon fiber	25	
RS 25 mm OEM	350	316 • 27,2	205 (size 316)	Carbon UD	Carbon fiber	25	
RS 12 mm	350 • 400	27,2	175 (size 27,2)	Carbon UD	Carbon fiber	12	
RS 12 mm OEM	350 • 400	27,2	205 (size 27,2)	Carbon UD	Carbon fiber	12	
RS 0 mm	350 • 400	316 • 27,2	195 (size 316)	Carbon UD	Carbon fiber	0	
RS 0 mm OEM	350 • 400	27,2	205 (size 27,2)	Carbon UD	Carbon fiber	0	
Zero100	350	316 • 27,2	229 (size 316)	Black anodized	Alloy 7050	12	
Zero100 0 mm	350	316 • 27,2	259 (size 316)	Black anodized	Alloy 2014	0	
Zero2	350	316 • 27,2	285 (size 316)	Black anodized	Alloy 2014	21	
Zero1	350	316 • 27,2	295 (size 316)	Black anodized	Alloy 6061	20	
Zero	350	316 • 27,2	277 (size 316)	Black anodized	Alloy 6061	18	
RS01	350	27,2	333 (size 316)	Silver polish	Alloy 6061	21	

CRONO CHRONO

Articolo Item	Prodotto Product	Misure cm Sizes cm	Diametro mm Diameter mm	Peso g Weight g	Finitura Finish	Materiale Material	Lunghezza estensioni mm Extensions lenght mm
JET 2 Evo	TT Clip-on	-	-	330 (Size S)	Carbon UD	Carbon Fiber	S (340) • M (370)
JET2 Hydro	TT Clip-on	-	-	720 (Size S)	Black anodized	Dedacciai V107 hydroformed	S (315) • M (345)
Fast Pro	TT Clip-on	-	31,75	920	Carbon UD	Carbon fiber	410
Parabolica Pro	TT Clip-on	-	31,75	910	Black anodized	Alloy 6061	385
Cronoevo	TT H/B	42	31,75	650	Black anodized	Alloy 6061	370
Tribar	TT H/B	42	31,75	210	Carbon Ud	Carbon Fiber	-
Superzero TT	TT Clip-on	-	31,75	330	Black anodized	Alloy 6061	190
Carbon Blast	TT Clip-on	-	31,75	226	Carbon Ud	Carbon Fiber	135
Metal Blast	TT Clip-on	-	31,75	266	Black anodized	Alloy 6061	165
Parabolica uno	TT Clip-on	-	31,75 • 35,0	350	Black anodized	Alloy 6061	350
Parabolica due	TT Clip-on	-	31,75	300	Black anodized	Alloy 6061	300

PISTA PISTA

Articolo Item	Prodotto Product	Misure Sizes	Diametro mm Diameter mm	Peso g Weight g	Finitura Finish	Materiale Material	Profondità mm Reach mm	Altezza mm Drop mm	Altezza attacco mm Clamp Height mm	Angolo Angle
Omnium	Handlebar	42 cm	31,75	365	Carbon UD matt	Carbon Fiber	105	120	-	-
Pista	Handlebar	42 cm	31,75	279 (size 42)	Black anodized	Alloy 6061	109	173	-	-
Dabar	Handlebar	42 cm	31,75	210	Carbon UD	Carbon Fiber	-	-	-	-
Crononero	Handlebar	40 • 42 • 44 cm	31,75	279 (size 42)	Black anodized	Alloy 6061	-	-	-	-
Crononero Low Rider	Handlebar	40 • 42 • 44 cm	31,75	279 (size 42)	Black anodized	Alloy 6061	-	-	-	-

MTB MTB

Prodotto Product	Articolo Item	Misure cm Sizes cm	Diametro manubrio mm Handlebar diameter mm	Peso g Weight g	Finitura Finish	Materiale Material	Rialzo Rise	A° Rialzo Up Sweep	Arretramento Back sweep
Manubrio/Handlebar	Cross	750	31,75	170	Carbon UD matt	Carbon fiber	0 mm	0°	3°
Manubrio/Handlebar	Peak Flat	780	31,75	315	Black anodized	Alloy 6061	0 mm	0°	3°
Manubrio/Handlebar	Peak Riser	780	31,75	345	Black anodized	Alloy 6061	20 mm	9°	5°

Prodotto Product	Articolo Item	Misure cm Sizes cm	Diametro manubrio mm Handlebar diameter mm	Diametro Forcella Fork Diameter	Peso g Weight g	Finitura Finish	Materiale Material	Altezza attacco mm Clamp Height mm	Angolo Angle
Attacco/Stem	Cross	80 - 90 - 100 - 110	31,75	11/8" (28,86 mm)	109 (110 mm)	Black anodized	Alloy 2014	38	84°
Attacco/Stem	Cross	60 - 70 - 80 - 90	31,75	11/8" (28,86 mm)	150 (110 mm)	Black anodized	Alloy 6061	35	70°
Attacco/Stem	Peak	50 - 60 - 70 - 80 - 90 - 100 - 110	31,75	11/8" (28,86 mm)	140 (110 mm)	Black anodized	Alloy 6061	38	84°

Prodotto Product	Articolo Item	Lunghezze mm Length mm	Diametro mm Diameter mm	Peso g Weight g	Finitura Finish	Materiale Material	Arretramento mm Setback mm
Reggisella/Seatpost	Cross	400	31,6 - 27,2	180 (size 31,6)	Carbon Ud	Carbon Fiber	25
Reggisella/Seatpost	Cross 0 mm	400	31,6 - 30,9 - 27,2	240 (size 31,6)	Carbon Ud	Carbon Fiber	0
Reggisella/Seatpost	Peak	400	31,6 - 30,9 - 27,2	295 (size 31,6)	Black anodized	Alloy 6061	20

RUOTE WHEELS


Articolo Product	Cerchio Rim		Tipo Freni Brakes Type	Misura Size	Altezza Height mm	Larghezza Width mm	Mozi Hub		Raggi Spokes		Compatibilità Compatibility				Misura Size
	Tipo Type	Tipo Freni Brakes Type					Posteriore Rear mm	Anteriore Front mm	Posteriore Rear Wheel	Anteriore Front Wheel	Ruota Posteriore Rear Wheel	Tipo Type	Cassetta	Pneumatico Tire TIPO - Type	
RS4	Carbon Clincher	Disc Brake	622 × 19C	38	26	Through Axle 12 × 100	Through Axle 12 × 142	24	24	Aero Steel, Straight Pull	Internal; 14G 10 mm, Hexa Head	• 10S, 11S, 12S Shimano • 12S Sram XDR • 10S, 11S, 12S Campy • 13S Campy N3W	Clincher & Tubeless Ready	700 × 25 ≈ 40	
RS3	Alloy Clincher	Disc Brake	622 × 19C	30	23	Through Axle 12 × 100	Through Axle 12 × 142	24	24	Aero Steel, Straight Pull	External; 14G 15 mm, Hexa Head	• 10S, 11S, 12S Shimano • 12S Sram XDR • 10S, 11S, 12S Campy • 13S Campy N3W	Clincher & Tubeless Ready	700 × 25 ≈ 40	
SL7	Carbon Clincher	Disc Brake	622 × 23C	70	28	Through Axle 12 × 100	Through Axle 12 × 142	24	24	Aero Steel, Straight Pull	External; 14G 15 mm, Hexa Head	• 10S, 11S, 12S Shimano • 12S Sram XDR • 10S, 11S, 12S Campy • 13S Campy N3W	Clincher & Tubeless Ready	700 × 28 ≈ 46	
SL5	Carbon Clincher	Disc Brake	622 × 23C	50	28	Through Axle 12 × 100	Through Axle 12 × 142	24	24	Aero Steel, Straight Pull	External; 14G 15 mm, Hexa Head	• 10S, 11S, 12S Shimano • 12S Sram XDR • 10S, 11S, 12S Campy • 13S Campy N3W	Clincher & Tubeless Ready	700 × 28 ≈ 46	
SL3	Carbon Tubular	Disc Brake	632 × 26	30	26	Through Axle 12 × 100	Through Axle 12 × 142	24	24	Aero Steel, Straight Pull	External; 14G 15 mm, Hexa Head	• 10S, 11S, 12S Shimano • 12S Sram XDR • 10S, 11S, 12S Campy • 13S Campy N3W	Tubular	700 × 25 ≈ 32	
Gera Carbon	Carbon Clincher	Disc Brake	622 × 23C	32	29	Through Axle 12 × 100	Through Axle 12 × 142	24	24	Aero Steel, Straight Pull	External; 14G 15 mm, Hexa Head	• 10S, 11S, 12S Shimano • 12S Sram XDR • 10S, 11S, 12S Campy • 13S Campy N3W	Clincher & Tubeless Ready	700 × 28 ≈ 57	
Gera Alloy	Carbon Clincher	Disc Brake	622 × 23C	25	28	Through Axle 12 × 100	Through Axle 12 × 142	24	24	Aero Steel, Straight Pull	External; 14G 15 mm, Hexa Head	• 10S, 11S, 12S Shimano • 12S Sram XDR • 10S, 11S, 12S Campy • 13S Campy N3W	Clincher & Tubeless Ready	700 × 28 ≈ 57	

Ricambi ruote mozzo RS hub wheels spare parts

Product	RS4	RS3	SL6	SL4	SL3	
Front Wheel Spoke	WDSP290 • 290 mm	WDSP292 • 292 mm	WDSP261 • 261 mm	WDSP276 • 276 mm	WDSP285 • 285 mm	
Rear Wheel Spoke DS	WDSP289 • 289 mm	WDSP290 • 290 mm	WDSP259 • 259 mm	WDSP275 • 275 mm	WDSP282 • 282 mm	
Rear Wheel Spoke NDS	WDSP291 • 291 mm	WDSP293 • 293 mm	WDSP261 • 261 mm	WDSP278 • 278 mm	WDSP287 • 287 mm	
Nipples	WDNI04HEXA • 10 mm	WDNI15ABS8 • 15 mm	WDNI15ABS8 • 15 mm	WDNI15ABS8 • 15 mm	WDNI15ABS8 • 15mm	
Shimano Freehub Flsp	WD17RSDB	WD17RSDB	WD17RSDB	WD17RSDB	WD17RSDB	
Campy Freehub Super Record MY24 • Ekar	WD18RSDB-N3W	WD18RSDB-N3W	WD18RSDB-N3W	WD18RSDB-N3W	WD18RSDB-N3W	
Sram Freehub XDR 12sp	WD17XRSDB-XDR	WD17XRSDB-XDR	WD17XRSDB-XDR	WD17XRSDB-XDR	WD17XRSDB-XDR	
Front Hub Alloy Sleeve	WD90RSDB	WD90RSDB	WD90RSDB	WD90RSDB	WD90RSDB	
Rear Hub Axle	WD70RSDB	WD70RSDB	WD70RSDB	WD70RSDB	WD70RSDB	
Front Hub LEFT End-Cap	WD73RSDBI2-L (Ø 12 mm)	WD73RSDBI2-L (Ø 12 mm)	WD73RSDBI2-L (Ø 12 mm)	WD73RSDBI2-L (Ø 12 mm)	WD73RSDBI2-L (Ø 12 mm)	
Front Hub RIGHT End-Cap	WD73RSDBI2-R (Ø 12 mm)	WD73RSDBI2-R (Ø 12 mm)	WD73RSDBI2-R (Ø 12 mm)	WD73RSDBI2-R (Ø 12 mm)	WD73RSDBI2-R (Ø 12 mm)	
Rear Hub LEFT End-Cap	WD74RSDB (Ø 12 mm)	WD74RSDB (Ø 12 mm)	WD74RSDB (Ø 12 mm)	WD74RSDB (Ø 12 mm)	WD74RSDB (Ø 12 mm)	
Rear Hub RIGHT End-Cap	WD75RSDB	WD75RSDB	WD75RSDB	WD75RSDB	WD75RSDB	
	WD75RSDBN3W(Ø 12 mm)	WD75RSDBN3W (Ø 12 mm)	WD75RSDBN3W(Ø 12 mm)	WD75RSDBN3W(Ø 12 mm)	WD75RSDBN3W (Ø 12 mm)	
Bearing Front Hub	WD72CRSDB • 26×17×5 • Ceramic	WD72RSDB • 26×17×5 • Steel	WD72RSDB • 26×17×5 • Steel	WD72RSDB • 26×17×5 • Steel	WD72RSDB • 26×17×5 • Steel	
Bearing Rear Hub DS	WD71CRSDB-R • 28×15×7 • Ceramic	WD71RSDB-R • 28×15×7 • Steel	WD71RSDB-R • 28×15×7 • Steel	WD71RSDB-R • 28×15×7 • Steel	WD71RSDB-R • 28×15×7 • Steel	
Bearing Rear Hub NDS	WD71CRSDB-L • 24×16×5 • Ceramic	WD71RSDB-L • 24×15×5 • Steel	WD71RSDB-L • 24×15×5 • Steel	WD71RSDB-L • 24×16×5 • Steel	WD71RSDB-L • 24×16×5 • Steel	
Tubeless Rim Tape	WDT25 25 mm	WDT25 25 mm	WDT25 25 mm	WDT25 25 mm	-	
Front Wheel Spoke Tension	100 kgf	100 kgf	100 kgf	100 kgf	100 kgf	
Rear Wheel Spoke Tension	120 kpf DS • 80 kpf NDS	120 kpf DS • 80 kpf NDS	120 kpf DS • 80 kpf NDS	120 kpf DS • 80 kpf NDS	120 kpf DS • 80 kpf NDS	


DS = Lato Cassetta / Drive Side

NDS = Lato Opposto Cassetta / Non Drive Side




Ricambi ruote mozzo Allroad Allroad hub wheels spare parts

Product	SL7	SL5
Front Wheel Spoke	WDSP252 • 252 mm	WDSP273 • 273 mm
Rear Wheel Spoke DS	WDSP251 • 251 mm	WDSP272 • 272 mm
Rear Wheel Spoke NDS	WDSP254 • 254 mm	WDSP275 • 275 mm
Nipples	WDNI5ABSB • 15 mm	WDNI5ABSB • 15 mm
Shimano Freehub 11sp	WD71RSDB	WD17RSDB
Campy FreeHub Super Record MY24 & Ekar	WD18RSDB-N3W	WD18RSDB-N3W
Sram FreeHub XDR 12sp	WD17XRSDB-XDR	WD17XRSDB-XDR
Front Hub Alloy Sleeve	WD90RSDB	WD90RSDB
Rear Hub Axle	WD70RSDB	WD70RSDB
Front Hub LEFT End-Cap	WD73RSDBI2-L (Ø 12 mm)	WD73RSDBI2-L (Ø 12 mm)
Front Hub RIGHT End-Cap	WD73RSDBI2-R (Ø 12 mm)	WD73RSDBI2-R (Ø 12 mm)
Rear Hub LEFT End-Cap	WD74RSDB (Ø 12 mm)	WD74RSDB (Ø 12 mm)
Rear Hub RIGHT End-Cap	WD75RSDB	WD75RSDB
Bearing Front Hub	WD75RSDBN3W (Ø 12 mm)	WD75RSDBN3W (Ø 12 mm)
Bearing Rear Hub DS	WD72RSDB • 26x17x5 • Steel	WD72RSDB • 26x17x5 • Steel
Bearing Rear Hub NDS	WD71RSDB-R • 28x15x7 • Steel	WD71RSDB-R • 28x15x7 • Steel
Tubeless Rim Tape	WD71RSDB-L • 24x15x5 • Steel	WD71RSDB-L • 24x15x5 • Steel
Front Wheel Spoke Tension	WD125 25 mm	WD125 25 mm
Rear Wheel Spoke Tension	100 kgf	100 kgf
	120 kgf DS • 80 kgf NDS	120 kgf DS • 80 kgf NDS



Ricambi mozzo ruota Hero RS Hero RS wheel hub spare parts


Product	HERO RS
Front Wheel Spoke	-
Rear Wheel Spoke DS	-
Rear Wheel Spoke NDS	-
Nipples	-
Shimano Freehub 11sp	WD74RSDB-H-SHI
Campy FreeHub Super Record MY24 & Ekar	WD8RSDB-H-N3W
Sram FreeHub XDR 12sp	WD7RSDB-H-XDR
Front Hub Alloy Sleeve	-
Rear Hub Axle	WD70RSDB-H
Front Hub LEFT End-Cap	-
Front Hub RIGHT End-Cap	-
Rear Hub LEFT End-Cap	WD74RSDB (Ø 12 mm)
Rear Hub RIGHT End-Cap	WD75RSDB
Bearing Front Hub	WD75RSDBN3W (Ø 12 mm)
Bearing Rear Hub DS	-
Bearing Rear Hub NDS	WD71CRSDB-L • 24x15x5 • Ceramic
Tubeless Rim Tape	WD71CRSDB-L • 24x15x5 • Ceramic
Front Wheel Spoke Tension	WD725 25 mm
Rear Wheel Spoke Tension	-



Ricambi ruote freni tradizionali Spare Parts rim brake wheels


Product	Front Wheel Spoke	Rear Wheel Spoke DS	Rear Wheel Spoke NDS	Nipples	Shimano Freehub 11sp	Campy Freehub 12sp	Sram Freehub XDR 12sp	Front Hub Axle	Rear Hub End-Cap NDS	Bearing Front Hub	Bearing Rear Hub	Front Hub Alloy Sleeve	Rear Hub Alloy Sleeve	Tubeless Rim Tape	Front Wheel Spoke Tension	Rear Wheel Spoke Tension
SL62	WDSP248 248mm	WDSP261 261mm	WDSP248 248mm	WDN1SABSB 15mm	WDI7N	WDI8N	WDITXDRSL	WD69N 15x90mm	WD74N	WD71C 24x15x5mm	WD72C 28x15x7mm	WD90	WD91	WDT21 21mm	100kgf	120kgf DS 80kgf NDS
SL48	WDSP261 261mm	WDSP275 275mm	WDSP262 262mm	WDN1SABSB 15mm	WDI7N	WDI8N	WDITXDRSL	WD70N 15x129mm	WD74N	WD71C 24x15x5mm	WD72C 28x15x7mm	WD90	WD91	WDT21 21mm	100kgf	120kgf DS 80kgf NDS

DS = Lato Cassetta / Drive Side
NDS = Lato Opposto Cassetta / Non Drive Side



Alanera RS

Ricambi/Spare Parts




↓ Art	↓ Deda Part Code	↓ Description	↓ Material	↓ Finish	↓ EAN13 Code
01	HDRS-TP	ALANERA RS topcap, alloy 6061, incl. M6×30 aluminum screw	Alloy	Black	8055774365925
01A*	HDRS-TP-DX	ALANERA RS topcap for D-SHAPE fork steerer	Alloy	Black	8055774365956
01B*	HDRS-TP-CANN2X	ALANERA RS topcap for Cannondale SuperSix 2023 & LAB71	Alloy	Black	8055774365963
02	RS-COVER	RS Nylon cover	Nylon	Black	8055774365970
03	RS-CLAMPKIT	ALANERA RS stem clamp kit, incl. titanium screws	Alloy + Titanium	Black	8055774365932
04	HDRSKITX	ALANERA RS headset spacers kit, black, nylon	Nylon	Black	8055774365949
04A	HDRS-S05	ALANERA RS 5mm spacer, black, nylon	Nylon	Black	8055774365987
04B	HDRS-S10	ALANERA RS 10mm spacer, black, nylon	Nylon	Black	8055774365994
04C	HDRS-TC56	ALANERA RS topcover, 56mm, black, nylon	Nylon	Black	8055774366007
04D	HDRS-TC46	ALANERA RS topcover, 46mm, black, nylon	Nylon	Black	8055774366014
04E	HDRS-MS	ALANERA RS micro shims	Steel	Silver	8055774366021
04F	HDRS-COMPR	ALANERA RS compression ring, 45°×45°, PA66 Nylon, Black	Nylon	Black	8055774366038
04G*	HDRS-COMPR-ACR	ALANERA RS compression ring, 36°×45°, PA66 Nylon, Black	Nylon	Black	8055774366816
05	ALAMOUNTRS	ALANERA RS computer mount, alloy 6061, for Garmin®, Wahoo®, Bryton®, GoPro®	Alloy	Black	8055774366045
05A	INSERTMOUNT2	Garmin®/Wahoo® Insert for Computer Mount (2 screws)	Nylon	Black	8055774366036
05B	INSERTMOUNT3	Bryton Insert for Computer & Seapost Mount (2 screws)	Nylon	Black	8055774364294
05C	GOPROSUPP-NX	GoPro® support, nylon, incl. 2 pcs M4 screws	Nylon	Black	8055774367523

(*) Non incluso con il manubrio; disponibile come ricambio. / Not included with the handlebar; available as spare.

Superbox V2

Ricambi/Spare Parts




↓ Art	↓ Deda Part Code	↓ Description	↓ Material	↓ Finish	↓ EAN13 Code
01	HDSBXTTP	Superbox topcap, black, alloy 6061, incl. M6×30 aluminium screw	Aluminium	Black	8052783488324
1A*	HDSBXTTP-4DX	SUPERBOX & ALANERA topcap for D-SHAPE fork, aluminium bolt M6×20 mm	Aluminium	Black	8052783489703
1B*	HDALADCRS05X	ALANERA & SUPERBOX topcap spacer, 5mm, nylon	Aluminium	Black	8052783488959
02	M5X18GST	Screw M5X18 Stainless steel, GST black coating, w/washer + threadlock	Steel	Black	8055774361088
03	FCSBX-V2	Superbox V2 faceplate, black anodized, Alloy 6061	Aluminium	Black	8055774368568
04A	SBXCOVER70	SUPERBOX cover, for 60, 70 & 80 mm stem, nylon, black	Nylon	Black	8055774362405
04B	SBXCOVER90	SUPERBOX cover, for 90 mm stem, nylon, black	Nylon	Black	8052783488362
04C	SBXCOVER100	SUPERBOX cover, for 100 mm stem, nylon, black	Nylon	Black	8052783488379
04D	SBXCOVER110	SUPERBOX cover, for 110 mm stem, nylon, black	Nylon	Black	8052783488393
04E	SBXCOVER120	SUPERBOX cover, for 120 mm stem, nylon, black	Nylon	Black	8052783488409
04F	SBXCOVER130	SUPERBOX cover, for 130 mm stem, nylon, black	Nylon	Black	8052783488416
04G	SBXCOVER140	SUPERBOX cover, for 140, 150, 160 & 170 mm stem, nylon, black	Nylon	Black	8052783489529
05	M3X20	Screw M3X20 CrMo, black, for SUPERBOX cover	CrMo	Black	8052783488348
06	HDRSKIT-SBOX	Superbox V2 headset spacers kit, black, nylon	Nylon	Black	8055774368582
06A	HDRS-SBOX	Alanera DCR/Superbox DCR spacer adapter for RS spacers kit	Nylon	Black	8055774367028
06B	HDRS-S05	Alanera RS 5mm spacer, black, nylon (1 pc)	Nylon	Black	8055774365987
06C	HDRS-S10	Alanera RS 10mm spacer, black, nylon (1 pc)	Nylon	Black	8055774365994
06D	HDRS-TC56	Alanera RS topcover, 56 mm, black, nylon, for 1.5" upper bearing	Nylon	Black	8055774366007
06E	HDRS-TC46	Alanera RS topcover, 46 mm, black, nylon, for 1" 1/8 upper bearing	Nylon	Black	8055774366014
06F	HDRS-MS	Microshims RS for 1.5" bearing , int. diam. 28.8 , ext. 47.0 mm, steel (2 pcs)	Steel	Silver	8055774366021
06G	HDRS-COMPR	RS compression ring, 45°×45°, PA66 Nylon, Black	Nylon	Black	8055774366038
07	DCLIPBLACK	D-CLIP for Superzero and Superbox stem, nylon, black	Nylon	Black	8059265684014
08*	SBOXMOUNTKIT	Superbox computer mount, nylon, black, Garmin®, Wahoo®, Bryton®, GoPro®	Nylon	Black	8055774362641
08A*	INSERTMOUNT2	Garmin®/Wahoo® Insert for Computer Mount (2 screws)	Nylon	Black	8055774366036
08B*	INSERTMOUNT3	Bryton® Insert for Computer & Seapost Mount (2 screws)	Nylon	Black	8055774364294
08C*	GOPROSUPP-NX	GO PRO® support, nylon, incl. 2 pcs M4 screws	Nylon	Black	8055774367523
09*	SBOXNUT	Nut for Superbox computer mount, aluminum, black, incl. M5×10 screw	Aluminum	Black	8055774362726

(*) Non incluso nell'attacco; disponibile come accessorio. / Not included with the stem; available as accessories.

Vinci

Ricambi/Spare Parts




↓ Art	↓ Deda Part Code	↓ Description	↓ Material	↓ Finish	↓ EAN13 Code
01	HDVCNTP	VINCI TOPCAP, black anodized, with alloy bolt M6×30mm	Alloy	Black	8052783486467
01A*	HDVCNS05-TC	VINCI SPACER for topcap, 5 mm, Nylon, Black	Nylon	Black	8055774363020
01B*	HDVCNTPA	VINCI TOPCAP ADAPTER for D-shape fork steerer	Nylon	Black	8052783488430
02	VCNSLEEVE	VINCI STEM SLEEVE ADAPTER 1" 1-4 to 1" 1-8, Black	Alloy	Black	8052783486474
03	M5X18ZBV	SCREW/VITE M5×18 CrMo, BLACK, w/ convex washer (VINCI stem)	Steel	Black	8052783486825
04	FCVCN	FACEPLATE VINCI STEM / Frontalino	Alloy	Black	8052783486481
05	HDVCNKIT	VINCI headset spacers kit, nylon	Nylon	Black	8052783486498
06	HDVCNTS	VINCI TOP SPACER, nylon	Nylon	Black	8052783486504
07	HDVCNS05	VINCI 5mm SPACER, nylon	Nylon	Black	8052783486511
08	HDVCNS10	VINCI 10mm SPACER, nylon	Nylon	Black	8052783486528
09	HDVCNS20	VINCI 20mm SPACER, nylon	Nylon	Black	8052783486535
10	HDVCN-SLEEVEKIT	INNER SLEEVES for VINCI spacers 1" 1-4 to 1" 1-8, alloy, 1 set (1×5mm 1×10mm 1×20mm)	Alloy	Black	8052783489543
11A	HDVCNTC56	VINCI TOP COVER, 56mm, nylon, for 1.5" upper bearing	Nylon	Black	8052783486542
11B	HDVCNTC46	VINCI TOP COVER, 46mm, nylon, for 1" 1-8 upper bearing	Nylon	Black	8052783486559
11C*	HDVCNTC52	VINCI TOP COVER, 52mm, nylon, for 1" 1-4 upper bearing	Nylon	Black	8052783486566
12*	VCNMOUNT	VINCI COMPUTER MOUNT for Garmin, Wahoo, Bryton, GoPro,	Nylon	Black	8052783486603
12A*	INSERTMOUNT2	Garmin/Wahoo Insert for Computer Mount (2 screws)	Nylon	Black	8055774360036
12B*	INSERTMOUNT1	Bryton insert for Jet & Vinci Computer Mount, 1 screw	Nylon	Black	8052783489710
12C*	INSERTMOUNT	Wahoo insert for Vinci Computer Mount, 1 screw	Nylon	Black	8052783488867
12D*	GOPROSUPPX	GO PRO support, alloy black, incl. 2 pcs M5 screws	Alloy	Black	8055774360982
13	HDCOMPRACR	Compression Ring for ACR headset, 36°×45°, PA66	Nylon	Grey	8052783486924

(*) Non incluso con l'attacco; disponibile come accessorio. / Not included with the stem; available as accessories.

Serie Sterzo DCR & S-DCR

Headset DCR & S-DCR



↓ Art	↓ Deda Part Code	↓ Description	↓ Material	↓ Finish	↓ EAN13 Code
01	HDCR5N	1"-1/2 CROWN RACE Integrated headset (IN&DCR), 45°×45°, Alloy, cut-style	Alloy	Silver	8052783486597
02	HDB5SUJ	BEARING 1"-1/2 for Integrated headset (IN), ACB, 51,9×40×8 mm	Steel	Silver	8051406528096
02A	HDB5SUJ-36	BEARING 1"-1/2 for Integrated headset (IN&DCR), 36×45, ACB, 51,8×40×8mm	Steel	Silver	8055774364133
03	HDCOMPRDCR	COMPRESSION RING for DCR headset, 45°×45°, PA66	Nylon	Black	8052783486580
03A	HDCOMPRACR	COMPRESSION RING for ACR headset, 36°×45°, PA66	Nylon	Grey	8052783486924
04	HDDCRMS	DCR MICROSPACERS	Steel	Silver	8052783486573
05*	HDVCNTC56	VINCI TOP COVER, 56 mm, nylon, for 1.5" upper bearing	Nylon	Black	8052783486542
05A*	HDALADCRTC56	SUPERBOX Top Cover, 56 mm, nylon, for 1.5" upper bearing	Nylon	Black	8052783486443
05B*	HDRS-TC56	ALANERA RS Top Cover, 56 mm, black, nylon	Nylon	Black	8055774366007
06	HSDCRTC56	S-DCR TOP COVER, 56 mm, Nylon, for 1.5" upper bearing	Nylon	Black	8055774360098
07	HDTPA46N	HEADSET TOP COVER, 46 mm, Alloy	Nylon	Black	8052783485361


(*) Incluso con Alanera RS, Superbox o Vinci. / Included with Alanera RS, Superbox or Vinci.

260

Serie Sterzo: IN-4 & IN-5

Headset: IN-4 & IN-5

IN-4 & IN-5




↓ Headset	01	02	03	04	05	06	07
IN-4	HDTPA46N Alloy, Ø46 mm	HDHTC46N Alloy Ø46 mm	HDMS*	HDCOMPRIN Nylon Grey	HDB8INSUJ 41,8×30,5×8 mm	HDB4INSUJ 46,9×34,1×7 mm	HDCR4IN
IN-5	HDTPA46N Alloy, Ø46 mm	HDHTC46N Alloy Ø46 mm	HDMS*	HDCOMPRIN Nylon Grey	HDB8INSUJ 41,8×30,5×8 mm	HDB5SUJ 51,9×40×8 mm	HDCR5

(*) masterpack 10 PCS

↓ Articolo Item	↓ Modello Model	↓ Tubo Sterzo Superiore Upper Frame Headtube		↓ Tubo Sterzo Superiore Upper Frame Headtube			↓ Tubo Sterzo Inferiore Lower Frame Headtube		↓ Cuscinetto Inferiore Lower Bearing			↓ Alt. Strz. Stack Hgt.
		↓ OD.1	↓ ID.1	↓ Type	↓ Bearing Cont. Ang.	↓ Bearing Cont. Ang.	↓ OD.2	↓ ID.2	↓ Type	↓ Bearing Cont. Ang.	↓ Bearing Size mm	
IN-4	Integrated	46 mm	42 mm	11/8"	45°×45°	41,8×30,5×8	52 mm	47 mm	11/4"	45°×45°	46,9×34,1×7	9,6 (8,8+0,8) mm
IN-5	Integrated	46 mm	42 mm	11/8"	45°×45°	41,8×30,5×8	56 mm	52 mm	11/2"	45°×45°	51,9×40×8	9,6 (8,8+0,8) mm

Serie Sterzo: Classic1 & Classic2

Headset: Classic1 & Classic2




↓ Model	01	02	03	04	05	06	07	08
Classic 1	HDTPACL1B (black) HDTPACL1S (silver)	HDCOMPR-CL1	HDB8SISUJ (41×30,15×7)	HDUC-CL1	HDLC-CL1B (black) HDLC-CL1S (silver)	HDB5SUJ 51,9×40×8	HDCR5N	-
Classic 2	HDTPA56	HDDCRMS	HDCOMPRDCR	HDB5SISUJ (51,9×40×7)	HDUC-CL2	HDLC-CL2	HDB5SISUJ (51,9×40×7)	HDCR5N

↓ Articolo Item	↓ Modello Model	↓ Tubo Sterzo Superiore Upper Frame Headtube		↓ Tubo Sterzo Superiore Upper Frame Headtube			↓ Tubo Sterzo Inferiore Lower Frame Headtube		↓ Cuscinetto Inferiore Lower Bearing			↓ Alt. Strz. Stack Hgt.
		↓ OD.1	↓ ID.1	↓ Type	↓ Bearing Cont. Ang.	↓ Bearing Cont. Ang.	↓ OD.2	↓ ID.2	↓ Type	↓ Bearing Cont. Ang.	↓ Bearing Size mm	
Classic 1	Semi-integrate dupper / external lower	46 mm	44 mm	11/8"	45°×45°	41×30,15×7	46 mm	44 mm	11/2"	45°×45°	46,9×34,1×7	24, 4 (10,1 + 14,3) mm
Classic 2	External upper / external lower	46 mm	44 mm	11/2"	45°×45°	51,9×40×8	46 mm	44 mm	11/2"	45°×45°	51,9×40×8	42 (21 + 21) mm

Attacchi/Stems

Ricambi/Spare Parts




↓ Stem	↓ Screw Material	↓ Screw Finish	↓ 01	↓ 02	↓ 03
Superleggero	Titanium	Black Titanium	M5X16TIT3B M5 × 16 mm w/convex washer	M5X16TIT2B M5 × 16 mm w/ flat washer	FCASLN 2-piece faceplate
Superleggero RS	Titanium	Black Titanium	M5X16TIT M5 × 16 mm w/convex washer	M5X16TIT M5 × 16 mm w/convex washer	FCASLRS 2-piece faceplate
Superzero RS	Titanium	Black Titanium	M5X16TIT5B M5 × 16 mm W/convex washer	M5X16TIT5B M5 × 16 mm W/convex washer	FCSZRS 2-piece faceplate
Superzero	CroMo	Zinc Black	M5X16ZB M5 × 16 mm w/flat washer	M5X16ZB M5 × 16 mm w/flat washer	FCSZN 2-piece faceplate (Team finish)
Zero 100 Zero 100 Team	CroMo	Zinc Black	M5X16ZB100 M5 × 16 mm w/flat washer	M5X16ZB100 M5 × 16 mm w/flat washer	FC100NP 2-piece faceplate
Zero 2	CroMo	Zinc Black	M5X18ZB M5 × 18 mm w/flat washer	M5X18ZB M5 × 18 mm w/flat washer	FCZ2N1 2-piece faceplate (Team finish)
Zero 1	CroMo	Zinc Black	M5X18ZB M5 × 18 mm w/flat washer	M5X18ZB M5 × 18 mm w/flat washer	-
Zero	CroMo	Zinc Black	M5X16ZE M5 × 16 mm w/ spring washer	M5X16ZE M5 × 16 mm w/spring washer	-
Pista	CroMo	Chrome Plated	M5X16CRMO M5 × 16 mm w/flat washer	M5X16CRMO M5 × 16 mm w/flat washer	-
Murex	CroMo	Chrome Plated	-	-	-




Reggisella/Seatposts

Ricambi/Spare Parts




↓Deda Part	↓Description	↓Material	↓Finish	↓RS & Superleggero	↓RS OEM & Superzero	↓Zero100
				25, 12 & 0 mm	25, 12 & 0 mm	0 mm
SP01	Seatpost Fixing Bolt M7×30 mm Titanium	Titanium	Titanium	Y	-	-
SP02	Seatpost Fixing Bolt, M7×35 mm, w/convex washer, stainless steel	Steel	Chrome Plated	-	Y	-
SP03B	Seatpost End-Nut (1 Piece)	Steel	Chrome Plated	Y	Y	Y
SP04	Seatpost Upper Plate	Alloy	Black	Y	Y	Y
SP05	Seatpost Lower Plate	Alloy	Black	Y	Y	Y
SP06	Seatpost Barrel Nut	Alloy	Black	-	-	-
SP06A	Seatpost Barrel Nut	Alloy	Black	Y	Y	-
SP07	Seatpost Fixing Bolt, M6×28 mm, black PVD, titanium	Titanium	Titanium	Y	-	-
SP08	Seatpost Fixing Bolt, M6×28 mm, steel	Steel	Chrome Plated	-	Y	Y
SP09	Cylinder Upper Plate (1 Piece)	Alloy	Silver	-	-	-
SP10	Seatpost Lower Plate	Alloy	Silver	-	-	-
SP11	Seatpost Fixing Bolt M6×40 mm Steel	Steel	Chrome Plated	-	-	-
SP12	Upper Plate Kit (Including Bolt)	-	-	-	-	-
SP13	Seatpost Lower Plate	Alloy	Black	-	-	-
SP14	Seatpost Fixing Bolt M6 × 25 mm Steel	Steel	Chrome Plated	-	-	-
SP16	Seatpost Upper Plate (Zero)	Alloy	Black	-	-	-
SP17	Seatpost Upper Plate (Zero)	Alloy	Black	-	-	-
SP18	Seatpost Fixing Bolt & Nut, M6×28 mm, steel, 1 Pc (Zero)	Steel	Chrome Plated	-	-	-



↓ Zero100	↓ Zero2	↓ Zero1	↓ Zero	↓ RS01	↓ Cross	↓ Cross	↓ Peak
12 mm	21 mm	20 mm	18 mm	21 mm	0 mm	25 mm	20 mm
-	-	-	-	-	-	Y	-
Y	-	-	-	-	-	-	-
Y	-	-	-	-	Y	Y	Y
Y	-	-	-	-	Y	Y	-
Y	-	-	-	-	Y	Y	-
-	-	-	-	-	-	Y	-
-	-	-	-	-	-	Y	-
Y	-	-	-	-	Y	-	-
-	-	-	-	Y	-	-	-
-	-	-	-	Y	-	-	-
-	-	-	-	Y	-	-	-
-	Y	Y	-	-	-	-	Y
-	Y	Y	-	-	-	-	Y
-	Y	Y	-	-	-	-	Y
-	-	-	Y	-	-	-	-
-	-	-	Y	-	-	-	-
-	-	-	Y	-	-	-	-

TT314®
Ricambi/Spare Parts




↓ Art	↓ Deda Part Code	↓ Description	↓ EAN13 Code
01	M-CLIP-ALARS	Clip for Alanera RS	8055774369695
02	CLIP-STICKER-ALARS	TT 314 protection sticker for Alanera RS	8055774369718
03	TT-SPACER-060	TT spacer 60mm/30° (1 set = 2 pcs), aluminum, black anodized	8055774369015
03A (*)	TT-SPACER-080	TT spacer 80mm/30° (1 set = 2 pcs), aluminum, black anodized	8055774369022
03B (*)	TT-SPACER-100	TT spacer 100mm/30° (1 set = 2 pcs), aluminum, black anodized	8055774369039
03C (*)	TT-SPACER-120	TT spacer 120mm/30° (1 set = 2 pcs), aluminum, black anodized	8055774369053
04	TT-PLATEKIT	TT plate kit, aluminium, black anodized (Rev. 7)	8055774369091
04A	TT-PL-R	TT plate RIGHT, aluminium, black anodized (Rev. 7)	8055774369107
04B	TT-PL-L	TT plate LEFT, aluminium, black anodized (Rev. 7)	8055774369114
05	SP15	Convex washer for M5 & M6 screws, black	8052783483060
06	M6X30S-T	M6X30 Screw, countersunk head, steel, black, w/threadlock	8055774364713
07	M6X20S-B	M6X20 Screw, button head, steel, black	8055774369701
08	M6X50S-B	M6X50 Screw, button head, steel, black	8055774368988

(*) Non incluso col clip-on; disponibile separatamente / Not included with the clip-on; available as accessory

JET2 EVO


Ricambi/Spare Parts



↓ Art	↓ Deda Part Code	↓ Description	↓ Material	↓ Finish	↓ EAN13 Code
01	JETPADKIT	JET Armrest Pad Kit (1 set, pads + 3K carbon sticker)	Lycra + Foam	Black	8052783488829
01A	JETSTICK	JET Cover, 3K Carbon Stickers (1 set, 2 pcs)	PU	Black	8052783488836
02	JET2-UPL	JET 2 kit upper plate, aluminium 6061, includes bolts M6x18, 1 set	Aluminum	Black	8055774361194
03A	JETSMALLPOB-R	JET Carbon Extension, SMALL (340 mm), RIGHT, POB finish, 1 pc	Carbon	Black	8052783488683
03B	JETSMALLPOB-L	JET Carbon Extension, SMALL (340 mm), LEFT, POB finish, 1 pc	Carbon	Black	8052783488690
03C	JETMEDIUMPOB-R	JET Carbon Extension, MEDIUM (370 mm), RIGHT, POB finish, 1 pc	Carbon	Black	8052783488706
03D	JETMEDIUMPOB-L	JET Carbon Extension, MEDIUM (370 mm), LEFT, POB finish, 1 pc	Carbon	Black	8052783488713
04	SP03B	Seatpost end-nut, hemispherical head, steel, black, 1 pc	Steel	Black	8055774361118
05A	TT-PL-R	TT plate RIGHT, aluminium, black anodized	Aluminium	Black	8055774369107
05B	TT-PL-L	TT plate LEFT, aluminium, black anodized	Aluminium	Black	8055774369114
06	TT-PL-L	M6 squared nut, 10x10x4mm, steel, black	Steel	Black	8055774369244
07	JETMOUNT	JET COMPUTER MOUNT for Garmin, Wahoo, Bryton	Nylon	Black	8052783488843
07A	INSERTMOUNT	GARMIN Insert for Jet & Vinci Computer Mount	Nylon	Black	8052783488867
07B	INSERTMOUNT1	BRYTON Insert for Jet & Vinci Computer Mount	Nylon	Black	8052783489710
07C	JETMOUNTXMT	JET COMPUTER MOUNT Top + Bottom Part, incl screws (M4x12, M3x8)	Nylon	Black	8052783488850

JET2 HYDRO

Ricambi/Spare Parts




↓ Art	↓ Deda Part Code	↓ Description	↓ Material	↓ Finish	↓ EAN13 Code
01	NUT-1	M6 squared nut, 10×10×4 mm, steel, black	Steel	Black	8055774369244
02A	TT-PL-R	TT plate RIGHT, aluminium, black anodized	Aluminium	Black	8055774369107
02B	TT-PL-L	TT plate LEFT, aluminium, black anodized	Aluminium	Black	8055774369114
03	SP03B	Seatpost end-nut, hemispherical head, steel, black, 1 pc	Steel	Black	8055774361118
03A	M-JETHYDRO-S	Jet Hydro extensions, size Small (1 set = 2 pcs)	Aluminium	Black	8055774369251
03B	M-JETHYDRO-M	Jet Hydro extensions, size Medium (1 set = 2 pcs)	Aluminium	Black	8055774369268
04	TT-INPL	Inner plate, aluminium, black	Aluminium	Black	8055774369275
05	M6X10-B	M6X8 Screw, button head, steel, black, w/threadlock	Steel	Black	8055774369282
06A (**)	JH-GRIP-KIT	Jet Hydro grip kit (1 set = 2 pcs), incl. screws	Nylon	Black	8055774369299
06B (**)	JH-GRIP-KIT1	Jet Hydro grip kit, Shimano SW-R9150 satellite remote shifters (1 set = 2 pcs)	Nylon	Black	8055774369640
06C (**)	JH-GRIP-KIT2	Jet Hydro grip kit, Sram EC-BLIP-B1 satellite remote shifters (1 set = 2 pcs)	Nylon	Black	8055774369657
07	JH-ARMRESTKIT	Jet Hydro armrest kit, nylon, black, 1 set (2 pcs), incl. screws	Nylon	Black	8055774369305
08	JH-PADKIT	Jet Hydro pad kit, 3mm, foam, black, 1 set (2 pcs)	Lycra + Foam	Black	8055774369312
09	PLUG4	Plug End Cap for Jet Hydro extensions (1 pc)	Nylon	Black	8055774369329
10	TT-MOUNTKIT	TT computer mount, nylon, for Garmin, Wahoo & Bryton	Nylon	Black	8055774369152
10A	INSERTMOUNT2	Garmin/Wahoo Insert for computer mount (2 screws)	Nylon	Black	8055774360036
10B	INSERTMOUNT3	Bryton Insert for computer & seatpost mount (2 screws)	Nylon	Black	8055774364294
10C	M-TT-MOUNT	TT computer mount, nylon, black	Nylon	Black	8055774369169
10D	TT-MOUNT-S15	TT computer mount spacer, 15mm, nylon, black	Nylon	Black	8055774369176
10E	TT-MOUNT-S30	TT computer mount spacer, 30mm, nylon, black	Nylon	Black	8055774369183

(**) Inclusi rispettivamente nelle versioni per comandi remoti standard (6A), Shimano Satellite (6B), Sram Blips (6C).
 Included respectively in the versions for standard remote shifters (6A), Shimano Satellite (6B), Sram Blips (6C).

JET2 to JET1 conversion spacer kit


Ricambi/Spare Parts



↓ Art	↓ Deda Part Code	↓ Description	↓ Material	↓ Finish	↓ EAN13 Code
01	M6X35S-T	M6X35 Screw, countersunk head, steel, black, w/threadlock	Steel	Black	8055774369121
02	SP15	Convex washer for M5 & M6 screws, black	Steel	Black	8052783483060
03	TT-SPACER-060	TT mono spacer 60 mm/30° (1 set = 2 pcs), aluminum, black anodized	Aluminium	Black	8055774369015
04	TT-UC	TT upper clamp, Ø 31.7 mm, aluminium, black	Aluminium	Black	8055774369008
05	TT-LC	TT lower clamp, Ø 31.7 mm, aluminium, black	Aluminium	Black	8055774368995
06	M6X50S-B	M6X50 Screw, button head, steel, black, w/threadlock	Steel	Black	8055774368988

Fast Pro

Ricambi/Spare Parts



↓ Art	↓ Deda Part Code	↓ Description	↓ Material	↓ Finish	↓ EAN13 Code
01	M6X50S-B	M6X50 Screw, button head, steel, black, w/threadlock	Steel	Black	8055774368988
02	TT-LC	TT lower clamp, Ø31.7mm, aluminium, black	Aluminium	Black	8055774368995
03	TT-UC	TT upper clamp, Ø31.7mm, aluminium, black	Aluminium	Black	8055774369008
04A	TT-SPACER-060	TT mono spacer 60mm/30° (1 set = 2 pcs), aluminium, black anodized	Aluminium	Black	8055774369015
04B (*)	TT-SPACER-080	TT mono spacer 80mm/30° (1 set = 2 pcs), aluminium, black anodized	Aluminium	Black	8055774369022
04C (*)	TT-SPACER-100	TT mono spacer 100mm/30° (1 set = 2 pcs), aluminium, black anodized	Aluminium	Black	8055774369039
04D (*)	TT-SPACER-120	TT mono spacer 120mm/30° (1 set = 2 pcs), aluminium, black anodized	Aluminium	Black	8055774369053
05	FPRO-EXT	Fast Pro carbon extensions, Ø22.2mm, POB finish, (1 set = 2 pcs)	Carbon	Black	8055774368865
06A (**)	FPRO-GRIP-KIT	Fast Pro grip kit (1 set = 2 pcs)	Nylon	Black	8055774369060
06B (**)	FPRO-GRIP-KIT1	FastPro grip kit, Shimano SW-R9150 satellite remote shifters (1 set = 2 pcs)	Nylon	Black	8055774369664
06C (**)	FPRO-GRIP-KIT2	FastPro grip kit, Sram EC-BLIP-B1 satellite remote shifters (1 set = 2 pcs)	Nylon	Black	8055774369671
07	CLAMP22	TT extensions clamp kit, Ø22.2mm, aluminium, black, 1 set (2 pcs) incl. screws	Aluminium	Black	8055774369077
08	TT-PLATEKIT	TT plate kit, aluminium, black anodized (Rev. 6)	Aluminium	Black	8055774369091
09	TT-ARMRESTKIT	TT armrest kit, aluminium, black, 1 set (2 pcs)	Aluminium	Black	8055774369138
10	TT-PADKIT	TT pad kit, foam, black, 1 set (2 pcs)	Foam	Black	8055774369145
11	TT-MOUNTKIT	TT computer mount, nylon, for Garmin, Wahoo & Bryton	Nylon	Black	8055774369152
11A	INSERTMOUNT2	Garmin/Wahoo Insert for computer mount (2 screws)	Nylon	Black	8055774360036
11B	INSERTMOUNT3	Bryton Insert for computer & seatpost mount (2 screws)	Nylon	Black	8055774364294
11C	M-TT-MOUNT	TT computer mount, nylon, black	Nylon	Black	8055774369169
11D	TT-MOUNT-S15	TT computer mount spacer, 15mm, nylon, black	Nylon	Black	8055774369176
11E	TT-MOUNT-S30	TT computer mount spacer, 30mm, nylon, black	Nylon	Black	8055774369183
12	PLUG5	Plug End Cap for FastPro extensions (1 pc)	Nylon	Black	8055774369190


(*) Non incluso con le estensioni; disponibile separatamente / Not included with the extensions; available as accessory

(**) Inclusi rispettivamente nelle versioni per comandi remoti standard (6A), Shimano Satellite (6B), Sram Blips (6C).

Included respectively in the versions for standard remote shifters (6A), Shimano Satellite (6B), Sram Blips (6C).

Parabolica Pro

Ricambi/Spare Parts




↓ Art	↓ Deda Part Code	↓ Description	↓ Material	↓ Finish	↓ EAN13 Code
01	M6X50S-B	M6X50 Screw, button head, steel, black, w/threadlock	Steel	Black	8055774368988
02	TT-LC	TT lower clamp, Ø31.7mm, aluminium, black	Alloy	Black	8055774368995
03	TT-UC	TT upper clamp, Ø31.7mm, aluminium, black	Alloy	Black	8055774369008
04A	TT-SPACER-060	TT mono spacer 60mm/30° (1 set = 2 pcs), aluminium, black anodized	Alloy	Black	8055774369015
04B (*)	TT-SPACER-080	TT mono spacer 80mm/30° (1 set = 2 pcs), aluminium, black anodized	Alloy	Black	8055774369022
04C (*)	TT-SPACER-100	TT mono spacer 100mm/30° (1 set = 2 pcs), aluminium, black anodized	Alloy	Black	8055774369039
04D (*)	TT-SPACER-120	TT mono spacer 120mm/30° (1 set = 2 pcs), aluminium, black anodized	Alloy	Black	8055774369053
05	PARAPRO-EXT	Para Pro extensions only, Ø24mm, aluminium, black (1 set)	Alloy	Black	8055774369213
06	PLUG3	Plug End Cap for TT extensions Parabolica, Parabolica Pro & Cronoevo (1 pc)	Nylon	Black	8059265682041
07	CLAMP24	Extensions clamp kit, Ø24mm, aluminium, black, 1 set (2 pcs) incl. M6X35 screws	Alloy	Black	8055774369220
08	TT-PLATEKIT	TT plate kit, aluminium, black anodized	Alloy	Black	8055774369091
09	TT-ARMRESTKIT	TT armrest kit, aluminium, black, 1 set (2 pcs)	Alloy	Black	8055774369138
10	TT-PADKIT	TT pad kit, foam, black, 1 set (2 pcs)	Lycra-Foam	Black	8055774369145
11*	PARAMOUNTKIT	PARAMOUNTKIT, mount kit for Ø24mm extensions, for Garmin, Wahoo & Bryton	Nylon + GF	Black	8059493280583
11A*	M-PARAMOUNT	Computer bracket for Ø24mm extensions	Nylon + GF	Black	8059493280590
11B*	SP21	Staffa seatpost mount for Garmin & Bryton	Nylon + GF	Black	8055774364287
11C*	INSERTMOUNT2	Garmin/Wahoo Insert for Computer Mount (2 screws)	Nylon	Black	8055774360036
11D*	INSERTMOUNT3	Bryton Insert for Computer & Seapost Mount (2 screws)	Nylon	Black	8055774364294

(*) Non incluso con le estensioni; disponibile separatamente / Not included with the extensions; available as accessory

Cronoevo, Parabolica, Fastblack2, Superzero TT


Ricambi/Spare Parts

- Cronoevo
- Parabolica
- Fastblack2



↓ Art	↓ Deda Part Code	↓ Description	↓ Material	↓ Finish	↓ EAN13 Code
01	PAD31	PARABOLICA / FASTBLACK2 ARMREST PAD, Foam and Lycra (1 pair)	Foam + Lycra	Black	8051406526566
02	ARMRESTPLATE	PARABOLICA / FASTBLACK2 ARMREST PLATE, Alloy 6061, including Screws (1 pair)	Alloy + Steel	Black	8059265680450
03A	CLAMP2007	PARABOLICA / FASTBLACK2 CLAMP for 31.7 mm h/bar (1 pair)	Alloy	Black	8059265680467
03B	CLAMP35	PARABOLICA / FASTBLACK2 CLAMP for 35.0 mm h/bar (1 pair)	Alloy	Black	8051406527839
04A	K04N	FASTBLACK2 Extensions, J-bend, Ø24mm, 370mm x 23°, carbon UD (1 set)	Carbon UD	Black	8059265689439
04B	P1EXT	PARABOLICA 1 Extensions, J-bend, Ø24mm, 300mm x 38°, AL6061 (1 set)	Alloy	Black	8059265684205
04C	PARA1EVO	CRONOEVO Extensions, J-bend, Ø 24mm, 370 mm x 50°, AL6061 (1 set)	Alloy	Black	8052783485408
05	P2EXT	PARABOLICA 2 Extensions, S-bend, Ø24mm, 300mm, 42mm rise, AL6061 (1 set)	Alloy	Black	8059265684212
06	P0EXT	PARABOLICA 0 Extensions, Straight bend, Ø24mm, 310 mm, AL6061 (1 set)	Alloy	Black	8059265684199
07	PARARISERKIT	PARABOLICA/FASTBLACK2 RISER SPACERS KIT, Nylon,1 set, w/bolts	Nylon	Black	8059265688548
08A	PLUG2	TT EXTENSIONS REAR PLUG END-CAP / TAPPO, for Espresso, Kronos, Fastblack2 (1 pc)	TPU	Black	8059265681365
08B	PLUG3	TT EXTENSIONS REAR PLUG END-CAP / TAPPO, for Parabolica & Cronoevo (1 pc)	TPU	Black	8059265682041

Superzero TT




↓ Art	↓ Deda Part Code	↓ Description	↓ Material	↓ Finish	↓ EAN13 Code
01	CBPADN	CARBON / METAL BLAST ARMREST PAD, LYCRA+FOAM	Lycra + Foam	Black	8059265686285
02	MBPLATESZ	SUPERZERO TT CLIP-ON ARMREST PLATE, Aluminum 6061, including Screws (1 pair)	Alloy	Black	8052783482445
03	CLAMP SZ	Superzero TT clamp system, for Ø 31.7 mm handlebar	Alloy	Black	8052783482438
04	PARA2SZ	SUPERZERO TT CLIP-ON Extensions Only, 200 mm, Black Anodized, Alloy 6061, 1 set	Alloy	Black	8052783482414
05	BBLAST	BRIDGE for Carbon Blast / Metal Blast / Superzero TT	Nylon	Black	8051406525453

Carbon Blast & Metal Blast


Ricambi/Spare Parts

Carbon Blast



↓ Art	↓ Deda Part Code	↓ Description	↓ Material	↓ Finish	↓ EAN13 Code
01	CBPADN	CARBON / METAL BLAST ARMREST PAD, LYCRA+FOAM	Lycra + Foam	Black	8059265686285
02	BBLAST	BRIDGE for Carbon Blast / Metal Blast	Nylon	Black	8051406525453
03	CLAMPBLAST	CARBON BLAST Clamp System including Pins and Screws (1 kit)	Alloy + Steel	Black	8059265684298


Metal Blast



↓ Art	↓ Deda Part Code	↓ Description	↓ Material	↓ Finish	↓ EAN13 Code
01	CBPADN	CARBON / METAL BLAST ARMREST PAD, LYCRA+FOAM	Lycra + Foam	Black	8059265686285
02	BBLAST	BRIDGE for Carbon Blast / Metal Blast	Nylon	Black	8051406525453
03	MBPLATE	Metal Blast armrest, aluminium 6061, includes bolts, 1 set = 2 pcs	Alloy	Black	8052783482452

EDG Road, Allroad, Gera Curvy & Gera EDG

Ricambi/Spare Parts




↓ Art	↓ Deda Part Code	↓ Description	↓ Material	↓ Finish	↓ EAN13 Code
01	EXP-DX	EXPANDER for D-SHAPE fork, 70 mm length, with top cap and D-shape spacer	Aluminum	Black / Silver	8055774363877
02A*	HDRS-TP-DX	ALANERA RS topcap for D-SHAPE fork steerer	Aluminum	Black	8055774365956
02B*	HDSBXTX-DX	SUPERBOX TOPCAP for D-SHAPE fork steerer, 1 1/8" headset, alloy bolt M6×20 mm	Aluminum	Black	8052783489703
02C*	HDSZTPX-DX	SUPERZERO TOPCAP for D-SHAPE fork steerer, 1 1/8" headset, alloy bolt M6×20 mm	Aluminum	Black	8052783485477
03	HDDDSS70	D-SHAPE fork spacer/spessore, 70 mm aluminum, black	Aluminum	Black	8055774366885
04A	PP12012	THRU AXLE front flat head M12 × P1.5 × 120	Aluminum	Black	8055774363884
04B	PP12012-AR	THRU AXLE front tapered head M12 × P1.5 × 120	Aluminum	Black	8055774361040

(*) Non incluso con la forcella; disponibile come accessorio / Not included with the fork; available as accessory



Staffa

Ricambi/Spare Parts



↓ Art	↓ Deda Part Code	↓ Description	↓ Material	↓ Finish	↓ EAN13 Code
01	SP19	Staffa seatpost lower plate, alloy 6061, black	Alloy 6061	Black	8055774364263
02	SP20	Staffa seatpost GoPro mount, black	Nylon + GF	Black	8055774364270
03	SP21	Staffa seatpost mount for Garmin & Bryton	Nylon + GF	Black	8055774364287
03A	INSERTMOUNT2	Garmin/Wahoo Insert for Computer Mount (2 screws)	Nylon	Black	8055774360036
04B	INSERTMOUNT3	Bryton Insert for Computer & Seapost Mount (2 screws)	Nylon	Black	8055774364294

Informazioni tecniche Manubri & Attacchi

Handlebars & Stems Technical Information



Attacchi Stems

↓ Products	↓ Larghezza frontalino (mm) Faceplate width (mm)
Vinci	57
Superzero RS	43
Superleggero RS	27,2 mm (Front) & 38 mm (Rear)
Superbox	44,5
Zero100	37,5
Zero2	asymmetric 38/43,5
Zero1	40
Zero	41

Manubri Handlebars

↓ Products	↓ Size	↓ Larghezza dell'area centrale da Ø 31.7 mm Clamping area width with Ø 31.7 mm
Vinci	All sizes	85
Superzero RS Carbon	All sizes	83
Superzero RS Alloy	All sizes	80 (36 size) - 100 (38, 40, 42, 44 sizes)
Superleggero RS	All sizes	110
Superzero Alloy	All sizes	60
Superzero Gravel Carbon	All sizes	83
Superzero Gravel Alloy	All sizes	100
Gera Carbon	All sizes	80
Gera Alloy	All sizes	90
Gravel 100	40	80
	42	100
	44	120
	46	140
Zero100	38	60
	40	60
	42	90
	44	110
Zero2 DCR	46	130
	All sizes	100
Zero2	40	80
	42	100
	44	120
	46	140
Zero1	38	100
	40	110
	42	120
	44	120
Zero	46	120
	42	100
	44	120
	46	120

Ruote Tubeless. Compatibilità pneumatico

Tubeless Wheels. Tire compatibility

Importante • I cerchi Deda consentono il gonfiaggio ad una pressione massima di 7 bar. Controlla sempre la pressione massima indicata sul copertone dal produttore, in quanto potrebbe differire da quella dei cerchi.

Important • Deda rims support a maximum inflation pressure of 7 bar. Always refer to the maximum pressure specified by the tire manufacturer, as it may differ from the rim's limit.

Larghezza Pneumatico Tire Width		Larghezza interna cerchio Rim Inner Width						
		ROAD					GRAVEL	
		19C		21C	23C		23C	
inch	mm	↓ RS4	↓ RS3	↓ HERO RS	↓ SL7	↓ SL5	↓ GERA Carbon	↓ GERA Alloy
0,90	23	-	-	-	-	-	-	-
0,94	24	●	●	-	-	-	-	-
1,00	25	●	●	-	-	-	-	-
1,06	27	●	●	-	-	-	-	-
1,10	28	●	●	●	●	●	●	●
1,20	30	●	●	●	●	●	●	●
1,30	32	●	●	●	●	●	●	●
1,35	34	●	●	●	●	●	●	●
1,40	36	●	●	●	●	●	●	●
1,50	38	●	●	●	●	●	●	●
1,55	40	●	●	●	●	●	●	●
1,65	42	●	●	●	●	●	●	●
1,75	44	●	●	●	●	●	●	●
1,80	46	●	●	●	●	●	●	●
1,90	48	●	●	●	●	●	●	●
1,95	50	●	●	●	●	●	●	●
2,25	57	●	●	●	●	●	●	●
2,56	65	-	-	●	●	●	●	●
2,80	71	-	-	-	-	-	-	-






Dedaindustrie Srl Via Leonardo Da Vinci, 19/21/23 26010 Campagnola Cremasca (CR) – IT Tel. (+39) 0373 750129 info@dedaelementi.com dedaelementi.com    #ridededa	Deda OS No.8, Lane 150-30, Sec. 3, Xitun Rd., Xitun Dist. Taichung City 407, Taiwan (R.O.C.) Tel: +886-4-24623436 Fax: +886-4-24623430 dedaos.com.tw	Il marchio e i loghi Deda Elementi e Deda sono marchi registrati da Dedaindustrie S.r.l. Deda Elementi and Deda logo and brand are registered trademarks of Dedaindustrie S.r.l.
--	---	--

Edizione stampata. 09.2025 Print edition. 09.2025	IT • Le informazioni e le immagini contenute in questo catalogo sono valide al momento della stampa. Dedaindustrie Srl si riserva la facoltà di modificare il contenuto e l'aspetto dei prodotti contenuti in questo catalogo. Il marchio e il logo Deda sono proprietà della Dedaindustrie Srl, ogni uso non autorizzato sarà perseguibile a termine di legge. I pesi indicati all'interno del catalogo sono riferiti al campione più leggero e possono variare in funzione delle tolleranze dimensionali fino a un max di +/- 4%.	EN • The information and pictures contained in this catalogue are valid at time of printing. Dedaindustrie Srl reserves the right to modify the content and appearance of products in the catalogue. Deda logo and products are owned by Dedaindustrie Srl, any unauthorized use thereof is punishable by law. The weights in the catalogue refer to the lighter production sample and may vary in function of the dimensional tolerances up to a max.
---	--	---

Art direction e progetto grafico Art direction and graphic design → Poliedro Studio	Crediti fotografici Photo credits Manuel Gatto (Cover • 27-45 • 58-66), Van Rysel, Sam Andrews, Maurizio Borserini, Chiara Redaschi, Uno-X Mobility, Titici, Federico Vandone, Laboral Kutxa, Euskaltel Euskadi, Tornanti CC, Pushbikers Team, Sebastian Roth, Standert Bicycles, Cycling Media Agency, Crellan Corendon, Team Novo Nordisk, Simone Mescolini, Gusoline, Paolo Penni Martelli. Post Production Post Production → A. De Pedrini	IT • Un ringraziamento speciale al nostro staff, distributori, negozi e amici per mettere così tanto entusiasmo e passione nel promuovere Deda in tutto il mondo.	EN • Special thanks to our staff, distributors, dealers and friends for putting so much enthusiasm and passion in promoting Deda brand all around the world.
--	--	--	---





Cycling has many facets: let's celebrate together
the sport we love more than any other.



CYCLING PUMPS



SUPERPISTA ULTIMATE HIRO EDITION

AM-PU-SP2-ASY-011
SuperPista Ultimate «Hiro Edition»

Silver, 3.2 kg

- Vollständige Konstruktion aus Edelstahl, Aluminium, Holz und Messing
- Ergonomischer Griff aus Purpleheart-Holz und Feinguss-Edelstahl
- Dicke Vollnarbenleder-Kolbendichtung – effizienter und langlebiger als Gummi
- Vollständige IGUS-Linearlager für ultimative Leichtgängigkeit
- Stahlummantelter 12 000-PSI-Schlauch, high-end Labormanometer, magnetischer «Hiro»-Edelstahlpumpkopf, magnetisches Pumpkopf-Dock, 800 g Pumpenbasis mit «Surfboard»
- Druck 0 –160 PSI (0 – 11 Bar), Schlauch 130 cm, Kolben 32 mm
- Construction entièrement en acier inoxydable, aluminium, bois et laiton.
- Manche ergonomique en bois de Purpleheart et acier inoxydable moulé à la cire perdue.
- Joint de piston en cuir épais pleine fleur - plus efficace et durable que le caoutchouc
- Roulements linéaires IGUS complets pour une douceur ultime
- Tuyau en acier de 12 000 PSI, manomètre de laboratoire haut de gamme, tête de pompe magnétique en acier inoxydable "Hiro", socle de tête de pompe magnétique, base de pompe "planche de surf" de 800 g
- Pression 0 -160 PSI (0 - 11 Bar), tuyau 130 cm, piston 32 mm



SUPERPISTA DIGITAL

AM-PU-002-ASY-0100
Super Pista Digital

Black

- Kombiniert ein Vollmetall-Stosskolbendesign mit der klassischen italienischen Lederkolbenscheibe und selbstschmierenden Linearlager für eine effiziente und laufruhige Pumpe
- Hochmontiertes, auf 1 % genaues Digitalmanometer mit Hintergrundbeleuchtung, einstellbarem Druckalarm und einstellbaren Druckeinheiten
- Magnetischer «Hiro»-Pumpkopf mit magnetischem Dock
- Kolben aus 100 % Metall, Griffe aus Eschenholz
- Luft-Rückschlagventil aus Messing, Maximal 220 PSI/15 Bar
- Combine une conception de piston à bout entièrement métallique avec le disque de piston classique en cuir italien et des roulements linéaires autolubrifiants pour une pompe efficace et fluide
- Manomètre numérique de haute qualité, précis à 1 %, avec rétro-éclairage, alarme de pression réglable et unités de pression réglables
- Tête de pompe magnétique «Hiro» avec dock magnétique
- Piston 100 % métal, poignées en bois de frêne
- Clapet anti-retour en laiton, Maximum 220 PSI/15 Bar



PISTA PLUS

AM-PU-003-ASY-0100 **Pista Plus**
Grey

- Der strapazierfähige Stahlzylinder, die 3 mm dicke, hocheffiziente Lederkolbenkonstruktion, kombiniert mit Messing-Luftbrücke und Rückschlagventil, sorgen für eine unübertroffene Langlebigkeit
- 2 % Genaues, hochbelastbares 2,5" (64 mm) Manometer mit einem Druck von 220 PSI/15 Bar
- Luftbrücke und Rückschlagventile aus Messing, Eschenholzgriffe
- Integriertes Schrader-Futter plus aufpressbares Presta-Futter aus Aluminium mit Entlüftungsventil
- *Cylindre en acier robuste, piston en cuir de 3 mm d'épaisseur et à haut rendement, combiné à un pont d'air et à un clapet anti-retour en laiton, pour une durabilité inégalée*
- *2 % Manomètre précis et robuste de 64 mm (2,5") avec une pression de 15 Bar (220 PSI)*
- *Pont pneumatique et clapets anti-retour en laiton, poignées en bois de frêne*
- *Mandrin Schrader intégré et mandrin Presta en aluminium avec valve de purge.*



TERRA FLOOR PUMP

AM-PU-009-ASY-0100 Terra Floor Pump
Green/Tan



- Einzigartiger zweistufiger analoger Manometer für großvolumigen Reifen, zeigt 0-30psi in 0,5psi-Schritten an
- Reifen mit geringerem Volumen in 2 PSI-Schritten bis zu 120 PSI aufpumpen
- Leichter und langlebiger Aluminiumzylinder
- Griff aus Eschenholz in voller Größe mit Schlauchführung
- Verriegelbares Presta/Schrader-Pumpaufsatz aus Aluminium mit Entlüftungsknopf
- *Manomètre analogique à deux niveaux unique en son genre pour les pneus de grand volume, indique 0-30psi par incréments de 0,5psi*
- *Gonfle les pneus de faible volume par paliers de 2 PSI jusqu'à 120 PSI*
- *Cylindre en aluminium léger et durable*
- *Poignée pleine taille en bois de frêne avec guide-tuyau*
- *Douille Presta/Schrader verrouillable en aluminium avec bouton de dégonflage*



PISTA

AM-PU-001-ASY-0101 Pista
Red



- Die Legende lebt! Top-Silca-Qualität zum bezahlbaren Preis
- Leistungsstarke, langlebige, kompakte Standpumpe, die leicht alle Reifendruckanforderungen erreicht, während sie nur wenig Platz benötigt
- Fester Stahlzylinder, kompakter Eschenholzgriff mit Schlauchführungen
- Hocheffiziente SILCA-Lederkolbenbaugruppe und Rückschlagventile aus Messing
- Langer Einfüllschlauch mit integriertem Schrader-Futter
- Aufschiebbares Presta-Futter aus Aluminium mit Entlüftungsventil
- Nenndruck bis max. 220 PSI/15 Bar
- *La légende est vivante La meilleure qualité Silca à un prix abordable*
- *Pompe au sol puissante, durable et compacte qui répond facilement à toutes les exigences en matière de pression des pneus tout en prenant un minimum d'espace*
- *Cylindre en acier haute résistance, poignée compacte en bois de frêne avec guides de tuyau*
- *Piston en cuir SILCA à haute efficacité et clapets anti-retour en laiton*
- *Long tuyau de remplissage avec mandrin Schrader intégré*
- *Mandrin Presta en aluminium coulissant avec soupape de purge*
- *Pression nominale jusqu'à max. 220 PSI/15 Bar*





IMPERO ULTIMATE II FRAME PUMP*

AM-PU-008-ASY
Impero Ultimate II Frame Pump

Black, 290 g

S (44–49 cm), M (49–54 cm), L (54–59 cm), XL (59–64 cm)

- Effizienteste Rahmenpumpe der Welt (112 Hube = 100 Psi)
- Für Presta- und Schrader-Ventile und Rohrdurchmesser von 1 – 2,5"
- 100-%-Metallkonstruktion, kein Plastik
- 2-stufig gedichteter Elastomerpumpkopf
- Silikondämpfer schützen die Rahmenlackierung
- La pompe à cadre la plus efficace du monde (112 pressions = 100 Psi)
- Pour valves Presta et Schrader et cadres de 1 à 2,5 pouces (diamètre de tube)
- Construction 100 % métallique, pas de plastique
- Joint d'étanchéité profilé sur deux niveaux en élastomère
- Protectors en silicone pour préserver le vernis

**Auf Bestellung | Sur demande*

POCKET IMPERO II PUMP

AM-PU-010-ASY-0100
Pocket Impero II Pump

Black, 150 g



- Die Mini-Pumpe, um alle anderen in den Schatten zu stellen. Die Lederdichtung und die Metallkonstruktion machen diese Pumpe zur effizientesten Minipumpe auf dem Markt. Sparen Sie Zeit und Frust mit dem Pocket Impero.

- Hitze ist der Feind von Minipumpen. Mehr Hube erzeugen mehr Reibung, was zu mehr Wärme führt, und Wärme ist Energieverschwendung. Im Gegensatz zu den meisten Minipumpen leidet die POCKET IMPERO im heißen Zustand nicht unter Effizienzverlusten. POCKET IMPERO ist eine Mischung aus einer Hochdruck- und einer Hochleistungspumpe. Mit 200 Huben erreicht die POCKET IMPERO höhere Drücke als jede andere Taschenpumpe, die jemals im BikeRadar-Testprotokoll getestet wurde, was bedeutet, dass sie mehr Luft mit weniger Verlusten fördert als Pumpen mit hohem Druck oder hohem Volumen. Die einzigartige Slide-Lock-Silikonhülle verbessert den Halt und dient gleichzeitig als Griff Schloss, wenn Sie sich in der Tasche befinden.

- Leistungsbeschreibung: Volllegierungskonstruktion, Kolbendichtung aus Leder, Slide-Lock-Silikonhülle, 150 g, 8 Zoll

- La mini-pompe à faire honte à tous les autres. Le joint en cuir et la construction en métal en font la mini-pompe la plus efficace du marché. Gagnez du temps et évitez les frustrations avec le Pocket Impero.
- La chaleur est l'ennemi des mini-pompes. Plus de coups génèrent plus de friction, ce qui produit plus de chaleur et la chaleur est une énergie gaspillée. Contrairement à la plupart des mini-pompes, POCKET IMPERO ne souffre pas de perte d'efficacité à chaud. POCKET IMPERO se situe entre une pompe haute pression et une pompe à haut volume. Avec 200 coups, la POCKET IMPERO atteint des pressions plus élevées que toute autre pompe de poche jamais testée dans le protocole de test BikeRadar, ce qui signifie qu'elle pousse plus d'air avec moins de pertes que les pompes à haute pression ou à haut volume. Le manchon unique en silicone Slide-Lock améliore l'adhérence et sert également de verrou de poignée lorsque vous êtes dans votre poche.
- Spécifications: Construction entièrement en alliage, Joint de piston en cuir, Manchon en silicone à glissière, 150 g, 8 pouces

TATTICO MINI PUMP

AM-PU-TAT-ASY-001
Tattico Mini Pump

Black, 290 g



- Hocheffiziente Minipumpe mit einem ergonomischen Design für eine einfache Bedienung
- Schlauch und Ventile sind im Innenrohr versteckt und liefern bis zu 10 % mehr Luft pro Hub
- Versteckter Kühlkörper, der einen hohen Prozentsatz der beim Pumpen entstehenden Wärme absorbiert.
- Schaft und Griffflächen aus 6061er-Legierung, hocheffiziente Kolbenkonstruktion
- Langer ausziehbarer Füllschlauch mit arretierbarem Presta/Schrader-Futter
- Für Presta- und Schrader-Ventile, bis 120 PSI/8,2 Bar, Länge 24 cm
- Inklusive Direktmontagehalterung mit Halteband
- Mini-pompe très efficace au design ergonomique pour une utilisation facile
- Le tuyau et les valves sont cachés à l'intérieur de la chambre à air et fournissent jusqu'à 10 % d'air en plus par course
- Dissipateur thermique caché qui absorbe un pourcentage élevé de la chaleur générée pendant le pompage
- Arbre et surfaces de préhension en alliage 6061, conception du piston à haut rendement
- Long tuyau de gonflage extensible avec mandrin Presta/Schrader verrouillable
- Pour les valves Presta et Schrader, jusqu'à 120 PSI/8.2 Bar, longueur 24 cm
- Comprend un support de montage direct avec une bande de retenue

GRAVELERO MINI PUMP W/ BOTTLE CAGE MOUNT

AM-PU-011-ASY-0100
Gravelero mini pump w/ bottle cage mount

139 g



- Kompakte Hochleistungspumpe mit 35 % mehr Luftvolumen
- Basierend auf dem preisgekrönten Tattico-Design, optimiert für Gravel- und Offroad-Einsatz
- Liefert bei gleicher Länge 35 % mehr Luft pro Hub
- Glatte Außenstruktur und verbesserte Abdichtung für Schutz vor Schmutz und Schlamm
- Leichtgewicht mit Aluminiumgriff und -zylinder
- Einziehbarer Schlauch mit umkehrbarem Ventilkopf (Presta/Schrader) und Daumenverriegelung
- Bis 80 psi / 5,5 bar, Länge 24,3 cm
- Inklusive Direktmontagehalterung mit Halteband
- Pompe compacte haute performance avec 35 % de volume d'air en plus
- Basée sur le design primé de la Tattico, optimisée pour une utilisation sur gravier et tout-terrain
- Fournit 35 % d'air en plus par coup pour une longueur identique
- Structure extérieure lisse et étanchéité améliorée pour une protection contre la saleté et la boue
- Légère avec poignée et cylindre en aluminium
- Tuyau rétractable avec tête de valve réversible (Presta/Schrader) et verrouillage au pouce
- Jusqu'à 80 psi / 5,5 bar, longueur 24,3 cm
- Support de montage direct avec sangle de fixation inclus

AIR CHUCKS & SPARE PARTS

«HIRO V2» DISC WHEEL ADAPTER

AM-PU-CHU-ASY-006

«Hiro V2» Disc Wheel Adapter

Pumpaufsatz mit Hebelverschluss

Adaptateur avec fermeture rapide

Presta, 20 Bar (300 PSI)

- Der Profi-Aufsatz für den anspruchsvollen Mechaniker
- Edelstahl, kompatibel mit Scheibenrad
- Pour les mécaniciens les plus exigeants
- Acier inoxydable, compatible avec roues à disque, pour valves Presta



ALUMINUM PRESTA CHUCK

AM-PU-CHU-ASY-009

Aluminum Presta Chuck

- Wir hatten das Bedürfnis, dieses ikonischste aller Fahrradwerkzeuge als Kunstobjekt in Erbstücksqualität neu zu interpretieren. Mit größter Sorgfalt wurde das Teil mit monokristallinen Diamantwerkzeugen bearbeitet, um eine perfekte Oberfläche zu erhalten, während die endgültige Haptik des Teils von der Untersuchung von mehr als 20 verschiedenen Rändelungsarten und -tiefen profitiert, so dass es sich in Ihren Händen genau so anfühlt, wie es ein Leben lang nützliche Freude bereitet. Dies ist wirklich ein Werkzeug, das Sie an Ihre Kinder weitergeben werden und diese wiederum an ihre Kinder.
- Nous avons ressenti le besoin de réimaginer le plus emblématique des outils de cyclisme en un objet d'art de qualité patrimoniale. Le plus grand soin a été apporté à l'usinage de la pièce à l'aide d'un outil en diamant monocristallin afin d'obtenir une finition de surface parfaite, tandis que la sensation finale de la pièce bénéficie d'une étude de plus de 20 styles et profondeurs de moletage différents, afin qu'elle soit parfaite dans vos mains et qu'elle vous procure une vie de plaisir. C'est vraiment un outil que vous transmettrez à vos enfants et qu'ils transmettront à leur tour aux leurs.



THREAD ON SCHRADER CHUCK

AM-PU-CHU-ASY-004

Thread On Schrader Chuck

- Dieser Pumpkopf hat einen Schlauchanschluss an einem Ende und Gewinde für Ventile auf der anderen Seite und ist die ideale Ergänzung, wenn Sie eine neue Edelstahl Presta Chuck oder CP1 Disc Adapter für Ihre ältere Pumpe kaufen möchten.
- Dieses Teil ist aus vernickeltem Messing gefertigt und verwendet einen O-Ring zur Abdichtung zum Ventil.
- Der Schlauchanschluss passt in alle SILCA Schläuche, sowohl alte als auch neue. Passt auf Schrader-Ventile und alle SILCA-Chucks mit Schrader-Außengewinde (17-4 Presta-Chuck und CP1 Disc Adapter).
- Cette tête de pompe est dotée d'un raccord de tuyau à une extrémité et de filetages pour les valves à l'autre. C'est le complément idéal si vous souhaitez acheter un nouvel adaptateur Presta Chuck en acier inoxydable ou CP1 Disc pour votre ancienne pompe.
- Cette pièce est fabriquée en laiton nickelé et utilise un joint torique pour assurer l'étanchéité avec la valve.
- Le raccord de tuyau s'adapte à tous les tuyaux SILCA, anciens et nouveaux. S'adapte aux valves Schrader et à tous les chucks SILCA avec un filetage extérieur Schrader (tête de pompe 17-4 Presta et adaptateur CP1 Disc).





DISC WHEEL ADAPTER

AM-PU-CHU-ASY-001
Disc Wheel Adapter

Pumpadapter für Scheibenrad
Adaptateur pour roues à disque
Aluminium, Presta

- Nur für Presta-Ventile, komplett aus Metall
- Seulement pour des valves Presta, complètement en alliage

EOLO IV CO2

AM-AC-037-ASY-0100
Eolo IV CO2

Pumpaufsatz | Adapteur de pompe



- Die einfache Lösung zum Aufpumpen am Straßenrand. Fädeln Sie die Kartusche ein, drücken Sie auf das Ventil und schon ist Luft in Ihrem Reifen. Unkomplizierter Ansatz, auf den Sie sich verlassen können, um im Notfall nach Hause zu kommen
- Ganzmetallkonstruktion, enthält keine Kunststoffteile
- Komplett aus Aluminium der Serie 6063 und rostfreiem Stahl gefertigt
- Knopf zur Regulierung der Durchflussmenge
- Gehärteter Werkzeugstahl-Punktionsstift sorgt für reibungslosen Betrieb unter allen Bedingungen über viele Jahre hinweg
- Kartusche Typ: Mit Gewinde; Enthaltene Patrone: Nein; Farbe: Schwarz/Rot
- La solution simple pour le gonflage en bord de route. Enfillez la cartouche, appuyez-la sur la valve, et votre pneu est gonflé. Une approche simple sur laquelle vous pouvez compter pour vous ramener chez vous en cas de besoin.
- Construction entièrement métallique, ne contient aucune pièce en plastique
- Fabriqué entièrement en aluminium de la série 6063 et en acier inoxydable.
- Le bouton règle le débit
- La tige de perforation en acier à outils trempé assure un fonctionnement en douceur dans toutes les conditions pendant de nombreuses années.
- Type de cartouche : Filetage, Cartouche incluse : Non; Couleur : Noir/Rouge

ERSATZTEILE | PIÈCE DE RECHANGE

AM-PU-GAS-COM-242
Elastomer Seal Presta Chuck #242

Elastomerdichtung #242 für SuperPista Ultimate Presta-Pumpkopf | Élastomère #242 pour adaptateur Presta SuperPista Ultimate

AM-PU-GAS-COM-252
Elastomer Seal Disc Chunk #252

Elastomerdichtung #252 für Pumpaufsatz «Hiro» | Élastomère #252 pour adaptateur «Hiro»

AM-PU-GAS-COM-323
Elastomer Seal Imperio Head #323

Elastomerdichtung #323 für Silca-Impero-Pumpkopf | Élastomère #323 pour tête de pompe Silca Impero

AM-PU-GAS-COM-254
Elastomer Seal Imperio Hiro Chuck v.2 #254

Elastomerdichtung #254 für Silca-Impero-Pumpkopf | Élastomère #254 pour tête de pompe Silca Impero

BAGS



SEAT ROLL ASYMMETRICO

AM-BG-014-ASY-0100 Seat Roll Asymmetrico

- Eine elegante und kompakte Satteltasche, in der Sie alles verstauen können, was Sie für Pannenreparaturen oder leichte mechanische Arbeiten benötigen
- Entfaltbare Werkzeugtasche mit Fächern für die Organisation der Werkzeuge
- BOA®-Verschlusssystem
- Gewachstes Gewebe mit reflektierenden Nähten
- *Une sacoche élégante et compacte dans laquelle vous pouvez ranger tout ce dont vous avez besoin pour réparer une crevaison ou effectuer des travaux de mécanique légère*
- *Sac à outils dépliant avec des compartiments pour l'organisation des outils*
- *Système de fermeture BOA®*
- *Tissu ciré avec coutures réfléchissantes*

SEAT CAPSULE PREMIO

AM-BG-007-ASY-0100 Seat Capsule Premio Black



- Eine schlanke, mittelgrosse Satteltasche — die feste, thermogeformte Schale schafft eine modulare Struktur mit zwei internen Trennwänden
- Wird mit einem BOA®-Verschlusssystem am Fahrrad befestigt und verfügt über Rail Guard für hervorragenden Halt und Schutz des Sattelgestells
- YKK Reissverschluss, der das untere Drittel der Tasche halbiert
- Bietet Platz für einen zwei 700x30 mm Schläuche und in den Innentaschen lassen sich bequem ein Satz Reifenheber, ein Multitool, ein CO₂-Regulator und bis zu drei CO₂-Patronen unterbringen
- *Une sacoche de selle fine et de taille moyenne — la coque rigide et thermoformée crée une structure modulaire avec deux séparations internes*
- *Se fixe au vélo grâce à un système de fermeture BOA® et dispose d'un Rail Guard pour un excellent soutien et une protection du rail de la selle*
- *Fermeture éclair YKK qui coupe en deux le tiers inférieur du sac*
- *Offre de l'espace pour deux chambres à air de 700x30 mm et les poches internes peuvent facilement accueillir un jeu de démonte-pneus, un outil multifonction, un régulateur de CO₂ et jusqu'à trois cartouches de CO₂*

MATTONE SEAT PACK

AM-BG-013-ASY-0100 Mattone Seat Pack



- Wasserfeste, ultrakompakte Sitztasche, die mit dem BOA® Verschlusssystem an den Schienen befestigt wird
- Einzigartiges Reissverschlussdesign ermöglicht den Zugriff, während man auf dem Fahrrad sitzt
- Separates Fach für Ausweis, Kreditkarte oder Geld
- Dimensionen: 13cm x 8,5cm x 5,5cm
- *Sac de siège imperméable et ultra-compact qui se fixe aux rails grâce au système de fermeture BOA®*
- *La conception unique de la fermeture éclair permet l'accès à vélo*
- *Pochette séparée pour carte d'identité, carte de crédit ou argent*
- *Dimensions: 13cm x 8,5cm x 5,5cm, Volume: environ 0,61 litre*

TOOLS



T-RATCHET & TI-TORQUE KIT

AM-TL-RAT-TRQ-001
T-Ratchet + Ti-Torque Kit

Black, 120 mm x 70 mm x 30 mm, 220 g

- Das kleinste und leichteste tragbare Multitool mit Live-Drehmomentmessung von 2-8Nm.
- Ergonomisches Werkzeug mit einem Drehmomentmessbalken, der ein Echtzeit-Feedback liefert, während Sie die Schraube anziehen
- T-Ratsche mit austauschbaren magnetischen Komponenten – Schraubenzieher und Ratsche in einem
- Gefertigt aus Titan und Aluminium; Kontaktflächen aus Hartstahl
- ☐ *Le multitool portable le plus petit et le plus léger avec mesure en direct du couple de 2 à 8 Nm*
- ☐ *Outil ergonomique doté d'une barre de mesure du couple qui fournit un retour d'information en temps réel lorsque vous serrez le boulon*
- ☐ *Clé à cliquet en T avec composants magnétiques interchangeables – tournevis et clé à cliquet en un seul outil*
- ☐ *Fabriquée en titane et aluminium; surfaces de contact en acier à haute teneur en carbone*



HX-ONE HOME & TRAVEL ESSENTIAL KIT

AM-TL-HEX-ASY-001
HX-One Home And Travel Essential Kit

Hex 2/2,5/3/4/5/6/8/10 mm, Phillips 1/2, Flat 5/1, Torx 8/10/15/20/25/30, Bit Head

- Ein kompletter Satz von Präzisions-Sechskantschlüsseln und Bit-Treibern
- Profi-Level Innensechskant-Schlüsselset
- Vollständig CNC-gefräste Buchenholzbox mit Magnetverschluss
- Bester S2-Werkzeugstahl, Chrombeschichtung, Polymergriffe für bessere Griffbarkeit
- ☐ *Un jeu complet de clés hexagonales et de tournevis de précision*
- ☐ *Jeu de clés hexagonales de niveau professionnel*
- ☐ *Boîte en bois de hêtre entièrement usinée par CNC avec fermeture magnétique*
- ☐ *Meilleur acier à outils S2, revêtement chromé, poignées en polymère pour une meilleure prise en main*



SICURO TITANIUM BOTTLE CAGE BLACK CERAKOTE EDITION

AM-HY-002-ASY-0601
Sicuro Titanium Bottle Cage Black Cerakote Edition

- Ultimativer, stylischer Flaschenhalter mit spezieller Haptik
- Die röhrenförmige Titankonstruktion mit der Hochleistungskeramikbeschichtung Cerakote hält die Biddons bei Fahrten auf holprigen Untergründen besonders fest, insbesondere bei der Montage an der Unterseite des Unterrohrs.
- Extreme Abriebfestigkeit und Korrosionsbeständigkeit.
- Cerakote verbessert sogar die Ermüdungsbeständigkeit, indem es die Möglichkeit von Oberflächenkratzen oder -kerben ausschließt, die im Laufe der Zeit zu Spannungsrissen führen können.
- ☐ *Porte-bidons ultime et stylé avec un toucher spécial.*
- ☐ *La construction tubulaire en titane avec le revêtement céramique haute performance Cerakote maintient les bidons particulièrement bien en place lors de la conduite sur des surfaces cahoteuses, en particulier lorsqu'ils sont montés sur le dessous du tube diagonal.*
- ☐ *Résistance extrême à l'abrasion et à la corrosion.*
- ☐ *Cerakote améliore même la résistance à la fatigue en éliminant la possibilité d'éraflures ou d'en-tailles superficielles qui, avec le temps, peuvent entraîner des fissures de tension.*



SICURO TITANIUM BOTTLE CAGE

AM-HY-002-ASY-0600
Sicuro Titanium Bottle Cage

Titanium, 30 g

- Handgefertigter, wunderschöner Bottle Cage aus Titan – perfekt für Vintage Racer und/oder Gravel Bikes,
- Einzigartige Befestigungsösen, die eine Verstellbarkeit nach vorne und hinten am Fahrrad ermöglichen
- Nahtlose 3-2.5 Titan-Rohre
- Erweiterte Verstellmöglichkeit – bis zu 21 mm vorne/hinten
- *Magnifique porte-bouteilles en titane fabriqué à la main – parfait pour les vélos de course vintage et/ou les vélos de gravel*
- *Des œillets de fixation uniques qui permettent un ajustement à l'avant et à l'arrière du vélo*
- *Tubes sans soudure en titane 3-2.5*
- *Régages étendus – jusqu'à 21 mm à l'avant/arrière*



ARMY KNIFE NOVE

AM-TL-MIT-ASY-001
Italian Army Knife - Nove

85 g

- Ultraschnelles, zuverlässiges Pannenhilfe-Tool – alles Notwendige, kein Schnickschnack, Aluminium-Seitenbügel mit Masterlink-Aufnahme, 9 geschmiedete, beschichtete Werkzeuge, Sechskant (2, 3, 4, 5, 6, 8 mm), T25, Phillips #2, 8-mm-Adapter kombinierbar mit 5-mm-Adapter, Edelstahl-Drehpunkt-Hardware
- *outil de dépannage ultra-rapide et fiable – tout le nécessaire, sans fioritures, étrier latéral en aluminium avec support Masterlink, 9 outils forgés et revêtus, hexagonaux (2, 3, 4, 5, 6, 8 mm), T25, Phillips #2, adaptateur 8 mm combinable avec adaptateur 5 mm, matériel de pivot en acier inoxydable*



ARMY KNIFE TREDICI

AM-TL-MIT-ASY-002
Italian Army Knife – Tredici

105 g

- Kompaktes Multitool mit Aluminiumseiten und integrierter Masterlink-Aufbewahrung, Sechskant (2, 2,5, 3, 4, 5, 6, 8 mm), Torx® (T10, T20, T25), PH2, PH Flat, Scheibenbremsspreizer, 8-mm-Kappe kombinierbar mit 5 mm
- *outil multifonctions compact avec côtés en aluminium et rangement Masterlink intégré, hexagone (2, 2,5, 3, 4, 5, 6, 8 mm), Torx® (T10 / T20 / T25), PH2, PH Flat, écarteur de frein à disque, capuchon 8 mm combinable avec 5 mm*



ARMY KNIFE VENTI

AM-TL-004-ASY-0100
Italian Army Knife – Venti

Black/Silver, 160 g, 80x46x14 mm

- Leichtes, voll funktionsfähiges Multitool in mittlerer Länge mit Edelstahlbeschlägen und über 20 Werkzeugen, Geschmiedete, beschichtete Werkzeuge, Sechskant (2, 2,5, 3, 4, 5, 6, 8 mm), Torx® (8, 10, 20, 25), PH2, SL4, 7 mm Ringschlüssel, 8 mm Schlüssel für Bördelmutter, 10 mm Gabelschlüssel und weiteren Werkzeugen
- *outil multifonction léger et entièrement fonctionnel, de longueur moyenne, avec ferrures en acier inoxydable et plus de 20 outils, outils forgés et revêtus, hexagonaux (2, 2,5, 3, 4, 5, 6, 8 mm), Torx® (8, 10, 20, 25), PH2, SL4, clé polygonale 7 mm, clé 8 mm pour écrou à sertir, clé à fourche 10 mm et autres outils*

HIROBEL FRAME CLAMP

AM-AC-004-ASY-0100
Hirobel Frame Clamp

Black/Grey



- Hirobel Frame Clamp ist eine speziell entwickelte Klemme für Fahrrad-Reparaturständer, die das Arbeiten am Fahrrad erleichtert
- Spannungen und Lasten werden besser über den Fahrradrahmen verteilt und bietet eine höhere Stabilität während Beschädigungen vermieden werden
- Bei Hirobel umschliessen speziell geformte, lackfreundliche Kegel und Bindungen den Rahmen an den Rohrkreuzungen, wo die Wanddicken höher sind und die Kräfte auf wesentlich grössere Flächen verteilt werden können
- Einstellbar und anpassbar für jedes mögliche Rahmendesign, ermöglicht der Hirobel auch, die Klemme des Reparaturständers näher am Schwerpunkt des Fahrrads zu platzieren, was die Stabilität verbessert und ein Aufschaukeln des Fahrrads bei schwereren Arbeiten verhindert, während gleichzeitig der Antriebsstrang für den Mechaniker konsequent höher platziert wird, was die Sicht verbessert und den Rücken entlastet.
- *La pince pour cadre Hirobel est une pince spécialement conçue pour les stands de réparation de vélos qui facilite le travail sur le vélo*
- *Les contraintes et les charges sont mieux réparties sur le cadre du vélo et assurent une plus grande stabilité tout en évitant les dommages*
- *Avec Hirobel, des cônes et des fixations de forme spéciale, adaptés à la peinture, entourent le cadre aux intersections des tubes, où l'épaisseur des parois est plus importante et où les forces peuvent être réparties sur des surfaces beaucoup plus grandes*
- *Réglable et personnalisable pour tous les types de cadres possibles, le Hirobel permet également de placer la pince du support de réparation plus près du centre de gravité de la moto, ce qui améliore la stabilité et empêche la moto de basculer lors de travaux plus lourds, tout en plaçant systématiquement la transmission plus haut pour le mécanicien, ce qui améliore la visibilité et réduit les tensions dorsales.*



3D WERKZEUGE

TIRE LEVERS PREMIO

AM-AC-LVR-ASY-001

Tire Levers Premio

Premio Reifenheber



- Geschmiedete Legierungsklinge
- Verstärkte Nylon-Felgenabdeckung, sicher für die Verwendung auf Carbonfelgen
- Integrierter Speichenhakenflügel
- 105mm x 25mm x 7mm (Perfekt für Seat Roll Premio oder Capsule Premio)
- Nettogewicht (Zwei Hebel und Neoprenhülle) = 36 Gramm
- ☐ *Lame en alliage forgé*
- ☐ *Cache-jante en nylon renforcé, sans danger pour une utilisation sur des jantes en carbone*
- ☐ *Aile de crochet de rayon intégrée*
- ☐ *105mm x 25mm x 7mm (Parfait pour Seat Roll Premio ou Capsule Premio)*
- ☐ *Poids net (deux leviers et housse néoprène) = 36 grammes*

LUBRICANTS

BOTTLE OF SYNERGETIC DRIP LUBE

AM-AC-018-ASY-0300

Silca Synergetic Wet Lube



Das Synergetic Wet Lube von Silca basiert auf einer Technologie, die ursprünglich in der Formel 1 entwickelt wurde, um die Reibung zu verringern und den Verschleiß aller Metallkomponenten nahezu zu eliminieren. Das ölasierte Schmiermittel ist ein Tropfschmiermittel, das für den Radfahrer entwickelt wurde, der die geringere Reibung, die längere Lebensdauer und die Geräuschlosigkeit von Schmiermitteln auf Wachsbasis erleben möchte, ohne den langwierigen und komplizierten Entfettungs- und Anwendungsprozess, der mit ihnen verbunden ist.

- 2oz Squeeze-Flasche mit 18ga. Luer-Lock-Präzisionsapplikator-Spitze
- Angeblich 10.000 Meilen Schmiermittel pro Flasche
- Extrem verschleißfest, leise und wasserdicht
- Für beste Ergebnisse auf eine saubere/trockene Kette auftragen
- Hergestellt in den USA

Le lubrifiant humide Synergetic de Silca est basé sur une technologie développée à l'origine dans les courses de F1, pour réduire les frottements et pratiquement éliminer l'usure de tous les composants métalliques. Le lubrifiant à base d'huile est un lubrifiant qui s'applique goutte à goutte, conçu pour les cyclistes qui souhaitent bénéficier de la friction réduite, de la durée de vie accrue et du silence des lubrifiants à base de cire, sans avoir à subir le long processus compliqué de dégraissage et d'application qu'ils impliquent.

- ☐ *Flacon compressible de 2 oz avec embout applicateur de précision Luer-lock de calibre 18.*
- ☐ *Prétendument 10 000 miles de lubrifiant par bouteille.*
- ☐ *Ultra résistant, silencieux et imperméable*
- ☐ *Pour de meilleurs résultats, appliquer sur une chaîne propre et sèche.*
- ☐ *Fabriqué aux USA*



BOTTLE OF SYNERG E-BIKE DRIP LUBE

AM-AC-035-ASY-0100 Super Secret Chain Lube 4 OZ / 120 ml

- E-Bike-Ketten sind dem doppelten Innendruck einer herkömmlichen Kette ausgesetzt. Synerg-E ist ein Derivat des preisgekrönten Synergetic-Schmiermittels von Silca mit einer Viskosität, die für die Anforderungen von E-Bikes optimiert ist.
- Das erste und einzige Nassschmiermittel, das im Labortest „Zero Friction Cycling“ eine Verschleißblockierung von 0,0 % aufwies.
- zum Patent angemeldete Wolfram-Tribofilm-Technologie, gemischt mit einem Schmiermittel mit höherer Viskosität, optimiert für das hohe Drehmoment in E-Bike-Antriebssträngen
- Verwendet nur die besten, umweltfreundlichen, rein synthetischen Grundöle mit Additiven, die von der EPA und BLM als sicher anerkannt wurden.
- Enthält KEINE PFAS oder andere fluoridierte Chemikalien
- Bis zu 10.000 Meilen pro Flasche
- Ultrahoher Tragekomfort
- Ultraleise
- Kettenschmiermittel für alle Bedingungen
- Entwickelt für E-Bikes
- Verkaufseinheit: 2% Flasche
- *Les chaînes de vélos électriques sont soumises à une pression interne deux fois supérieure à celle des chaînes traditionnelles. Synerg-E est un dérivé du lubrifiant primé Synergetic de Silca, avec une viscosité optimisée pour les exigences des vélos électriques.*
- *C'est le premier et le seul lubrifiant humide qui a montré un blocage de l'usure de 0,0 % lors du test de laboratoire « Zero Friction Cycling ».*
- *Technologie de tribofilm de tungstène en instance de brevet, mélangée à un lubrifiant de viscosité plus élevée, optimisée pour le couple élevé dans les chaînes cinématiques des vélos électriques.*
- *N'utilise que les meilleures huiles de base écologiques, purement synthétiques, avec des additifs reconnus comme sûrs par l'EPA et le BLM.*
- *Ne contient PAS de PFAS ou d'autres produits chimiques fluorés.*
- *Jusqu'à 10.000 miles par bouteille*
- *Ultra-confortable à porter*
- *Ultra silencieux*
- *Lubrifiant de chaîne pour toutes les conditions*
- *Conçu pour les vélos électriques*
- *Unité de vente : bouteille de 2%*

SUPER SECRET CHAIN LUBE

AM-AC-018-ASY-0100 Super Secret Chain Lube 2 OZ / 60 ml

AM-AC-015-ASY-0600 Super Secret Chain Lube 4 OZ / 120 ml

AM-AC-015-ASY-0700 Super Secret Chain Lube 8 OZ / 236 ml



- SILCA Super Secret Chain Lube bringt all die Supergeschwindigkeit und die Laufruhe einer mit Heisschmelz-Wachs getränkten Kette auf ein tropfend aufgetragenes Wachs
- Die Kette sollte vor der Anwendung sehr sauber und trocken sein
- Für ein optimales Ergebnis mind. 12 Stunden trocknen lassen, bei kühler oder feuchter Witterung 24 Stunden
- Empfehlung: Schmiermittel nach jeder Fahrt auftragen, damit es für das nächste Mal bereit ist.
- *SILCA Super Secret Chain Lube apporte toute la vitesse et la douceur d'une chaîne trempée dans une cire thermofusible à une cire appliquée au goutte à goutte*
- *La chaîne doit être très propre et sèche avant l'application*
- *Pour de meilleurs résultats, laissez sécher pendant au moins 12 heures, ou 24 heures par temps frais ou humide*
- *Recommandation : appliquer le lubrifiant après chaque course afin qu'il soit prêt pour la prochaine fois.*

CHAIN WAXING SYSTEM

AM-AC-057-ASY-0200
Chain Waxing System


- Mit dem SILCA Chain Waxing System bringen Sie Ihr Kettenwachsen auf die nächste Stufe. Ein 600ml-Wachswärmer, ein Tropfständer und eine Kabelkupplung nehmen weniger Platz ein und führen alle Wachstropfen zurück in den Topf, um eine Wachsverschwendung zu vermeiden.
- Beschreibung: Das Ultimate Chain Waxing System ist Ihr kompaktes Kit für zu Hause, mit dem Sie Ihre Ketten gründlich wachsen können. Der Wachswärmer, der Tropfständer und die Kabelkupplung sind im Lieferumfang enthalten, damit Sie den saubersten, leisesten und effizientesten Antriebsstrang haben, der möglich ist.
- Der Wachsschmelzer hat einen belüfteten, durchsichtigen Deckel, um die Wärme zu speichern und gleichzeitig zu überprüfen, ob das Wachs vollständig geschmolzen ist. Die perfekte Ergänzung zu StripChip, um Ihre Kette in einem einzigen Schritt ohne Entfettungsmittel zu wachsen.
- Der Ständer zum Aufhängen der Kette sorgt dafür, dass das überschüssige Wachs direkt in den Topf zurücktropft und für die nächste Anwendung verwendet werden kann. Der gekerbte Sockel hält das Schmelzgerät an seinem Platz und hält die Kettenkupplung sicher fest.
- Die Kettenkupplung hat ein Stahlseil, das auf der einen Seite mit einem Gewinde versehen ist, so dass es durch Ihre Kette geschlungen und auf der anderen Seite befestigt werden kann. Tauchen Sie Ihre Kette in das Wachs, bewegen Sie sie und hängen Sie sie auf, ohne dass Wachs an Stellen gelangt, an denen Sie es nicht haben wollen, oder ohne dass Sie einen Topf mit heissem Wachs berühren.
- Spezifikationen: CH-Fixadapter Schuko, Kabel-Koppler, Tropfständer, Elektrischer Wachswärmer, 600ml Wachs-Kapazität, Temperaturbereich: 75-125°C, 14" x 8,5" x 9", Europäischer Stecker, 220V, HINWEIS: Das System enthält KEIN Wachs
- Améliorez votre jeu d'épilation à la cire en chaîne avec le système d'épilation à la cire en chaîne SILCA. Un chauffe-cire de 600 ml, un support d'égouttage et un coupleur de câble prennent moins de place et ramènent toutes les gouttes de cire dans le pot pour éviter de gaspiller de la cire.
- Description: L'Ultimate Chain Waxing System est votre kit compact à domicile pour l'épilation immersive des chaînes. Le réchauffeur de cire, le support d'égouttage et le coupleur de câble sont inclus pour vous permettre d'avoir la transmission la plus propre, la plus silencieuse et la plus efficace possible.
- Le fondoir à cire est doté d'un couvercle transparent ventilé qui permet de conserver la chaleur tout en vérifiant que la cire est entièrement fondue. Compagnon idéal du StripChip pour cirer votre chaîne en une seule étape, sans dégraisser.
- Le support de suspension de la chaîne permet une période de séchage sans dégâts où vous pouvez laisser l'excès de cire s'égoutter directement dans le pot pour l'utiliser lors de l'application suivante. La base crantée maintient le fondoir en place et le coupleur de chaîne en toute sécurité.
- Le coupleur de chaîne est doté d'un câble en acier fileté d'un côté, ce qui permet de le faire passer dans la chaîne et de le fixer de l'autre côté. Plongez votre chaîne dans la cire, agitez-la et suspendez-la sans mettre de la cire là où vous ne le souhaitez pas ou sans toucher un pot de cire chaude.
- Spécifications: CH-Adaptateur Schuko, Coupleur de câble, Support de goutte à goutte, Chauffe-cire électrique, Capacité de 600 ml de cire, Plage de température : 75-125°C, 14" x 8.5" x 9", Prise européenne, 220V, NOTE : Le système n'inclut pas la cire

ENDURANCE CHIPS

AM-AC-058-ASY-0200 Endurance Chips



Passen Sie Ihre Wachsmischung dauerhaft an die Anforderungen Ihres Fahrstils an. Fahren Sie ein 24-Stunden-Langstreckenrennen? Fügen Sie zwei Endurance-Chips hinzu. 40 km TT? Fügen Sie zwei SpeedChips hinzu. Kombinieren Sie nach Belieben, um den Anforderungen Ihres größten Events gerecht zu werden.

- Modifiziert das Wachs dauerhaft
- 1 EnduranceChip/250 g erhöht die Lebensdauer auf bis zu 550.000
- 2 EnduranceChip/250 g erhöht die Lebensdauer auf bis zu 750.000
- Kompatibel mit StripChip

Adaptez votre mélange de farts en fonction de vos exigences. Vous participez à une course d'endurance de 24 heures ? Ajoutez deux puces d'endurance. Un contre-la-montre de 40 km ? Ajoutez deux puces SpeedChips. Combinez-les pour répondre aux exigences de votre plus grand événement.

- ☐ Modifie la cire de façon permanente
- ☐ 1 EnduranceChip/250 g augmente la longévité jusqu'à 550 000
- ☐ 2 EnduranceChip/250 g augmentent la longévité jusqu'à 750 000
- ☐ Compatible avec StripChip

SPEED CHIPS

AM-AC-058-ASY-0300 Speed Chips



SpeedChip ist die erste Wahl, wenn Sie die absolut schnellste verfügbare Option benötigen. Es ist die Wahl von Visma Lease-a-Bike für Zeitfahren und Eintagesklassiker. SpeedChip ist ein vollsynthetisches Wachs, das aus den gleichen exotischen Grundölen hergestellt wird, die auch in SILCA Synergetic verwendet werden. Dies ist das absolut schnellste Wachs, das jemals in einem Fahrradschmiermittel verwendet wurde.

- Modifiziert das Wachs dauerhaft
- 1 SpeedChip/250 g verbessert die Effizienz um 0,4 %
- 2 SpeedChip/250 g verbessern die Effizienz um 0,6 %
- Kompatibel mit StripChip

SpeedChip est la solution idéale pour ceux qui recherchent la vitesse absolue. C'est le choix de Visma Lease-a-Bike pour les contre-la-montre et les classiques d'un jour. SpeedChip est un fart entièrement synthétique produit à partir des mêmes huiles de base exotiques que celles utilisées dans SILCA Synergetic. C'est le fart le plus rapide jamais utilisé dans un lubrifiant cycliste, mélangé à trois tailles de plaquettes de bisulfure de tungstène submicroniques et nanométriques pour une réduction accrue des frottements et des propriétés anti-usure.

- ☐ Modifie la cire de façon permanente
- ☐ 1 SpeedChip/250 g améliore l'efficacité de 0,4 %
- ☐ 2 SpeedChip/250 g améliorent l'efficacité de 0,6 %
- ☐ Compatible avec StripChi

STRIP CHIP BAR PACKAGE STRIP CHIP HOT MELT

AM-AC-058-ASY-0100 Strip Chip Bar Package



- Beschreibung: Keine Entfettungsvorbereitung mehr: Mit StripChip entfällt das Entfetten neuer Werksketten. StripChip wird direkt in das heiße Wachs eingebracht und ermöglicht eine einfache Vorbereitung der Kette.
- Fortschrittliche Technologie: Jedes StripChip-Entfettungsadditiv verbindet sich mit dem in neuen Ketten enthaltenen Fett und verwandelt es in Wachs. Die fortschrittliche Technologie von SILCA spart Zeit und Kosten und sorgt für einen sauberen, leisen und äusserst effizienten Antriebsstrang.
- Bequeme Form: StripChip wird in Form eines Schokoriegels verkauft, wobei jeder Riegel sechs Stück (je 12 Gramm) enthält. Durch die Verwendung eines Stücks pro Kette wird das werksseitige Fett entfernt, so dass das Heisswachs in das Innere der Kettenbolzen und -rollen eindringen kann.
- Einfache Anwendung: Nahtlos integriert mit dem SILCA Super Secret Chain Blend Hot Melt Wax, gewährleistet StripChip einen unkomplizierten Anwendungsprozess. Befolgen Sie die einfachen Schritte für optimale Ergebnisse, so dass die Wartung der Kette einfach und mühelos wird.
- Optimierte Leistung: StripChip funktioniert am besten mit SILCA Super Secret Chain Blend Hot Melt Wax. So wird der schnellste und langlebigste Antriebsstrang gewährleistet. Erleben Sie verbesserte Leistung, reduzierte Reibung und minimierten Verschleiss bei jeder Fahrt.
- Spezifikationen: Formel auf Basis von Oleogelierz, Macht scharfe Entfettungsmittel überflüssig, Verwenden Sie einen Chip pro neuer Kette mit Werksfett, Verwandelt das Schmierfett in eine wachsähnliche Substanz, Kein Leistungsabfall, Von der verpackten Werkskette zur gewachsenen Kette in 10 Minuten
- Description: Plus de préparation au dégraissage: StripChip élimine le besoin de dégraisser les nouvelles chaînes d'usine. Avec le StripChip, c'est directement dans la cire chaude pour une préparation simple de la chaîne.
- Technologie avancée: Chaque additif de dégraissage StripChip se lie à la graisse d'usine contenue dans les chaînes neuves et la transforme en cire. La technologie avancée de SILCA permet d'économiser du temps et de l'argent tout en garantissant une transmission propre, silencieuse et ultra-efficace.
- Forme pratique: StripChip est vendu sous la forme d'une barre chocolatée, chaque barre contenant six pièces (12 grammes chacune). L'utilisation d'un morceau par chaîne élimine efficacement la graisse d'usine, permettant à la cire thermofusible de pénétrer à l'intérieur des axes et des rouleaux de la chaîne.
- Application simple: S'intègre parfaitement à la chaîne SILCA Super Secret Chain Blend Hot Melt Wax, le StripChip garantit un processus d'application simple. Il suffit de suivre des étapes simples pour obtenir des résultats optimaux, ce qui rend l'entretien de la chaîne simple et sans tracas.
- Performance optimisée: StripChip fonctionne mieux avec la cire thermofusible SILCA Super Secret Chain Blend, garantissant la transmission la plus rapide et la plus durable. Profitez d'une performance accrue, d'une friction réduite et d'une usure minimale à chaque sortie.
- Spécifications: Formule à base de cire d'oléogélation, Élimine le besoin de dégraissants agressifs, Utiliser une puce par chaîne neuve avec la graisse d'origine, Transforme la graisse en une substance semblable à de la cire, Pas de baisse de performance, Passer d'une chaîne dans son emballage d'origine à une chaîne ciree en 10 minutes

SUPER SECRET CHAIN BLEND (HOT WAX)

AM-AC-016-ASY-0100 Super Secret Chain Blend (Hot Wax) 500g



- SILCA Secret Chain Blend (Hot Wax) bringt die ganze Supergeschwindigkeit und Geräuschlosigkeit der SILCA Super Secret Chain Lube in einer mit Heisschmelzwachs getränkten Kette
- Secret Chain Blend verwendet auch das weltweit schnellste und schmierigste Additiv, das Wolfram-di-Sulfid im Nanobereich. NanoPlatelet WS2 hat weniger als 1/3 des dynamischen Reibungskoeffizienten von PTFE und 1/4 des von Molybdändisulfid (MoS2)
- Anwendung: Kette in Beutel legen und diesen in heisses Wasser tauchen
- Die Kette sollte vor dem Auftragen sehr sauber und trocken sein
- Für die ganzjährige Wartung der Kette runden Sie die Kette mit einer Flasche Super Secret Chain Lube ab
- *SILCA Secret Chain Blend (Hot Wax) apporte toute la vitesse et la tranquillité de SILCA Super Secret Chain Lube dans une chaîne trempée dans la cire chaude*
- *Secret Chain Blend utilise également l'additif le plus rapide et le plus gras au monde, le di-sulfure de tungstène à l'échelle nanométrique. Le NanoPlatelet WS2 a un coefficient de frottement dynamique inférieur à 1/3 de celui du PTFE et à 1/4 de celui du disulfure de molybdène (MoS2)*
- *Application: Placez la chaîne dans le sac et immergez-la dans l'eau chaude*
- *La chaîne doit être très propre et sèche avant l'application*
- *Pour l'entretien de la chaîne tout au long de l'année, faites le tour de la chaîne avec une bouteille de Super Secret Chain Lube*



ULTIMATE CHAIN STRIPPER 40Z + SUPERSECRET 40Z

AM-AC-050-ASY-0200 Ultimate Chain Stripper 40Z + Supersecret 40Z

AM-AC-050-ASY-0100 Ultimate Chain Stripper 473 ml / 160Z



- SILCA Ultimate Chain Stripper and Wax Prep ist ein hochkonzentrierter, biologisch abbaubarer Entfetter in Kombination mit einem Wachshaftungsförderer (Primer), der eine schnelle, einstufige Vorbereitung von Werkketten für die Wachsbehandlung ermöglicht und gleichzeitig die Wachshaftung und die Langlebigkeit der Ketten verbessert. SILCA Chain Stripper reduziert den Zeitaufwand auf weniger als 10 Minuten sowie die Anzahl der Chemikalien, die für die ordnungsgemäße Behandlung einer werkseitig gefetteten Kette benötigt werden. Das Ergebnis ist der erste wachsoptimierte Kettenreiniger der Welt, der nicht nur Fette und Öle entfernt, sondern die Metalloberfläche für eine bessere Haftung von Schmiermitteln auf Wachsbasis vorbereitet.
- Er kann sogar an einer auf dem Fahrrad montierten Kette verwendet werden, um Ketten für das Auftragen von Tropfwachs vorzubereiten. Die aggressive 'lift and encapsulate' Formel von SILCA's Ultimate Chain Stripper and Wax Prep ermöglicht zudem die einfache Reinigungsanwendungen für Heisschmelzwachs.
- Bei der Entwicklung der SILCA Ultimate Chain Stripper and Wax Prep Formel haben wir am Ende des Prozesses begonnen und rückwärts gearbeitet. Wir identifizierten Chemikalien, die Fette und Öle lösen, während die Wachshaftung auf Metall gefördert wird.
- Und das haben wir entdeckt: ein organischer Reiniger, der Fette und Öle anhebt und einkapselt, so dass sie leicht von der Metalloberfläche abgespült werden können.
- Statistische Informationen: Biologisch abbaubare / umweltfreundliche Formel, Reinigt die Kette in 10 Minuten, Verbessert die Haftung der Wachsbehandlung, Zwei Größen: 16 oz und 4 oz (nur im Bundle), Hergestellt in den USA
- *SILCA Ultimate Chain Stripper and Wax Prep est un dégraissant biodégradable hautement concentré combiné à un promoteur d'adhérence de la cire (primer) qui permet de préparer rapidement et en une seule étape les chaînes d'usine pour le traitement à la cire tout en améliorant l'adhérence de la cire et la longévité des chaînes. SILCA Chain Stripper réduit le temps nécessaire à moins de 10 minutes ainsi que le nombre de produits chimiques nécessaires pour traiter correctement une chaîne graissée en usine. Le résultat est le premier nettoyeur de chaîne au monde optimisé pour la cire, qui non seulement élimine les graisses et les huiles, mais prépare aussi la surface métallique pour une meilleure adhérence des lubrifiants à base de cire.*
- *Il peut même être utilisé sur une chaîne montée sur un vélo pour préparer les chaînes à l'application de cire goutte à goutte. La formule agressive 'lift and encapsulate' de l'Ultimate Chain Stripper and Wax Prep de SILCA permet en outre des applications de nettoyage faciles pour la cire thermofusible.*
- *Lors du développement de la formule SILCA Ultimate Chain Stripper and Wax Prep, nous avons commencé à la fin du processus et travaillé à l'envers. Nous avons identifié des produits chimiques qui dissolvent les graisses et les huiles tout en favorisant l'adhérence de la cire sur le métal.*
- *Et c'est ce que nous avons découvert : un nettoyeur organique qui soulève et encapsule les graisses et les huiles afin qu'elles puissent être facilement éliminées de la surface du métal par rinçage.*
- *Informations statistiques : Formule biodégradable / respectueuse de l'environnement, Nettoie la chaîne en 10 minutes, Améliore l'adhérence du traitement à la cire, Deux tailles : 16 oz et 4 oz (en bundle uniquement), Fabriqué aux États-Unis*

LITER ULTIMATE SEALANT

AM-AC-059-ASY-0100 Ultimate Sealant

AM-AC-059-ASY-0101 500ml Liter Ultimate Sealant

AM-AC-059-ASY-0300 65ml Ultimate Sealant (12 pack only)



Das perfekte Dichtmittel für alle, die die ultimative Dichtkraft, Langlebigkeit und einfache Handhabung suchen. Kann durch das Ventil injiziert werden, dichtet Löcher von mehr als 6 mm ab und hält bis zu 6 Monate.

- Dichtet Einstiche von 6mm+ ab
- Durch das Ventil injizierbar
- Hält 6+ Monate
- Firmeneigene Mischung aus natürlichem und synthetischem Latex
- Optimierte Kohlefaserstränge
- Erhältlich in 1 L, 500 ml und 65 ml

Le produit d'étanchéité idéal pour ceux qui recherchent une étanchéité optimale, une longue durée de vie et une grande facilité d'utilisation. Injectable par la valve, il obture une perforation de 6 mm et plus et dure jusqu'à 6 mois

- ☐ Scelle les perforations de 6 mm et plus
- ☐ Injectable par la valve
- ☐ Dure plus de 6 mois
- ☐ Mélange exclusif de latex naturel et synthétique
- ☐ Brins de fibre de carbone optimisés
- ☐ Agents moussants avancés pour transporter les brins de carbone vers une perforation
- ☐ Disponible en 1 L, 500 ml et 65 ml

INJECTABLE SYRINGE

AM-AC-059-ASY-0200 Injectable Syringe



Die Montage von schlauchlosen Reifen wird zum Kinderspiel. Setzen Sie Ihren Reifen sauber ein und spritzen Sie anschließend SILCA Ultimate Tubeless Sealant durch das Ventil. So ist die Montage ohne Probleme erledigt. Mit dem SILCA Ultimate Sealant Injector können Sie Dichtmittel einfach und sauber durch Ihre Ventile spritzen. Jetzt kompatibel mit SILCA Ultimate Sealant.

- 2 oz Fassungsvermögen
- Kompatibel mit Ultimate Tubeless Sealant

Simplifiez l'installation de vos pneus tubeless. Installez votre pneu sans problème et injectez le produit d'étanchéité SILCA Ultimate Tubeless Sealant par la valve pour une installation tubeless impeccable. Injectez du mastic dans vos valves facilement et proprement grâce à l'injecteur de mastic SILCA Ultimate. Désormais compatible avec le mastic SILCA Ultimate.

- ☐ Capacité de 2 oz
- ☐ Compatible avec Ultimate Tubeless Sealant

SEALANT REMOVER

AM-AC-046-ASY-0100 Sealant Remover (16 oz) 24.00



Entfernen Sie Versiegelungsrückstände auf Ihrer Lieblingsausrüstung oder Ihren Böden, indem Sie sie einfach einsprühen und abbürsten. Wirkt am besten innerhalb von zwei Stunden.

- Wasserbasiert
- Biologisch abbaubar

Éliminez les résidus de mastic sur votre équipement, vos vêtements ou vos sols préférés en vaporisant et en brossant. L'efficacité est optimale dans les deux heures.


- ☐ À base d'eau
- ☐ Biodégradable



GEAR WIPES BULK 110

AM-AC-005-COM-0110 Gear Wipes Bulk 110

- SILCA Gear Wipes sind zweiseitige Einweghandtücher, die dazu dienen, Schmutz, Fett, Öl und Schweiß von Ihrer Radsportausrüstung zu entfernen. Jedes Wischtuch enthält eine strukturierte Scheuerseite zur Entfernung von starkem Schmutz oder Ruß und eine weiche Polierseite zur Endreinigung, die einen makellosen Glanz hinterlässt. Die Wischtücher verwenden kosmetische Reinigungsmittel, die für die Hände und die Haut sicher sind, aber keine Lotionen oder Feuchtigkeitscremes enthalten, die Streifen oder schleimige Rückstände hinterlassen können.
- Die SILCA Gear Wipes sind für alle, die jede Art von Ausrüstung oder Gebrauchsgütern reinigen und ihre Hände nach der Arbeit an ihrer Ausrüstung reinigen müssen.
- *Les SILCA Gear Wipes sont des serviettes jetables à deux faces conçues pour enlever la saleté, les huiles de graisse et la sueur de votre équipement de cyclisme. Chaque lingette contient un côté frottant texturé pour éliminer les saletés importantes et un côté polissant doux pour le nettoyage de finition qui laisse un brillant impeccable. Les lingettes utilisent des produits de nettoyage de qualité cosmétique qui sont sans danger pour les mains et la peau, mais ne contiennent pas de lotions ou d'agents hydratants qui pourraient laisser des traces ou des résidus visqueux.*
- *Les lingettes SILCA Gear sont destinées à tous ceux qui ont besoin de nettoyer tout type d'équipement ou de biens durables, ainsi que de se nettoyer les mains après avoir travaillé sur leur équipement.*



VERKAUFS- UND LIEFERBEDINGUNGEN | CONDITIONS GÉNÉRALES D'AFFAIRES

VERKAUFS- UND LIEFERBEDINGUNGEN Jeder Kunde der CUAG Sports AG anerkennt mit seiner Bestellung die nachstehenden Verkaufs- und Lieferbedingungen, welche wir uns vorbehalten, bei Bedarf ohne Ankündigung zu ändern.

VERSAND Lieferfrist: DPD 24 Std.-Service; Lieferung am nächsten Werktag bei Bestelleingang bis 14:00 Uhr.

Administrations-, Porto- und Frachtspesen für Sendungen werden verrechnet.

Versandkosten pro Paket: CHF 12,40, ab CHF 300.— Bestellwert frei Haus, Expressversand CHF 12,40 + CHF 25.— zusätzlich.

REKLAMATIONEN Beanstandungen sind innert 7 Tagen nach Erhalt der Ware zu melden.

RETOUREN werden nur nach vorheriger Vereinbarung zurückgenommen und gutgeschrieben, wenn die Rücksendung innerhalb von 7 Tagen mit einer Kopie der Rechnung erfolgt. Wir behalten uns vor, verspätet eintreffende Ware nicht zum vollen Warenwert gutzuschreiben. Rücksendungen werden ausschliesslich in der Originalverpackung und mit sämtlichen Hersteller-Etiketten angenommen. Ansonsten werden 10% des Einkaufspreises als Bearbeitungs- und Instandhaltungsgebühren berechnet. Für das Retournieren von **Auswahlartikeln, die eigens ab Lager Italien geliefert wurden** (im Webshop gelber Ampel markiert), wird 10% des Einkaufspreises als Bearbeitungsgebühr verrechnet.

GARANTIELEISTUNG Herstellergarantien bleiben vorbehalten, binden aber CUAG Sports AG nicht. Die CUAG Sports AG wirkt bei der Regelung von Herstellergarantiefällen administrativ mit, übernimmt aber selber keinerlei Haftung aufgrund einer Herstellergarantie. Die Garantie wird nur für die Behebung von Material- oder Funktionsmängeln der Kaufsache gewährt (nur durch Reparatur oder Ersatz der mangelhaften Kaufsache). Im Übrigen ist jede Garantiehaftung der CUAG Sports AG ausgeschlossen. Die Garantie wird mit der Lieferung des Artikels gültig und durch die Rechnung rechtskräftig. Garantieleistung kann nur bei Vorlegen eines schriftlichen Belegs über das Kaufdatum erbracht werden.

ZAHLUNGSBEDINGUNGEN

1. 20 Tage rein netto (wir arbeiten mit dem automatischen Verbuchungssystem BESR)
2. Ab 45 Tagen 8 % Verzugszins zzgl. CHF 20.— Bearbeitungsgebühren pro Monat
3. Unberechtigte Abzüge werden nachbelastet
4. Ein Rabatt von 2 % wird bei Voraus- und Barzahlung sowie bei Lastschriftverfahren gewährt.

LIEFERFRISTEN Die von uns genannten Lieferfristen sind unverbindlich. Fälle höherer Gewalt, innere Betriebsstörungen oder Zahlungsschwierigkeiten des Bestellers entbinden uns von jeglicher Lieferpflicht.

EIGENTUMSVORBEHALT Die von uns gelieferte Ware bleibt bis zur völligen Bezahlung des Kaufpreises einschliesslich aller Nebenforderungen unser Eigentum. Die Verrechnung mit Gegenforderungen ist unzulässig.

ERFÜLLUNGORT Erfüllungsort für Lieferungen und Zahlungen ist 6405 Immensee.

CONDITIONS DE VENTE ET DE LIVRAISON Au moment d'effectuer sa commande, chaque client de l'entreprise CUAG Sports AG accepte les conditions de vente et de livraison ci-dessous. Nous nous réservons le droit de les modifier sans avis préalable au cas de besoin.

EXPÉDITION Délai de livraison : service DPD 24 heures, livraison le jour ouvrable suivant pour les commandes effectuées jusqu'à 14h00.

Les frais d'administration, de port et les frais pour les envois seront facturés.

Frais de port: CHF 12.40, franco domicile pour une commande à partir de CHF 300.—.

Livraison express CHF 12.40 + CHF 25.— supplémentaire.

RÉCLAMATIONS Les réclamations doivent être annoncées dans les 7 jours suivant la réception de la marchandise.

RETOURS Les marchandises ne seront reprises et créditées qu'après un accord préalable, que si le retour est effectué dans les 7 jours et qu'il est accompagné d'une copie de la facture. Nous nous réservons le droit de ne pas créditer la valeur intégrale. Les retours ne sont acceptés que dans l'emballage d'origine et avec toutes les étiquettes du fabricant. Sinon, 10 % du prix d'achat seront facturés comme frais de manutention et de maintenance. Pour le retour d'**articles de choix commandés en Italie** (jaune au B2B), 10% du prix d'achat sera facturés comme frais de traitement.

GARANTIE La garantie s'applique exclusivement pour la réparation des défauts de matériels ou de fonctionnements de la chose vendue (uniquement pour la réparation ou le remplacement de la chose vendue défectueuse). Pour le reste, la responsabilité de garantie de CUAG Sports AG est exclue. Sous réserve des garanties de fabricants, n'engageant toutefois pas CUAG Sports AG. CUAG Sports AG participe au règlement de la partie administrative des cas de garanties de la part des fabricants, mais ne porte pas de responsabilité en relation à la garantie d'un fabricant. Elle commence à partir de la livraison de l'article et elle est valable sur la base de la facture. La garantie ne peut être appliquée que sur présentation d'une pièce justificative écrite avec la date d'achat.

CONDITIONS DE PAIEMENT

1. 20 jours net (nous travaillons avec le système de facturation automatique BVRB)
2. À partir de 45 jours, 8 % d'intérêt de retard ainsi que CHF 20.— de frais de dossier par mois en sus
3. Les déductions non justifiées seront facturées ultérieurement
4. Un rabais de 2 % sera accordé pour les paiements effectués en avance et en liquide, ainsi que par le système de recouvrement direct.

DÉLAIS DE LIVRAISON Nos délais de livraison sont donnés sans engagement. Le cas de force majeure, de panne interne ou de difficultés de paiement de la part de l'acheteur nous libèrent de toutes obligations de livraison.

RÉSERVE DE PROPRIÉTÉ La marchandise livrée par nos soins reste en notre propriété jusqu'au paiement total du prix d'achat, y compris toutes les créances secondaires. La compensation avec créances en contrepartie n'est pas admise.


LIEU D'EXÉCUTION Le lieu d'exécution pour les livraisons et les paiements est 6405 Immensee.

CU:AG

S P O R T S A G

CUAG SPORTS AG | C/O HOHLE GASSE | ARTHURSTR. 60 | 6405 IMMENSEE | +41412595100 | INFO@CUAGSPORTS.COM | CUAGSPORTS-SHOP.COM

CASTELLI



TIME

nimbl

TUNAP SPORTS

KCO

KASK

Deda

SILCA™

CU:AG
SPORTS AG

CUAG SPORTS AG | C/O HOHLE GASSE | ARTHRSTR. 60 | 6405 IMMENSEE | +41412595100 | INFO@CUAGSPORTS.COM | CUAGSPORTS-SHOP.COM